MAR 20070015: GRAND CUB AIDAN

Received date: May 17, 2007

Public release date: Jun 25, 2008

DISCLAIMER

By accessing and using the Alberta Energy website to download or otherwise obtain a scanned mineral assessment report, you ("User") agree to be bound by the following terms and conditions:

a) Each scanned mineral assessment report that is downloaded or otherwise obtained from Alberta Energy is provided "AS IS", with no warranties or representations of any kind whatsoever from Her Majesty the Queen in Right of Alberta, as represented by the Minister of Energy ("Minister"), expressed or implied, including, but not limited to, no warranties or other representations from the Minister, regarding the content, accuracy, reliability, use or results from the use of or the integrity, completeness, quality or legibility of each such scanned mineral assessment report;

b) To the fullest extent permitted by applicable laws, the Minister hereby expressly disclaims, and is released from, liability and responsibility for all warranties and conditions, expressed or implied, in relation to each scanned mineral assessment report shown or displayed on the Alberta Energy website including but not limited to warranties as to the satisfactory quality of or the fitness of the scanned mineral assessment report for a particular purpose and warranties as to the non-infringement or other non-violation of the proprietary rights held by any third party in respect of the scanned mineral assessment report;

c) To the fullest extent permitted by applicable law, the Minister, and the Minister's employees and agents, exclude and disclaim liability to the User for losses and damages of whatsoever nature and howsoever arising including, without limitation, any direct, indirect, special, consequential, punitive or incidental damages, loss of use, loss of data, loss caused by a virus, loss of income or profit, claims of third parties, even if Alberta Energy have been advised of the possibility of such damages or losses, arising out of or in connection with the use of the Alberta Energy website, including the accessing or downloading of the scanned mineral assessment report and the use for any purpose of the scanned mineral assessment report so downloaded or retrieved.

d) User agrees to indemnify and hold harmless the Minister, and the Minister's employees and agents against and from any and all third party claims, losses, liabilities, demands, actions or proceedings related to the downloading, distribution, transmissions, storage, redistribution, reproduction or exploitation of each scanned mineral assessment report obtained by the User from Alberta Energy.

MAY 16 2007
20070015

NTS 84F/G

ASSESSMENT REPORT FOR THE GRAND CUB AIDAN PROPERTY, BUFFALO HEAD HILLS, NORTHERN ALBERTA: MINERAL PERMITS 9304020489 to 9304020492, 9304020495, 9304020497, 9304020498, 9304020500 to 9304020503, 9305031119, 9305031121 to 9305031123, 9306061036 and 9306061037

Approximate Property Location
Latitude: 57° 24' N
Longitude: 115° 51' W
161 km Northeast of Slave Lake, North-Central Alberta (NTS 84F/G)

Completed By:
APEX Geoscience Ltd.
Suite 200, 9797 – 45th Avenue
Edmonton, Alberta, Canada
T6E 5V8

Completed For:
Grizzly Diamonds Ltd.
Suite 220, 9797 – 45 Avenue
Edmonton, Alberta, Canada
T6E 5V8

May, 2007
Edmonton, Alberta Canada

M.B. Dufresne, M.Sc., P.Geol
H.Carey, B.Sc., GIT

ASSESSMENT REPORT FOR THE GRAND CUB AIDAN PROPERTY, BUFFALO HEAD HILLS, NORTHERN ALBERTA: MINERAL PERMITS 9304020489 to 9304020492, 9304020495, 9304020497, 9304020498, 9304020500 to 9304020503, 9305031119, 9305031121 to 9305031123, 9306061036 and 9306061037

TABLE OF CONTENTS

PAGE

SUMMARY 1

INTRODUCTION AND TERMS OF REFERENCE 3

DISCLAIMER 3

PROPERTY DESCRIPTION AND LOCATION 3

ACCESSIBILITY, CLIMATE AND LOCAL RESOURCES 8

HISTORY: PREVIOUS EXPLORATION 8

- Previous Exploration Buffalo Head Hills Region 8
- Previous Exploration Grizzly's Buffalo Head Hills Properties 11
- Prior Government and Industry DIM And Other Scientific Surveys 14
- Previous Exploration on Behalf of Grizzly Gold/Grizzly Diamonds 19

DEPOSIT MODEL: DIAMONDIFEROUS KIMBERLITES 20

- Kimberlites 20
- Diamond Indicator Minerals 21
- Exploration 22

GEOLOGICAL SETTING 23

- Precambrian Geology 23
- Phanerozoic Geology 24
- Structural Geology 29
- Quaternary Geology 29

RECENT GRIZZLY DIAMONDS LTD. EXPLORATION 31

- 2005 Exploration 31
- 2006 Exploration 32

PAGE

2007 Exploration 36

EXPLORATION EXPENDITURES 36

CONCLUSIONS AND DISCUSSION 38

RECOMMENDATIONS 39

REFERENCES 41

CERTIFICATION 50

TABLES

TABLE PAGE

1 LEGAL PERMIT DESCRIPTIONS 5
2 GENERALIZED STRATIGRAPHY, BUFFALO HEAD HILLS REGION 27
3 GROUND GEOPHYSICAL ANOMALY SUMMARY 33
4 RECOMMENDED 2007 PROGRAM AND BUDGET 40

FIGURES

FIGURE PAGE

1 PROPERTY LOCATION 6
2 MINERAL PERMITS 7
3 PRIOR GEOPHYSICAL GRIDS AND DRILLHOLES 13
4 DIAMOND INDICATOR MINERALS 15
5 REGIONAL GEOLOGY 25
6 GENERALIZED GEOLOGY 26
7 LOCATION 2006 AIRBORNE ANOMALIES AND GROUND GEOPHYSICAL GRIDS ..... AT END

FIGURE PAGE

8 2007 AIRBORNE SURVEY 37

APPENDICES

APPENDIX PAGE

1 AIRBORNE GEOPHYSICAL ANOMALY SUMMARY ..... AT END

2 GROUND GEOPHYSICAL SURVEY CONTOUR MAPS ..... AT END

3 FIELD AND OFFICE PERSONNEL ..... AT END

4 GROUND GEOPHYSICAL SURVEY RAW-DATA ..... AT END

5 2006-2007 EXPLORATION EXPENDITURES ..... AT END

ASSESSMENT REPORT FOR THE GRAND CUB AIDAN PROPERTY, BUFFALO HEAD HILLS, NORTHERN ALBERTA: MINERAL PERMITS 9304020489 to 9304020492, 9304020495, 9304020497, 9304020498, 9304020500 to 9304020503, 9305031119, 9305031121 to 9305031123, 9306061036 and 9306061037

SUMMARY

APEX Geoscience Ltd. (APEX) was contracted between 2005 and 2007 as consultants by Grizzly Diamonds Ltd. (Grizzly) to review and complete further kimberlite exploration on Grizzly's Grand Cub Aidan property. Grizzly, Grizzly Gold Inc. (on behalf of Grizzly) and APEX Geoscience Ltd. (on behalf of Grizzly) own an undivided 100% interest in seven separate properties within the Buffalo Head Hills. Grizzly's properties, comprised of the Smoky The Bear, White Bear, Preston Upon Wolverine, Grand Cub Aidan, Grand Cub Parker, Kodiak, and Bear Paw are all located in the Buffalo Head Hills region. These seven properties encompass 105 mineral permits totalling approximately 811,919 hectares (2,006,296 acres) and are situated adjacent to Ashton Mining of Canada Inc.'s (Ashton) main Buffalo Head Hills property, approximately 330 km northwest of Edmonton. Grizzly's four main holdings within the Buffalo Head Hills are the Grand Cub Aidan, Smoky The Bear, White Bear and Preston Upon Wolverine properties. These four main properties encompass 67 mineral permits totalling approximately 504,064 hectares (1,245,569 acres) and cover portions of Townships 92 to 98, Ranges 10 to 14; Townships 88-91, Ranges 7 to 14; Townships 87 to 90, Ranges 15 to 18; and Townships 91 to 95, Ranges 14 to 18, west of the 5th meridian respectively. Although diamond exploration on the Grizzly Buffalo Head Hills properties is still in the early stages, the potential for discovery of diamondiferous kimberlites is considered high based on the regional geological setting in conjunction with the positive results of exploration conducted to date.

The regional setting in the Buffalo Head Hills area is considered favourable for the presence of diamondiferous kimberlites. Grizzly's Grand Cub Aidan property is underlain by Early Proterozoic to Archean basement of the Buffalo Head Craton. The local bedrock geology and underlying crystalline basement in association with deep seated, penetrative structures, such as the Peace River Arch, likely provided a favourable environment for the ascent of kimberlitic magmas in the Buffalo Head Hills. The regional cratonic setting is also considered favourable for the formation and preservation of diamonds in the upper mantle and their transport to surface in kimberlitic magma during periodic tectonic activity associated with movement along the Peace River Arch. This has been confirmed with the discovery of 38 kimberlite pipes in the Buffalo Head Hills area, of which 26 are diamondiferous. At least ten of the Buffalo Head Hills kimberlite pipes exist within 33 kilometres (km) of the southern boundary of Grizzly's Grand Cub Aidan diamond property.

To date, a number of diamond indicator minerals (DIMs) have been recovered from limited sampling of glacial outwash gravel, recent fluvial gravel, and till on all four of Grizzly's main Buffalo Head Hills diamond properties. The importance of these indicator minerals is unknown due to the variable thicknesses of glacial drift and poor sampling density. A number of samples collected from the Grand Cub Aidan property and immediately south, by government agencies and industry have yielded significant numbers of indicator minerals including olivine, pyrope garnet, chromite and picroilmenite. All of these samples exist well north of the northernmost known Buffalo Head Hills kimberlite. Therefore, there is a strong likelihood that undiscovered kimberlites exist on, or to the north of the Grand Cub Aidan property. The diamond potential of Grizzly's Grand Cub Aidan property cannot be fully assessed with the limited amount of sampling that has been conducted to date. However, it is expected that further systematic sampling will lead to a better understanding of the diamond potential of the properties.

During December 2005, an 11,663 line-km high resolution airborne magnetic survey (HRAM) was completed over the main portion of Grizzly's Grand Cub Aidan property. The data was reviewed on a line by line profile basis to identify high frequency, short wavelength magnetic anomalies that could reflect small, shallow source magnetic bodies potentially related to geological features such as kimberlites. A total of 16 high priority anomalies were identified in the HRAM dataset, and between January and April 2006 ground truthing of the high priority anomalies was completed, with subsequent ground magnetic surveys completed over 10 anomalies, totalling 35 line-km of ground magnetic survey data. Analysis of the ground geophysical data indicates that at four targets, GCA-026, GCA-062, GCA-065A and GCA-065B require follow-up exploration including drill testing. If kimberlite is intersected at either of these targets a further two low priority drill targets may also warrant drill testing. Property visits and prospecting were conducted during summer and fall 2006. During February and March, 2007, APEX on behalf of Grizzly commissioned an HRAM survey for the southern portion of the Grand Cub Aidan property over newly acquired permits 9305031119 and 9305031121 through 9305031123. APEX and Grizzly are currently awaiting results from the recent airborne magnetic survey completed over the southern portion of the Grand Cub Aidan property

The potential for discovery of diamondiferous kimberlites within Grizzly's Grand Cub Aidan property is considered high based upon the favourable regional geological setting and the positive results of exploration conducted to date within Grizzly's Buffalo Head Hills diamond properties. An aggressive, systematic follow up exploration program including DIM sampling, airborne and ground geophysical surveys, and drilling is warranted to search for diamondiferous kimberlites.

INTRODUCTION AND TERMS OF REFERENCE

APEX Geoscience Ltd. (APEX) was retained between 2005 and 2007 as consultants by Grizzly Diamonds Ltd. (Grizzly) to continue exploration on its Grand Cub Aidan property. The exploration conducted was focused on recommendations made in previous assessment and technical reports on Grizzly's Buffalo Head Hills properties (Dufresne and Kupsch, 2004; Dufresne, 2006, 2007; Dufresne *et al.*, 2006). During the winter of 2005, APEX oversaw the completion of an airborne magnetic survey over a large portion of the Grand Cub Aidan Property, located in the northern region of the Buffalo Head Hills. Between December 2005 and April 2006, APEX personnel completed ground truthing of previously identified targets, and subsequent ground magnetic surveys on Grizzly's Grand Cub Aidan property. During summer - fall 2006 and February – April 2007, APEX completed prospecting and ground truthing of targets and oversaw a high resolution airborne magnetic (HRAM) survey over newly acquired permits that are contiguous to the Grand Cub Aidan property. APEX is currently waiting for the finalized HRAM data and final report from Firefly Aviation from the recent airborne magnetic survey completed over mineral permits 9305031119 and 9305031121 to 9305031123 within the Grand Cub Aidan property. This assessment report documents the results of the exploration performed by APEX, on behalf of Grizzly, to date on the Grand Cub Aidan property. Mr. M.B. Dufresne, M.Sc., P.Geol., Qualified Person, has visited the Grand Cub Aidan property on a number of occasions.

DISCLAIMER

The author, in writing this report, used sources of information as listed in the references. The report written by Mr. M. B. Dufresne, M.Sc., P.Geol., a Qualified Person, is a compilation of proprietary and publicly available information, as well as, information obtained during a number of property visits. The government reports were prepared by a person or persons holding post secondary geology, or related university degree(s), prior to the implementation of the standards relating to National Instrument 43-101. The information in those reports is therefore assumed to be accurate. Those reports written by other geologists are also assumed to be accurate based on the property visits and data review conducted by the author, however are not the basis for this report. Grizzly's Buffalo Head Hills diamond properties are considered early stage exploration properties and do not contain any diamond or kimberlite discoveries to date.

PROPERTY DESCRIPTION AND LOCATION

Grizzly Diamonds Ltd.'s (Grizzly) Buffalo Head Hills properties are comprised of the: Smoky The Bear, White Bear, Preston Upon Wolverine, Grand Cub Aidan, Grand Cub Parker, Kodiak and Bear Paw. All of the properties are located in the Buffalo Head Hills region northwest of the town of Red Earth Creek in north-central Alberta. The four main diamond properties consisting of the Grand Cub Aidan, Smoky The Bear, White Bear, and Preston Upon Wolverine, are located on Townships 92 to 98, Ranges 10 to

14; Townships 88 to 91, Ranges 7 to 14; Townships 87 to 90, Ranges 15 to 18; and Townships 91 to 95, Ranges 14 to 18 west of the 5th meridian, respectively (Figure 1). Grizzly's Buffalo Head Hills diamond properties encompass 105 mineral permits totalling 811,919 hectares (2,006,296 acres), while the four main properties encompass 67 mineral permits totalling approximately 504,064 hectares (1,245,569 acres). The Grand Cub Aidan property covers 96,512 ha in 17 metallic mineral permits (Figure 2), and is situated approximately 161 km (100 miles) northeast of the town of Peace River and 467 km (290 miles) northwest of Edmonton. All of Grizzly's Buffalo Head Hills properties are situated adjacent to Ashton Mining of Canada Inc.'s (Ashton) main Buffalo Head Hills property along the north, west, and south flanks of the Buffalo Head Hills. The properties are located within 1:250,000 scale National Topographic System (NTS) map sheets 84B, 84C, 84F and 84G (Jackpine Lake, Peerless Lake, Peace River, Bison Lake and Wadlin Lake Map Sheets). More specifically, the properties are located within 1:50,000 scale NTS map sheets 84B/10,11,12, 13, 15; 84C/9,10,15, 16; 84F/1,2,7,8,9,12; and 84G/4, 5, 6. A list of legal descriptions for the Grand Cub Aidan property is provided in Table 1. Copies of the mineral permit agreements and the land titles search are included in Dufresne *et al.* (2006).

The mineral permits are currently held in the name of Grizzly Gold Inc. of Comp 2 Site 17, Peers, Alberta; Grizzly Diamonds Ltd.; and APEX Geoscience Ltd. of Suite 200, 9797 – 45th Avenue, Edmonton, Alberta (Table 1). The mineral permits held by APEX Geoscience Ltd. were staked in trust on behalf of Grizzly Diamonds Ltd. and are part of the Grizzly Diamonds Ltd. agreement with Grizzly Gold Inc. APEX retains no interest in these mineral permits. Based upon a property title search, the mineral permits appear to be free of any encumbrances and are 100% owned by Grizzly Gold Inc., Grizzly Diamonds Ltd., and APEX Geoscience Ltd. on behalf of Grizzly Diamonds Ltd. with no option and/or royalty agreements that the author is aware of in effect. This technical report is filed for Mineral Permits 9304020489-92, 9304020495, 9304020497-98, 9304020500-03, 9305031119, 9305031121-23, and 9306061036-37.

Alberta Mining regulations grant metallic mineral permits to the permittee for 10-year terms which are not renewable, and at any time after the initial two-year term the mineral permit may be converted into a lease. Leases are granted for 15-year terms and may be renewed. A metallic mineral permit gives Grizzly the exclusive right to explore for and develop economic deposits of minerals, including diamonds, within the boundaries of the permit. The exclusive right to explore is subject to ALBERTA REGULATION 66/93 of the Alberta Mines and Minerals Act and the contained Metallic and Industrial Minerals Regulations within the act. The Standard Terms and Conditions for the permits are described in detail on Alberta Energy's website at http://www.qp.gov.ab.ca/documents/Regs/2005_145.cfm.

A permit holder shall spend or cause to be spent, with respect to the location of his mineral permit, an amount on assessment work equal to $5 for each hectare in the permit during the first two year period; an amount equal to $10 per hectare for each of the second and third two year periods; and an amount equal to $15 per hectare for each

of the fourth and fifth two year periods. Mineral permits may be grouped and excess expenditures may be carried into the next two year period.

TABLE 1
LEGAL PERMIT DESCRIPTIONS*

Permit Number*	Record Date*	Term Period*	Legal Description	Permit Holder*	Area (Ha)*
Grand Cub Aidan Property					
9304020489	26-Feb-2004	10 Years	**5-10-096:** 4-9; 16-21; 28-33	APEX Geoscience Ltd	4608
9304020490	26-Feb-2004	10 Years	**5-11-096:** 1-36	APEX Geoscience Ltd	9216
9304020491	26-Feb-2004	10 Years	**5-12-096:** 1-36	APEX Geoscience Ltd	9216
9304020492	26-Feb-2004	10 Years	**5-13-096:** 1-36	APEX Geoscience Ltd	9216
9304020495	26-Feb-2004	10 Years	**5-11-097:** 27; 28; 31-33	APEX Geoscience Ltd	1280
9304020497	26-Feb-2004	10 Years	**5-13-097:** 4-9; 16-21; 28-33	APEX Geoscience Ltd	4608
9304020498	26-Feb-2004	10 Years	**5-14-097:** 13; 14; 23-26; 35; 36	APEX Geoscience Ltd	2048
9304020500	26-Feb-2004	10 Years	**5-11-098:** 4-7; 18; 19; 30	APEX Geoscience Ltd	1792
9304020501	26-Feb-2004	10 Years	**5-12-098:** 1-12	APEX Geoscience Ltd	3072
9304020502	26-Feb-2004	10 Years	**5-13-098:** 1-20; 29S; 30S	APEX Geoscience Ltd	5376
9304020503	26-Feb-2004	10 Years	**5-14-098:** 1-5; 6E; 7E; 8; 9; 16; 17; 18E; 19E; 20; 21; 28; 29; 32S; 33S	APEX Geoscience Ltd	4096
9305031119	17-Mar-2005	10 Years	**5-12-092:** 25-30; 33-36 **5-12-093:** 1-4; 7-11; 13-18 **5-13-092:** 25-27	Grizzly Gold Inc.	7168
9305031121	17-Mar-2005	10 Years	**5-12-093:**19-29; 34-36 **5-12-094:** 2-3; 6-11; 14-18; 21-23; 25-28	Grizzly Gold Inc.	8704
9305031122	17-Mar-2005	10 Years	**5-12-094:** 34-36 **5-12-095:** 1-21; 28-30	Grizzly Gold Inc.	6912
9305031122	17-Mar-2005	10 Years	**5-12-095:** 31-33	Grizzly Gold Inc.	768
9306061036	27-Jun-2006	10 Years	**5-14-096:** 1-36	Grizzly Diamonds Ltd.	9216
9306061037	27-Jun-2006	10 Years	**5-12-097:** 1-36	Grizzly Diamonds Ltd.	9216
			Property Subtotal	**96,512**	**Ha**

*Based upon a land titles search January 10, 2007, **GGI = Grizzly Gold Inc., a private company controlled by Mr. B. Testo. Land held by APEX Geoscience Ltd. and GGI is being held in trust on behalf of Grizzly Diamonds Ltd.

In addition to the financial commitment, a metallic mineral permit holder is required to file an assessment report that documents all of the work conducted, as well as the results of the work to Alberta Energy. The assessment report must be filed within 60 days after the record date after each two year period.



Bistcho Lake
Lake Athabasca
High Level
74
84
Grand Cub Aidan Property
Manning
Fort McMurray
Red Earth Creek
Grande Prairie
High Prairie
Slave Lake
Lesser Slave Lake
Cold Lake Air Weapons Range
73
83
Edmonton
Hanna
Calgary
72
82
Lethbridge
Legend
Provincial and/or National Parks
Provincial Highway
Cities
Rivers
Grand Cub Aidan Mineral Permits
GRIZZLY DIAMONDS LTD.
ALBERTA
PROPERTY LOCATION
0 100 200
Scale Kilometres
APEX Geoscience Ltd.
EDMONTON, ALBERTA
March, 2006

FIGURE 1.



550000
560000
570000
580000
6380000
6370000
6360000
6350000
6340000
6330000
6320000
TWP98
R14W5
TWP98
R11W5
9304020503
9304020502
9304020501
9304020500
9304020498
9304020497
9306061037
9304020495
9306061036
9304020492
9304020491
9304020490
9304020489
TWP96
R14W5
Grand Cub Aidan Property
TWP96
R11W5
9305031123
9305031122
9305031121
9305031119
9305031120
TWP92
R14W5
TWP92
R11W5
LEGEND
Road
Trail
Lake
Drainage
Township & Range Boundary
Grizzly Diamonds Ltd., Grizzly Gold Inc. or APEX Geoscience Ltd. Mineral Permit
Other Grizzly Diamonds Land
Sandswamp Exploration Ltd. Permit
Ashton Diamonds (Canada) Inc. Permit
3869008 Canada Ltd. Permit
APEX Geoscience Ltd., Grizzly Gold Inc. & Grizzly Diamonds Ltd.
Grand Cub Aidan Property
MINERAL PERMITS
2km 0 2 4km
SCALE 1:200,000
Zone 11 NAD 27
APEX Geoscience Ltd.
Edmonton, Alberta
February, 2007

FIGURE 2.

ACCESSIBILITY, CLIMATE AND LOCAL RESOURCES

The Grand Cub Aidan property may be accessed via Provincial Highways 88 and 686, all weather and dry weather gravel roads, cart trails and seismic lines. Most portions of the four mineral permit areas may be accessed by four-wheel drive vehicles or all terrain vehicles (ATV's) during the summer and winter months. Accommodation, food, fuel, and supplies are best obtained in the towns of Red Earth Creek, Peace River and Slave Lake.

The Grand Cub Aidan property is within the Eastern Alberta Plains along the southern edge of the Buffalo Head Hills Upland. Relief generally comprises rolling hills and undulating plains. Elevation in the region varies from 450 metres (m) to 825 m (1,475 ft to 2,700 ft) above sea level (ASL). Major topographic features in the region include Cadotte, Lubicon, Loon and Peerless lakes, as well as Red Earth Creek, and the Loon and Lubicon rivers. In addition to the numerous small lakes and ponds, much of the properties are covered by swamps, marshes and fens. A boreal forest containing mainly spruce and jack pine covers the properties. Annual temperatures range from -40°C in January to 25°C in July.

HISTORY: PREVIOUS EXPLORATION

Previous Exploration Buffalo Head Hills Region

Previous exploration in the Buffalo Head Hills region has focused primarily on the search for hydrocarbon and aggregate deposits, and the determination of hydrogeological and geothermal regimes (Hackbarth and Nastasa, 1979; Mandryk and Richardson, 1988; Bachu *et al.*, 1993; Edwards *et al.*, 1994). More recently, the focus of exploration has been redirected towards diamonds (Dufresne *et al.*, 1996).

The Buffalo Head Hills region is well known for its wealth of energy resources. The primary established reserves are 47,196.4 x 10^3 m^3 of oil in 12 conventional fields and 808 x 10^6 m^3 of gas in 3 fields (Eccles *et al.*, 2001). The geology of the Utikuma Lake Keg River Sandstone A and Red Earth Granite Wash A oil pools, the largest pools in the area, was outlined by Angus *et al.* (1989) who suggested that the pools are hosted by Granite Wash sandstone reservoirs. The Granite Wash Formation is composed of interbedded sandstone, siltstone, and shale, with minor amounts of dolostone and anhydrite (Greenwalt, 1956). The formation is thought to resemble a diachronous basal nonmarine to shallow marine clastic unit deposited farther from the Peace River Arch (Grayston *et al.*, 1964). The oil is trapped in Granite Wash sandstone reservoirs that pinch out against or drape over numerous paleotopographic features on the Precambrian surface, and are sealed by the overlying Muskeg Formation anhydrite.

During 1950 to 1952, the GSC conducted aeromagnetic surveys of the Peerless Lake (NTS 84B) and Peace River (NTS 84C) map areas as part of a regional survey (Geological Survey of Canada, 1989a,b). The surveys were flown at an altitude of

305 metres (1,000 ft) with flight lines spaced every 1.6 kilometres (1 mile) and cross-lines every 24 km (15 miles). Closer examination of the 1:250,000 scale aeromagnetic map for the Peerless Lake area indicates a predominance of north to northwest trending basement magnetic highs. These highs parallel the trend of the boundaries of the Buffalo Head Terrane. Unfortunately, the flight lines from the 1950 to 1952 surveys are too widely spaced to be useful for locating possible kimberlites. In addition, the digital data derived from these surveys is the result of manual digitization of the old maps and is not the true raw data, which would be required as part of any search for kimberlites.

The first strong indication that the region could host diamondiferous kimberlites came during September 1995 from sampling conducted by the Alberta Geological Survey (AGS). A single sample from a road cut yielded 152 possible pyrope garnets from 25 kilograms (60 lbs) of dark greyish brown, silty clay till. The sample was collected from a site approximately 45 km (28 miles) northwest of Red Earth Creek and 18 km (11 miles) north of Grizzly's Smoky the Bear property (Fenton and Pawlowicz, 1997). A total of 35 garnet grains were analyzed by electron microprobe; 27 were classified as Group 9 (G9) garnets according to Gurney's (1984) CaO versus Cr_2O_3 discrimination scatter plot. The same site was re-sampled in August 1996 and yielded 176 possible pyrope garnets, thus duplicating the high number of pyrope garnets initially recovered by the AGS (Pawlowicz *et al.*, 1998a). It was later determined that this till site is less than 1 km (0.6 miles) southwest of the K4 kimberlite, based on work conducted by the Buffalo Head Hills Joint Venture (BHHJV). The BHHJV is a joint venture between Ashton Mining of Canada Inc. (Ashton), Alberta Energy Company (AEC) and Pure Gold Minerals Inc. (Pure Gold). A number of other government surface and auger drill hole samples have also yielded high counts of diamond indicator minerals (DIMs) in the Buffalo Head Hills (Pawlowicz *et al.*, 1998a,b; Eccles *et al.*, 2001).

Alberta Energy Company Ltd. (now known as EnCana Corporation) conducted a high resolution aeromagnetic (HRAM) survey in 1995 over the Buffalo Head Hills, with a 600 m (2,000 ft) line spacing in the search for oil and gas deposits. The survey identified several shallow based, short wavelength, high frequency magnetic anomalies that also corresponded to areas of very strong diffractions in seismic profiles (Rob Pryde, *personal communication*, 1998; Carlson *et al.*, 1999; Skelton and Bursey, 1999). As a result, during October 1996 a joint venture option agreement, the Buffalo Head Hills Joint Venture (BHHJV), was signed by Ashton, AEC, and Pure Gold to investigate these anomalies.

In January 1997, Ashton announced a drill program to test 10 isolated geophysical anomalies in the Buffalo Head Hills area, approximately 35 to 45 km (21 to 27 miles) northwest of the town of Red Earth Creek. The initial 2 drill holes, located on anomalies identified as 7B and 7C, penetrated olivine-dominated fragmental and tuffaceous volcanic materials underlying glacial overburden at depths of 34.0 m (111.5 ft) and 36.6 m (120 ft), respectively. The rock types were interpreted by Ashton to represent kimberlite pipes (diatremes) that intruded from the basement through a thick column of overlying younger sedimentary rocks to the preglacial surface (Ashton Mining of Canada Inc., 1997a). Petrographic studies of core from K7B and K7C

confirmed that the drill holes intersected kimberlites and yielded indicator minerals such as chromite, eclogitic garnet, and peridotitic garnet (Ashton Mining of Canada Inc., 1997b). By March 1997, a total of 11 kimberlites within a 100 km^2 area (36 square miles) had been discovered, 10 by drilling and 1 by bulldozer, including kimberlites K2, K4A, K4B, K4C, K5A, K5B, K6, K7A, K7B, K7C, and K14 (Ashton Mining of Canada Inc. 1997c). The first microdiamond analyses of samples collected from kimberlites K2, K4, and K14 were released in April 1997 and confirmed that the pipes are diamondiferous. More significantly, 3 samples totalling 152.5 kg (387 lbs) from kimberlite K14 yielded significant numbers of diamonds, including 139 microdiamonds and 11 macrodiamonds (Ashton Mining of Canada Inc., 1997d).

Mineralogical analysis of the Buffalo Head Hills kimberlites, in the central and northern portion of the cluster, yielded a significant number of favourable G10 pyrope garnets, along with abundant diamond inclusion quality chromites. Some of the G10 pyrope garnets contain exceptionally high chromium contents, up to 17.8 wt% Cr_2O_3 (Carlson *et al.*, 1999; Hood and McCandless, 2003). In addition, a large number of the kimberlites yielded euhedral to subhedral xenocrystic (mantle derived) garnet and clinopyroxene. Therefore, due to limited resorption, the potential to preserve any carried diamonds within the kimberlitic magma may be considered high (Carlson *et al.*, 1999). These results ushered in a new era in the history of resource development in Alberta.

More recent findings indicate that the Buffalo Head Hills kimberlite field contains kimberlites with excellent potential to host a population of commercial-sized diamonds and are approaching the threshold of being economic. As an example, Ashton reported that a 22.8 tonne mini-bulk sample yielded a grade of 55 carats per hundred tonnes (cpht), from the K252 kimberlite which is located approximately 42 km (26 miles) south of the central portion of Grizzly's Grand Cub Aidan property (Ashton Mining of Canada Inc., 2001a). The mini-bulk sample results also yielded a grade of 85.4 cpht from the deeper breccia phase of the pipe. If these grades and the quality of the stones persist through larger bulk sampling programs, the K252 kimberlite could be the first in a series of economic kimberlite pipes in the Buffalo Head Hills. As a result, the BHHJV approved further drilling of other kimberlite targets, and the collection of a 200 to 400 tonne bulk sample from the K252 kimberlite during 2002 (Ashton Mining of Canada Inc., 2001b). Ashton expanded their exploration focus to define new electromagnetic (EM) and gravity targets, and to drill previously discovered targets including K252. During February 2002, seven holes were completed along the outer edge of the K252 geophysical anomaly, in order to test the geophysical interpretation and better define the size and shape of the anomaly. Drilling methods utilized a reverse circulation drill in order to reach depths of approximately 200 m, which confirmed that K252 is irregular in shape and likely less than two hectares in size (Skelton et al., 2003).

During January and February of 2003, the southern vent of target K6 discovered in 1997, was drilled to a depth of 251 meters. In addition, drill testing of three electromagnetic anomalies resulted in the discovery of two new kimberlites, K296 and K300 (Ashton Mining of Canada Inc., 2003c; Skelton et al., 2003). Targets K300 and K296 were discovered at the intersections of several vertical holes, and exhibit

electromagnetic anomalies with approximate surface dimensions of 300 x 300 m, and 400 x 400 m, respectively. Lab results of the samples indicated that K300 contained a total of 54 diamonds, while K296 contained 125 diamonds within corresponding sample weights of 170.8 kg and 275.0 kg (Ashton Mining of Canada Inc., 2003a and 2003b).

In late 2003, a 10,500 line-km airborne magnetic and electromagnetic survey was flown over the Buffalo Head Hills region not previously investigated by this method, resulting in the discovery of several new electromagnetic anomalies (Ashton Mining of Canada Inc., 2004). In 2004, airborne and ground geophysical gravity surveys were conducted as follow up exploration over targets previously located by the magnetic and electromagnetic airborne surveys flown in 2003 (Ashton Mining of Canada Inc., 2005a). Activities in 2005 focused on target drilling and were based on results from airborne and ground geophysical targets found in 2003, 2004, and 2005 (Ashton Mining of Canada Inc., 2005a). The BHHJV 2005 drill program did not result in kimberlite discovery, as geophysical signatures were attributed to compositional variations in the deep overburden. To date, 38 kimberlites have been found on the joint venture property, 26 of which are diamondiferous (Ashton Mining of Canada Inc., 2005b).

Previous Exploration Grizzly's Buffalo Head Hills Properties


Exploration by the BHHJV commenced on its main Buffalo Head Hills property in earnest during 1997 with the drilling of a number of kimberlites and a fixed-wing HRAM survey (Skelton and Bursey, 1998). The survey was flown by Sanders Geophysics Ltd. (Sanders); using a Cessna 402B aircraft and a flight line spacing of 250 m (820 ft). Grizzly's entire Smoky The Bear property, which at the time represented the southernmost portion of the BHHJV's main property, was flown as part of the HRAM survey (Skelton and Bursey, 1998). Subsequently, high priority magnetic targets believed to be kimberlite, were chosen by Ashton and were follow up surveyed with 100 m line-spaced helicopter magnetic or magnetic-electromagnetic surveys during the summer of 1998 (Skelton and Bursey, 1998 and 1999). The helicopter magnetic and magnetic-electromagnetic surveys were completed by High-Sense Geophysics Ltd. (High-Sense) and Geoterrex-Dighem (Dighem). The surveys were completed over 52 blocks, encompassing 31 magnetic anomalies across the Buffalo Head Hills main property, where each block ranged from 1 to 2 km (0.6 to 1.2 miles) in diameter. Grizzly's Smoky The Bear property contains 8 survey blocks, of the total 52, which encompass magnetic anomalies that warrant further exploration. The remaining survey blocks are presently over lands retained by the BHHJV, or lands that have been dropped by the joint venture and have been staked by competitors.


During the spring of 1998, the BHHJV initiated exploration on the Loon Lake property. Between April 29 and June 12, 1998 a HRAM survey was flown by Sanders over the region using a Cessna 402B aircraft and a flight line spacing of 250 meters (820 ft). In total, 24,650 line-km (14,790 miles) of fixed-wing magnetic data was captured by Sanders for the joint venture's Loon Lake block. Part of this survey block was conducted over Grizzly's current White Bear property (Skelton and Bursey, 1999; Skelton and Willis, 2001). Subsequently, high priority magnetic targets believed to be

kimberlite, were chosen by Ashton and were follow up surveyed with 100 m (325 ft) line-spaced helicopter magnetic surveys by High-Sense during the summers of 1998 and 1999 (Skelton and Bursey, 1999; Skelton and Willis, 2001). A total of 13 blocks, encompassing 21 magnetic targets and 802.7 line-km (482 line-miles) of data were flown during the fall 1998 program. At least one of these survey blocks, yielding one magnetic target, presently exists within Grizzly's White Bear property. The remaining survey blocks are presently over lands retained by the BHHJV or lands that have been dropped by the joint venture and have been recently staked by competitors.

Exploration on the Muddy River block commenced during the spring of 1998 with a fixed-wing HRAM survey flown by Sanders (Skelton and Bursey, 1999; Skelton and Willis, 2001). A large portion of this survey was conducted over Grizzly's Grand Cub Aidan property. In addition, at least seven helicopter magnetic surveys and eight ground geophysical surveys were conducted over ground now part of Grizzly's Grand Cub Aidan property (Figure 3, Skelton and Bursey, 1999; Skelton and Willis, 2001). A number of these surveys have yielded geophysical anomalies that warrant follow up exploration. Exploration was also conducted by Monopros Limited (Monopros), on behalf of Troymin Resources Ltd. (Troymin), over the southern portion (T96, R10-14) of Grizzly's Grand Cub Aidan property between 1997 and 1999 (Wood, 1999). A number of priority geophysical and diamond indicator mineral (DIM) anomalies of interest were identified on and in the vicinity of the Grand Cub Aidan property. Many of the anomalies were not followed up. Wood (1999) reports the presence of a large number of anomalous stream sediment samples, with up to 137 and 66 indicator minerals, in two separate drainages along the southern boundary of the Grand Cub Aidan property. Although the bulk of the indicator minerals recovered by Monopros were chromite and ilmenite, with a few pyrope garnets, Wood (1999) suggests that the grains are likely locally derived due to thin overburden and the limited drainage within the basin. Wood (1999) also suggests that a number of geophysical anomalies detected on the property could be kimberlites and be responsible for the indicator minerals in the drainages. The vast majority of these geophysical targets were not ground truthed or drill tested. See figures 5 and 6 in Dufresne and Kupsch (2004) for locations of geophysical surveys.

Exploration and drilling between 1997 and 1999, by the BHHJV resulted in the discovery of at least 10 kimberlites less than 33 km from the southern boundary of Grizzly's Grand Cub Aidan property (Skelton and Bursey, 1998 and 1999; Skelton and Willis, 2001). Confirmed kimberlites K160 and K252, discovered by the joint venture on their main Buffalo Head Hills block during 1997 and 1998, exist approximately 59 km (37 miles) and 42 km (26 miles) south of the central portion of the Grand Cub Aidan property. At least one suspected kimberlite, magnetic anomaly TQ-108, exists on the southeast corner of Grizzly's Smoky The Bear property (Skelton and Bursey, 1998 and 1999). The BHHJV attempted to drill magnetic anomaly TQ-108, which has a signature almost identical to a number of the Buffalo Head Hills kimberlites. The BHHJV was unsuccessful in penetrating the overburden due to wet flowing sand, and the drill hole reached a maximum depth of 91 m before it was abandoned (Skelton and Bursey, 1999; Skelton and Willis, 2001).





Legend:

- Monopros geophysical anomalies:
  - 1st priority
  - 2nd priority
- Ashton drilling, 1998-2000
- Ashton airborne mag locations
- Ashton ground mag locations
- Grizzly property claim
- Pipeline
- Roads
- Township and Range
- Drainage and Lakes

GRIZZLY DIAMONDS LTD

Prior Geophysical Grids and Drillholes, Grand Cub Aidan Property

5 0 5 10 Kilometers

SCALE 1:250000
Zone 11 NAD 27
APEX Geoscience Ltd.

Edmonton, Alberta **March, 2006**


FIGURE 3.


Based upon assessment records (Skelton and Bursey, 1998 and 1999; Skelton and Willis, 2001), and the author's knowledge of exploration costs in Alberta, approximately $1,655,000 was spent by the BHHJV on exploration for kimberlites on Grizzly's Grand Cub Aidan, White Bear, and Smoky The Bear properties. A large portion of this expenditure was incurred on the Smoky The Bear property ($1,297,500), with smaller expenditures on the White Bear ($133,500) and Grand Cub Aidan properties ($224,000). These costs are based upon assuming an overall cost of $10 per line-km for fixed-wing magnetic surveys, $10,000 per 1 km^2 helicopter or ground geophysics grid and about $1,000 per indicator mineral sample. Ground truthing of prospective magnetic anomalies, identified from Ashton's released assessment reports (Skelton and Bursey, 1999; Skelton and Willis, 2001), indicated that further work was warranted and recommended by the joint venture. However, assessment requirements and a lack of adequate expenditures forced the BHHJV to drop large portions of the lands surrounding their main Buffalo Head Hills block.

Prior Government and Industry DIM and Other Scientific Surveys

Diamond indicator mineral (DIM) studies in the search for kimberlites were first conducted in the Buffalo Head Hills region by the AGS in 1993 (Fenton *et al*, 1994; Dufresne *et al.*, 1996). This initial survey and all of the early reconnaissance work prior to the discovery of the Buffalo Head Hills kimberlites are reviewed in Dufresne *et al.* (1996). A few of the Buffalo Head Hills DIMs lie within the "Wabasca River Trend", which is defined as a northerly belt of sites yielding anomalous DIMs centered on the Wabasca and Loon rivers in the vicinity of Red Earth Creek (Dufresne *et al.*, 1996). The first indication of diamondiferous kimberlites within the Buffalo Head Hills, came from sampling conducted by the AGS during September 1995. When a single till sample from a road cut in close proximity to the BHHJV's K4 kimberlite yielded 152 possible pyrope garnets (Fenton and Pawlowicz, 1997).

A number of surveys have been conducted in the region since the initial 1993 survey with varying degrees of success (Fenton and Pawlowicz, 1998a,b; Pawlowicz *et al.*, 1998a,b; Pawlowicz and Fenton, 2001). Surface sampling was conducted by the AGS on the Peerless Lake and Wadline Lake Map sheets during 1998. This resulted in the collection of 37 samples from the Grand Cub Aidan and Smoky The Bear properties, which were sent for DIM analysis (Eccles et al., 2001). Ashton collected approximately 35 DIM samples on the Smoky The Bear property; however, the bulk of this data is still confidential. Monopros appears to have collected approximately 182 DIM samples within or immediately down-ice of the Grand Cub Aidan property (Figure 4). Picked indicator mineral results are available for these samples but no microprobe data for individual mineral grains is available. In the available assessment reports, no mineral chemistry is available for the Ashton samples. However, papers by Carlson *et al.* (1999), Aulbach *et al.* (2003), Creighton and Eccles (2003), Davies *et al.* (2003) and Hood and McCandless (2003), indicate that the DIM assemblage for the Buffalo Head Hills kimberlites is dominated by xenocrystic olivine with lesser amounts of pyrope garnet, chromite, eclogitic garnet, chromium diopside, titanian pyrope, picroilmenite and phlogopite. Carlson *et al.* (1999) and Hood and McCandless (2003) point out that





Legend:

Diamond Indicator Minerals

- Peridotic garnet
- Eclogitic garnet
- Forsteritic olivine
- Chrome diopside
- Picroilmenite
- Chromite
- sample locations, no indicator minerals
- Grizzly property claim
- Road
- Township and Range
- Drainage and Lakes

*Size of pie chart is proportional to the number of indicator minerals

GRIZZLY DIAMONDS LTD

Diamond Indicator Minerals
Grand Cub Aidan Property

5 0 5 10 Kilometers

SCALE 1:250000
Zone 11 NAD 27
APEX Geoscience Ltd.

Edmonton, Alberta **March, 2006**

FIGURE 4.

although Gurney G10 pyrope garnets and high chromium chromites are present in a number of kimberlites and regionally in the Buffalo Head Hills, to date, there is no direct association between these minerals in kimberlites and better diamond counts. In addition, Hood and McCandless (2003) indicate that some of the highly diamondiferous kimberlites, such as K252 and K6, contain relatively few xenocrystic indicator minerals, while other kimberlites with abundant mantle xenocrysts, such as K2 and K95, are only weakly diamondiferous. Carlson *et al.* (1999) and Hood and McCandless (2003) concluded that the northern cluster of kimberlites tend to be more diamondiferous, and yield a number of pyrope garnets and chromites with very high concentrations of chromium. In the northern cluster kimberlites, pyrope garnets were found to contain 16 to 18 weight percent (wt.%) Cr_2O_3. In addition, the kimberlites yielded fewer titanian pyrope garnets and lower concentrations of picroilmenite, which usually contains low concentrations of niobium. In contrast, the southern cluster kimberlites tended to yield fewer chromium pyrope garnets that often contained high concentrations of calcium likely derived from wehrlite. The southern kimberlites were also characterized by high titanian pyrope garnets, chromites with lower overall chromium concentrations, picroilmenites with high concentrations of niobium, and few if any eclogitic garnets (Carlson *et al.*, 1999; Hood and McCandless, 2003). Davies *et al.* (2003), indicate that diamond inclusions studied from the K10 and K14 kimberlites, consist of roughly equal amounts of the peridotitic and eclogitic suite of inclusions, with the peridotitic inclusions indicative of both harzburgite and lherzolite derivation. Davies *et al.* (2003), also point out the presence of rare ferropericlase and marjorite in some of the diamonds, which is generally indicative of ultradeep mineral assemblages and diamonds formed at depths greater than 400 kilometers. Eccles *et al.* (2003), suggest that the most highly diamondiferous Buffalo Head Hills kimberlites, tend to be more primitive kimberlites with the highest amount of olivine, often indicated by the overall bulk magnesium number. Primitive kimberlites are also characterized by the highest concentrations of chromium and nickel, in conjunction with the lowest concentrations of titanium, niobium, silicon, and aluminium. See figures 7 and 8 in Dufresne and Kupsch (2004) for DIM sample locations and grain counts.

The BHHJV performed a number of DIM surveys for which data is available from assessment records (Skelton and Bursey, 1998 and 1999; Skelton and Willis 2001). In general, picked DIM sample data is available in assessment records for areas covered formerly by the BHHJV's Loon Lake, Muddy River, Birch Mountain, Caribou Mountain, Athabasca, Rabbit Lake, and Whitemud blocks. A number of the samples, some of which yielded indicator minerals, were collected on ground now part of Grizzly's Grand Cub Aidan and White Bear properties. No indicator mineral results are reported for the BHHJV's main Buffalo Head Hills block in the assessment records. The BHHJV collected approximately 11 samples from White Bear, 4 samples from Grand Cub Aidan, and an unknown amount of samples from the Smoky The Bear property. At least five diamond indicator samples were collected from the BHHJV's Loon Lake block, and are less than 10 km south and down-ice of the Smoky The Bear property (Skelton and Bursey, 1998 and 1999; Skelton and Willis, 2001).

In addition, more than 60 samples were collected, by Eccles et al. (2001) and Friske et al. (2003), within 20 km (12 miles) of and down-ice of the Grand Cub Aidan and Smoky The Bear properties. A multidisciplinary study conducted by Eccles et al. (2001) on the Peerless Lake, Peace River, Bison Lake, and Wadlin Lake Map areas (NTS84B, 84C, 84F and 84G), included the collection of 338 samples. This resulted in the discovery of a number of DIM anomalies that potentially indicate the presence of several undiscovered kimberlites in the region. A weakly defined plume of anomalous DIM samples down-ice from the Smoky The Bear property is characterised by predominantly olivine, picroilmenite, chromite, and minor pyrope garnet indicator minerals. This assemblage of indicator minerals is distinct spatially and mineralogically from the Buffalo Head Hills kimberlite indicator plume, and is highly suggestive that undiscovered kimberlites may exist in the eastern portion of Grizzly's Smoky The Bear property. This conclusion is supported by the presence of geophysical anomaly TQ-108 in the southeast portion of the Smoky The Bear property (Skelton and Willis, 2001).

More recent AGS sampling in 2004 within the Buffalo Head Hills has resulted in the collection of 23 samples on Grizzly properties; 9 samples on Grand Cub Aidan, 5 on Preston Upon Wolverine, 5 on White Bear, and 4 on Smoky The Bear (Figure 4; McCurdy *et al,* 2006). AGS sampling in 2005 on the southern portion of the Preston Upon Wolverine property, produced anomalous high grain-count DIM results, with 11 of the 15 samples located within the property boundaries. Preliminary results showed that four of the Preston Upon Wolverine samples had over 100 DIMs, with the highest count being 287 grains. The dominant indicator minerals within the AGS samples were forsterite olivine and chromite (Prior et al., 2006). Ashton DIM samples within the bordering White Bear property, exhibited similar DIM results to the Preston Upon Wolverine samples with a composition primarily of olivine and chromite, with a minor pyrope content (Skelton and Bursey, 1999; Skelton and Willis, 2001). Comparisons between the Buffalo Head Hills kimberlites and the DIM sample results, reveal compositions predominantly pyrope and chromite rich. Mineralogies associated with the White Bear and Preston Upon Wolverine properties contrast those in areas of known kimberlites, further supporting the concept of undiscovered kimberlites existing on these two properties. However, Skelton and Bursey (1999) and Skelton and Willis (2001) conclude that the indicator minerals were likely derived from the Buffalo Head Hills kimberlites on the BHHJV's main properties. This interpretation is not supported by the White Bear property ice direction, which is oriented from north to south and from northwest to southeast. A lobe of ice from the Peace River valley flowed southeast to almost easterly around the southwest portion of the Buffalo Head Hills, resulting in local variations in the overall regional ice flow direction (Pawlowicz and Fenton, 1995 a,b and 2005 a,b; Fenton et al., 2003 a,b,c; Paulen et al., 2003). Additional sampling in 2005 within the Jackpine Lake region (NTS 84C-15/16 and 84F-1/2), resulted in 11 samples on the Grizzly held Preston Upon Wolverine property, several of which were highly anomalous for DIMs (Prior *et al.*, 2006). The pick DIM sample data exhibited a distinctly different mineralogy from known kimberlites within the BHHJV property, indicating the potential of undiscovered kimberlite within Grizzly's Preston Upon Wolverine property (Prior *et al.,* 2006).

DIM sampling to date has been collected north of the northern-most kimberlite, which indicates the potential for undiscovered kimberlites within Grizzly's properties. Sampling on the Grand Cub Aidan property, conducted by the AGS and GSC in combination with Monopros, yielded a significant number of samples with anomalous amounts of indicator minerals, in some cases more than one hundred grains (Figure 4). In addition, Grand Cub Aidan samples containing abundant picroilmenite contrast significantly to the picroilmenite poor DIM samples down-ice of the Buffalo Head Hills kimberlites (Carlson *et al.*, 1999; Aulbach *et al.*, 2003; Creighton and Eccles, 2003; Davies *et al.*, 2003; Hood and McCandless, 2003). The diversity between highly anomalous DIM sample results, and down-ice DIM sampling of known kimberlite, indicates the potential of undiscovered kimberlite on Grizzly's Grand Cub Aidan property.

DIM sampling conducted to date on the Smoky The Bear, Grand Cub Aidan, and White Bear properties, represents approximately one sample per square kilometre or six samples per township. The vast majority of the DIM samples have been collected by Monopros in the southernmost five townships of the Grand Cub Aidan property (Figure 4). Several kimberlites on the BHHJV block yield strong DIM anomalies down-ice or down drainage from kimberlites, typically within 5 to 10 kilometers. However, the drift thickness in the region of the DIM anomalies ranges between less than 10 m and up to 70 meters. Most of the identified kimberlites located in areas of thicker drift appear to yield sporadic amounts of DIMs in the tills down-ice. The drift thickness on Grizzly's Buffalo Head Hills properties range from a minimum of 10 m, to more than 150 m in some areas that are underlain by preglacial channels or consist of multiple till sheets. The behaviour and dispersion patterns of indicator minerals derived from deeply buried kimberlites, is poorly understood in areas of thick drift and multiple till sheets. Conversely, it should be noted that a number of the creeks within 5 to 10 km (6 miles), and on rare occasion up to 20 km (12 miles), of nearby kimberlites yield stream sediment sample sites with multiple DIMs.

In summary, a significant number of samples collected from within the boundaries of or down-ice of Grizzly's Buffalo Head Hills properties have yielded anomalous DIM results. Predominant ice flow direction was from the north to south, in particular for the Grand Cub Aidan and the Smoky The Bear properties (Pawlowicz and Fenton, 1995a,b, 2005a,b; Fenton *et al.*, 2003a,b,c; Paulen *et al.*, 2003). Ice direction over the White Bear and Preston Upon Wolverine properties was also from north to south, as well as northwest to southeast (Pawlowicz and Fenton, 1995a,b, 2005a,b; Fenton *et al.*, 2003a,b,c; Paulen *et al.*, 2003). Indicator results for samples from Grizzly's four main properties are highly anomalous, in terms of the number of samples with indicator minerals and the number of indicator minerals in some of the samples. The sample results to date indicate the presence of possible kimberlites on all of Grizzly's four main properties.

Previous Exploration on behalf of Grizzly Gold/Grizzly Diamonds

APEX was contracted during early 2004 by Grizzly to compile all the available geological, geophysical, and mineralogical data for Grizzly's Buffalo Head Hills properties (Grand Cub Aidan, White Bear, and Smoky The Bear), and evaluate the potential of the properties to host kimberlites and possibly diamonds. From March to May 2004, personnel from APEX reviewed and compiled the following data: (1) detailed fixed-wing, helicopter, and ground geophysical data from a number of BHHJV's assessment reports (Skelton and Bursey, 1998, 1999; Skelton and Willis, 2001; Willis and Skelton, 2002), (2) 600 m (2,000 ft) line-spaced proprietary Utikuma magnetic data covering much of the Buffalo Head Hills region, (3) all available public and proprietary diamond indicator mineral (DIM) data for samples collected on and down-ice of Grizzly's three Buffalo Head Hills properties (Grand Cub Aidan, White Bear, Smoky The Bear), and (4) all available public and proprietary petroleum, hydrogeological, and other types of well data, in order to construct a drift thickness picture for the Buffalo Head Hills region.

The review of publicly available geophysical data for Grizzly's Buffalo Head Hills properties included detailed helicopter, fixed-wing, and ground based geophysical grids completed by Ashton for assessment requirements (Figures 5 and 6 in Dufresne and Kupsch, 2004). The number of geophysical anomalies identified from the public data was dependent on the data quality within the individual assessment records. Commonly the BHHJV magnetic data was represented by large scale, coarse, 5 to 10 nanotesla (nT), contoured total magnetic maps for which only the highest magnetic kimberlite pipes, such as LL-07 and LL-08, were visible.

BHHJV's various surveys revealed at least 31 magnetic anomalies ranging from high to very low priority (Skelton and Bursey, 1998 and 1999). A single magnetic anomaly was identified from helicopter magnetic survey data on the White Bear property (Figure 6 in Dufresne and Kupsch, 2004); however, no apparent ground geophysical grids were completed as follow up exploration. A number of additional prospective magnetic anomalies have since been identified by Grizzly's White Bear magnetic surveys. The BHHJV completed at least seven helicopter magnetic surveys and eight ground geophysical surveys over ground now part of Grizzly's Grand Cub Aidan property (Skelton and Bursey, 1999; Skelton and Willis, 2001). Additionally, Troymin and Monopros (Wood, 1999) identified at least 22 priority One and Two magnetic anomalies on the Bison Lake block townships, that now represent the southernmost five townships of Grizzly's Grand Cub Aidan property. These anomalies are shown on Figure 5 in Dufresne and Kupsch (2004). The Loon Lake block anomalies, LL-07 and LL-08, represent strongly magnetic tier 1 circular anomalies that are roughly 200 to 300 m (650 to 1,000 ft) in diameter and 100 to 200 nT in magnetic amplitude. Ashton drill tested anomalies LL-07 and LL-08, yielding kimberlite at depths of 114 m and 75 m, respectively. The magnetic anomalies associated with the Loon Lake kimberlites are comparable to several of the highest strength anomalies associated with kimberlites K4, K5, K7, and K19 on the main Buffalo Head Hills block. Anomaly TQ-108 in the southeast corner of Grizzly's Smoky The Bear property is nearly

an identical magnetic anomaly to LL-07 and LL-08, and is therefore likely the result of a buried kimberlite. Ashton failed in their attempt to drill test anomaly TQ-108 in 1998, due to wet flowing sand at 91 meters. Subsequently, the holes did not penetrate the overburden and were abandoned. Further testing of the TQ-108 target requires a water-well drilling rig and significant lengths of casing in order to have success.

Based on the recommendations that resulted from the APEX data compilation and review, an exploration program of airborne geophysics was initiated and completed over Grizzly's White Bear property between March and April of 2004 (Dufresne and Kupsch, 2004). The high-resolution aeromagnetic (HRAM) survey was commissioned in order to satisfy assessment requirements and to identify potential targets for future fieldwork. The HRAM survey was conducted out of the town of Peace River between April 5 and April 27 of 2004 (Dufresne and Kupsch, 2004). The HRAM survey consisted of 8,364 line-km of magnetic data collection over all but one of the White Bear property permits (Figures 9 and 10 in Dufresne and Kupsch, 2004). APEX reviewed the airborne magnetic data in May 2004 to identify high frequency, short wavelength magnetic anomalies that reflect small, shallow source magnetic targets potentially related to geological features such as kimberlites. A total of 23 priority One and 32 priority Two magnetic anomalies were identified in the dataset as prospective for kimberlites (Figures 9 and 10 in Dufresne and Kupsch, 2004). The large number of unexplained high priority magnetic anomalies required ground truthing for man-made culture, and subsequent ground geophysical surveys in the absence of cultural interference.

DEPOSIT MODEL: DIAMONDIFEROUS KIMBERLITES

To understand the significance of diamond indicator minerals (DIMs), it is important to understand the type of igneous rocks from which primary diamond deposits are mined. The most common rock type from which diamonds are mined are kimberlites and, to a lesser extent, lamproites and orangeites. Diamond indicator minerals (DIMs) describe minerals that are common constituents of these three rock types, some of which are phenocrysts and others that are xenocrysts. For the purposes of this discussion, DIMs will refer to minerals that are both characteristic and diagnostic of kimberlites.

Kimberlites

Kimberlite is best described as a hybrid igneous rock (Mitchell, 1986, 1989, 1991; Skinner, 1989; Scott Smith, 1995). Kimberlites are igneous in nature since they have crystallised from a molten liquid (kimberlitic magma) originating in the earth's upper mantle. Kimberlite magma contains volatile gases and is relatively buoyant with respect to the upper mantle. As a result, pockets of kimberlitic magma will begin to ascend upward through the upper mantle and along a path of least resistance to the earth's surface. During ascent, the volatile gases within the kimberlite magma expand, fracturing the overlying rock, continually creating and expanding its own conduit to the earth's surface. Along the ascent path to the earth's surface, the kimberlite magma rips

up and incorporates fragments or xenoliths of the various rock types the magma passes through on its way to the surface. As the magma breaks down and incorporates these xenoliths, the chemistry and mineralogy of the original magma becomes altered or hybridised. The amount and type of foreign rock a kimberlite may assimilate during its ascent will determine what mineral assemblages are present in the kimberlite when it erupts at surface.

When kimberlitic magma reaches or erupts at the earth's surface, the resulting volcanic event is typically violent, creating a broad shallow crater surrounded by a ring of kimberlitic volcanic ash and debris ("tuffaceous kimberlite"). The geological feature created by the eruption of a kimberlite is referred to as a diatreme or kimberlite pipe (Mitchell, 1986, 1989, 1991). In a simplified cross section, a kimberlite diatreme appears as a near vertical, roughly "carrot shaped" body of solidified kimberlite magma, capped by a broad shallow crater on surface that is both ringed and filled with tuffaceous kimberlite and country rock fragments (Mitchell, 1986, 1989, 1991).

Diamond Indicator Minerals

Diamonds do not crystallise from a kimberlitic magma; they crystallise within a variety of diamond bearing igneous rocks in the upper mantle called peridotites and eclogites. Peridotites and eclogites are each made up of a diagnostic assemblage of minerals that crystallise under specific pressure and temperature conditions similar to those conditions necessary to form and preserve diamonds ("diamond stability field"). Diamond bearing peridotite can be further broken down into three varieties which are, in order of greatest diamond bearing significance: garnet harzburgite, chromite harzburgite, and, to a lesser extent, garnet lherzolite. For a kimberlite to be diamond bearing, the primary kimberlitic magma must disaggregate and incorporate some amount of diamond bearing peridotite or eclogite during its ascent to the earth's surface. The type and amount of diamond bearing peridotite or eclogite the kimberlitic magma incorporates during its ascent, will determine the diamond content or grade of that specific kimberlite, as well as the size and quality of diamonds. Diamond bearing peridotite and eclogite occur as discontinuous pods and horizons in the upper mantle, typically underlying the thickest, most stable regions of Archean continental crust or cratons (Helmstaedt, 1993). As a result, almost all of the worldwide, economic, diamond bearing kimberlites occur in the middle of stable Precambrian, typically Archean, cratons. The Buffalo Head Craton is an example of such a craton.

Diamond indicator minerals (DIMs) include minerals that have crystallised directly from a kimberlitic magma (phenocrysts), or are mantle derived minerals (xenocrysts) that have been incorporated into the kimberlitic magma as it ascends to the earth's surface. Examples of DIMs are picroilmenite, titanium and magnesium rich chromite, chrome diopside, magnesium rich olivine, pyropic and eclogitic garnets. Varieties of garnet include G1, G2, G9, G10, G11, and G12 pyropes as defined by Dawson and Stephens (1975); G9 and G10 pyropes as defined by Gurney (1984) and Gurney and Moore (1993); and G3, G4, G5, and G6 eclogitic garnets as defined by Dawson and Stephens (1975). From this paragraph on, reference to G1, G2, G3, G4, G5, G6, G11

and G12 pyrope garnets refers to Dawson and Stephens' (1975) classification and G9 and G10 refers to Gurney's (1984) G9 and G10 pyrope garnets of lherzolitic and harzburgitic origin, respectively.

DIMs are used not only to assess the presence of kimberlites in regional exploration programs but also to assess whether the kimberlites have the potential to contain diamonds. There are a limited variety of DIMs from which information pertaining to the diamond bearing potential of the host kimberlite can be gained. Typically, these DIMs have been derived from diamond bearing peridotite and eclogite in the upper mantle (Mitchell, 1989). The most common examples of these would include: sub-calcic G10 Cr-pyrope garnets (harzburgitic), G9 pyrope garnets (lherzolitic), Cr- and Mg-rich chromite (diamond inclusion quality or "DIF" chromite from chromite or spinel harzburgite), diamond inclusion quality "DIF" eclogitic garnets, and chemically distinct jadeite clinopyroxene (diagnostic of diamond bearing eclogites).

Other indicator minerals that have crystallised from a kimberlitic magma can provide information as to how well the diamonds in a given kimberlite have been preserved during their ascent to surface. For instance, the presence of low iron and high magnesium picroilmenites in a kimberlite indicate that the oxidising conditions were favourable for the preservation of diamonds during their ascent to surface in the kimberlitic magma.

Exploration

Due to the unique geometry of a kimberlite pipe and the manner in which the kimberlite has intruded a pre-existing host rock type, there are often differences in the physical characteristics of a kimberlite and the host rock. The contrast in physical characteristics between the two units may be significant enough to be detected by airborne or ground geophysical surveys. Two of the most commonly used geophysical techniques for kimberlite exploration are airborne or ground magnetic surveys and electromagnetic (EM) surveys. A magnetic survey measures the magnetic susceptibility, while EM surveys measure the electrical conductivity (or resistivity) of the material at or near the earth's surface. When magnetic or resistivity measurements are collected at regular spaced intervals along parallel lines, the data can be plotted on a map and individual values can be compared. If a geophysical survey is conducted over an area where the bedrock and overburden geology is constant and there are no prominent structures or faults, there will be little variation in magnetic or resistivity response. However, when a kimberlite intrudes a homogenous geologic unit and erupts on surface, there is often a detectable change in the geophysical signature and the anomalous magnetic or resistivity response over the kimberlite diatreme. Contoured datasets often reveal the anomalous results as circular or oval anomalies, outlining the surface or near surface expression of the diatreme.

The effectiveness of geophysical techniques and methods in kimberlite exploration is dependent on the ability to recognize significant enough differences between the geophysical signature of the hosting rock unit and a potential kimberlite.

There are many examples of economic kimberlites that produce very subtle, unrecognisable geophysical responses. Conversely, non-kimberlite geological features and man made structures (referred to as "cultural interference") such as oil wells, fences, bridges, and buildings can produce kimberlite like anomalies. In addition, areas characterized by thick overburden, sand, and gravel along with water and placer accumulations of heavy oxide minerals can yield magnetic and EM anomalies that are easily confused with those due to kimberlite. For these reasons, it is extremely important that other information, such as DIM surveys, be used in tandem with geophysical evidence to support and confirm the presence of a kimberlite pipe (Fipke *et al.*, 1995).

GEOLOGICAL SETTING

Precambrian Geology

Grizzly Diamond Ltd.'s Buffalo Head Hills mineral permits lie near the north-eastern to eastern edge of the Western Canadian Sedimentary basin within the central segments of the Peace River Arch (Figures 5 and 6). Precambrian rocks are not exposed within the Buffalo Head Hills region. The basement underlying the Peace River Arch (PRA) is comprised of several terranes, including the Buffalo Head and the Chinchaga. Both terranes were accreted between 1.8 and 2.4 billion years (Ga) ago and collectively form the Buffalo Head Craton (Ross *et al.*, 1991, 1998). Due to their relatively stable history since accretion, the Buffalo Head and Chinchaga Terranes (Figure 5) have been and are currently the focus of extensive diamond exploration in northern Alberta. Ashton, in their joint venture with EnCana and Pure Gold, has discovered at least 38 kimberlite pipes proximal to the center of the proposed Buffalo Head Craton (Figure 5). To date, a total of 26 of the 38 kimberlites discovered by the joint venture in the Buffalo Head Hills region have yielded diamonds. All 38 kimberlite pipes exist from approximately 1.6 km (one mile) to a maximum distance of 50 km (30 miles) from the boundary of Grizzly's Buffalo Head Hills properties (Figures 5 and 6).

Grizzly's Buffalo Head Hills properties are underlain by basement comprised of the Buffalo Head Terrane (BHT). The BHT is an area of high positive magnetic relief with a north to north-easterly fabric (Villeneuve *et al.,* 1993). The diamondiferous Buffalo Head Hills kimberlites and Grizzly's properties lie near the geographic center of the Buffalo Head Craton (Figure 5). Part of the Churchill Structural Province (Rae Subprovince), the Buffalo Head Craton may represent either Archean crust that has been thermally reworked during the Hudsonian (Proterozoic) Orogeny (Burwash *et al.*, 1962; Burwash and Culbert, 1976; Burwash *et al.*, 1994), or an accreted Early Proterozoic terrane that may or may not have an Archean component (Ross and Stephenson, 1989; Ross *et al.*, 1991; Villeneuve *et al.*, 1993). Precambrian rocks intersected in drill core from the BHT comprise felsic to intermediate metaplutonic rocks, felsic metavolcanic rocks, and high-grade gneisses (Villeneuve *et al.*, 1993). Hood and McCandless (2003) suggest that the paucity of subcalcic pyrope garnets in the Buffalo Head Hills is consistent with Proterozoic crust and mantle. However, work by Aulbach *et*

al. (2003), states that a number of geochemical aspects of the kimberlitic xenoliths indicate the presence of Archean mantle beneath the Buffalo Head Terrane, which was likely reworked during Proterozoic crust formation from 2.3 to 2.0 Ga. Seismic refraction and reflection studies indicate that the crust beneath the Buffalo Head Craton is likely between 35 to 40 km (21 to 24 miles) thick; a trait favourable for the formation and preservation of diamonds in the upper mantle (Dufresne *et al.,* 1996). The favourable nature of the Buffalo Head Craton has been confirmed by the discovery of 26 diamondiferous kimberlite pipes near the center of the craton.

Phanerozoic Geology

Overlying the basement in the Buffalo Head Hills region is a thick sequence of Phanerozoic rocks (Figure 6) comprised mainly of Cretaceous sandstones and shales near surface, and Mississippian to Devonian carbonates and salts at depth (Glass, 1990). Bedrock exposure within the Grizzly permit block is limited primarily to river and stream cuts and topographic highs. Table 2 shows the upper units found in the region. Further information pertaining to the distribution and character of these and older units can be obtained from well log data in government databases and various geological and hydrogeological reports (Green *et al.*, 1970; Tokarsky, 1972; Vogwill, 1978; Ceroici, 1979; Glass, 1990; Mossop and Shetson, 1994).

Underlying the near surface Cretaceous units in the Buffalo Head Hills area is a thick succession of Devonian to Mississippian carbonates, calcareous shales, and salt horizons (Mossop and Shetson, 1994). Several of the Devonian carbonate units are part of the Grosmont Reef Complex, a large structure that extends in a north-westerly direction from east of Lesser Slave Lake to the N.W.T. (Bloy and Hadley, 1989). The Grosmont Reef Complex is likely the result of tectonic uplift along this trend during the Devonian. This structure, in conjunction with the PRA, may have played a significant role in the localization of faults and other structures that could have provided favourable pathways for kimberlite volcanism.

In general, the Cretaceous strata underlying Grizzly's Buffalo Head Hills properties is composed of alternating units of marine and nonmarine sandstones, shales, siltstones, mudstones, and bentonites (Figure 6). The oldest documented units exposed in the permit area belong to the Shaftesbury Formation, a sequence of Upper Cretaceous shales. However, older units from the base of the Fort St. John Group, such as the Peace River and Loon River Formations, may be exposed in river and stream cuts.




Great Slave
Great Slave Lake Shear Zone
120°
110°
60°
Hottah
Axis of Grosmont High
Taltson
Rae
Subprovince
Nova
Grand Cub Aidan Property
Axis of Peace River Arch
Buffalo Head
Snowbird Tectonic Zone
Ksituan
Rimbey
Unnamed
Chinchaga
Wabamun
Escarpment
Meadow Lake
Lacombe
Thorsby
Loverna Block
Eyehill High
Hearne Subprovince
Matzhiwin High
Bow Island Arch (Axis)
Vulcan Low
Medicine Hat Block
Axis of Southern Alberta Rift
49°
110°
Extent of Sweet Grass Arch
Legend
Origin Uncertain
2.0 - 1.8 Ga Magmatic Arcs
2.4 - 2.0 Ga Magnetic Lows
2.4 - 2.0 Ga Accreted Terranes
2.6 -2.8 Ga Archean Basement
Known Kimberlite Occurrence
Known Diamond Occurrence
Mineral Permits held by Grizzly Diamonds Ltd.
GRIZZLY DIAMONDS LTD.
ALBERTA
REGIONAL GEOLOGY
0 100 200
Scale Kilometres
APEX Geoscience Ltd.
EDMONTON, ALBERTA
March, 2006
(Modified after Ross et al., 1991)

FIGURE 5.



(Modified after Dufresne *et al.*, 1996)

FIGURE 6.

TABLE 2
GENERALIZED STRATIGRAPHY
BUFFALO HEAD HILLS REGION

SYSTEM	GROUP	FORMATION	AGE* (MA)	DOMINANT LITHOLOGY
PLEISTOCENE			Recent	Glacial till and associated sediments
TERTIARY			6.5 to Recent	Preglacial sand and gravels
UPPER CRETACEOUS	Smoky	Kaskapau	88 to 92	Shale, silty-shale and ironstone; includes the Second White Specks unit
		Dunvegan	92 to 95	Sandstone and siltstone
	Fort St. John	Shaftesbury	95 to 98	Shale, bentonites, Fish-Scale Member
LOWER CRETACEOUS	Fort St. John	Peace River	>98 to <105	Quartzose and glauconitic sandstones and silty shale.
		Loon River	98 to 105	Shale, siltstone and glauconitic sandstone

*Ages approximated from Green *et al.* (1970), Glass (1990), Dufresne *et al.* (1996) and Leckie *et al.* (1997).

Part of the Fort St. John Group, the Loon River Formation is Lower Cretaceous in age and is comprised of marine, dark grey, fossiliferous silty-shale and laminated siltstone. Nodules and thin beds of concretionary ironstone may be present within the unit. The Loon River Formation is correlative with the Spirit River Formation; the upper contact is abrupt, but conformable with the Peace River Formation.

The Peace River Formation is Lower Cretaceous in age, correlative with the Pelican and Joli Fou formations, and averages 60 m in thickness with abundant graptolites and starfish. The lowermost member of the Peace River Formation, the Cadotte, comprises massive, clean, fine-grained quartzose sandstone with alternating bands of thin sandstone and shale. Concretions ranging from 3 to 5 m in diameter are also common. The middle member, the Harmon, comprises a fissile, non-calcareous, dark grey silty-shale with thin interbeds of bentonite and siltstone. Both the Cadotte and the Harmon members are laterally extensive, relatively thick, and marine in origin. The third member, the Paddy, is comprised of fine-grained glauconitic sandstone with silty interbeds in the lower portions. Thin coal beds and marine fossils may also be present. The Paddy is laterally discontinuous and varies from marine to deltaic in origin. Where the Paddy unit is intact, the upper contact is conformable, but abrupt with the Shaftesbury Formation. In many regions, the upper contact of the Peace River Formation is an abrupt hiatus.

The Shaftesbury Formation is lower Upper Cretaceous in age and is comprised of marine shales with fish-scale bearing silts, thin bentonitic streaks, and ironstones. The upper contact is conformable and transitional with the Dunvegan Formation. Evidence of extensive volcanism during deposition of the Shaftesbury Formation exists in the form of numerous bentonitic horizons throughout the formation, particularly within and near the Fish Scales horizon (Leckie *et al.*, 1992; Bloch *et al.*, 1993). The Shaftesbury Formation deposition is also chronologically correlative with the Crowsnest Formation volcanics of southwest Alberta (Olson *et al.*, 1994; Dufresne *et al.*, 1995), and with kimberlitic volcanism near Fort á la Corne in Saskatchewan (Lehnert –Thiel *et al.*, 1992; Scott Smith *et al.*, 1994). In many cases, the Ashton kimberlite pipes contain extensive volumes of Cretaceous mudstone, most of which is likely derived from the Shaftesbury Formation. Surface exposure of the Shaftesbury Formation is commonly along river and stream cuts.

Deltaic to marine feldspathic sandstones, silty shales and laminated carbonaceous siltstones, characterise the Dunvegan Formation (Glass, 1990). Thin beds of shelly material, coal, siltstone and bentonite may be present. The formation is rich in shallow-water fauna, including abundant molluscs. The Dunvegan Formation becomes more arenaceous and thinner eastwards, where it grades into the LaBiche Formation. The upper contact of the unit is conformable and transitional with the Kaskapau Formation shales of the Smoky Group. The rims of the Ashton pipes exist just above or near the contact between the Kaskapau and the Dunvegan formations (Dufresne *et al.*, 2001). The BHHJV discovered that the Buffalo Head Hills kimberlites yield emplacement ages of 86 to 88 Ma (Auston, 1998; Carlson *et al.*, 1999).

The youngest bedrock units belong to the Smoky Group (Glass, 1990). The Smoky Group is Upper Cretaceous in age and is comprised of thinly bedded, marine, silty shale with occasional ironstone and claystone nodules, and thin bentonite streaks. The group is divided into three formations: (a) a lower shale unit, Kaskapau, which includes the Second White Specks marker unit (SWS); (b) a middle sandstone named the Bad Heart, and (c) an upper shale, Puskwaskau, which contains the First White Specks marker unit. The Kaskapau Formation contains abundant ammonite fossils and concretions. In addition, foraminifera are present in the lower arenaceous units (Glass, 1990). Bedrock exposures in the "Bison Lake" Property are likely comprised of the Kaskapau Formation, in particular, the SWS or lower. Most of the upper portions of the Smoky Group have been eroded away during tectonic uplift, possibly associated with uplift of the PRA. There is strong evidence of volcanism within the depositional time span of the Smoky Group around the PRA (Auston, 1998; Carlson *et al.*, 1999). Exposures of the Smoky Group are generally limited to topographic highs and stream cuts within the Buffalo Head Hills.

Structural Geology

In north-central Alberta, the PRA is a region where younger Phanerozoic rocks, which overlie the Precambrian basement, have undergone periodic vertical and possibly compressive deformation from the Proterozoic into the Tertiary (Cant, 1988; O'Connell *et al.*, 1990; Dufresne *et al.*, 1995, 1996). The pattern of long-lived, periodic uplift and subsidence has imposed a structural control on the deposition patterns of the Phanerozoic strata in northern Alberta. In addition, this periodic movement has resulted in a rectilinear pattern of faults that are not only responsible for structurally controlled oil and gas pools, but may have provided potential pathways for later deep-seated intrusive kimberlitic magmas. Eccles *et al.* (2000) show that several of the Buffalo Head Hills kimberlites occur at the intersection of north and east-northeast trending lineaments, which are likely related to underlying faults that have been reactivated during periodic tectonic activity associated with the Peace River Arch. Eccles *at al.* (2000) used a combination of very detailed digital elevation data and RadarSat data to identify the intersecting lineaments.

During the mid-Cretaceous and Early Tertiary, compressive deformation occurred as a result of the orogenic event that eventually led to the formation of the Rocky Mountains. The PRA was emergent during this period, resulting in the reactivation of many prominent basement faults. The Phanerozoic rocks beneath the Red Earth Creek region lie along the axis of the PRA, and are underlain by and proximal to basement faults related to the Grosmont Reef Complex, which formed over the Grosmont High (Bloy and Hadley, 1989; Dufresne *et al.*, 1996). Strong evidence suggests that manifested basement faults in the overlying Phanerozoic sedimentary succession may have controlled the emplacement of the Buffalo Head Hills kimberlites proximal to Grizzly's Buffalo Head Hills properties (Dufresne *et al.*, 1996; Leckie *et al.*, 1997; Eccles *et al.*, 2000). Similar structures observed on Grizzly's Buffalo Head Hills properties could have resulted from tectonic activity associated with movement along the PRA or the Grosmont High, and therefore could have provided pathways for kimberlitic volcanism.

Quaternary Geology

Surficial geology data in central to northern Alberta is sparse and regional in nature. Prior to continental glaciation during the Pleistocene, most of Alberta including the Buffalo Head Hills region, had reached a mature stage of erosion. Large, broad paleochannels and their tributaries flowed in an east to north-easterly direction, depositing fluvial sand and gravel (Dufresne *et al.*, 1996).

During the Pleistocene, multiple glacial advances of the Laurentide Ice Sheet across the region in a south to south-east direction (Figure 5 in Dufresne *et al.,* 1996) resulted in erosion of the substrate and modification of bedrock topography. Dominant ice flow directions within the Buffalo Head Hills region appear to be topographically controlled, following the south-southwest trend of the BHH (Fenton and Pawlowicz, *2005 a,b*). Additionally, topographic variations may have locally channelled ice flow

towards the south to south-southeast of the BHH. Generally, glacial sediments formed layers of till and diamict over the landscape, with sediments localized in low-lying areas and draped over topographic highs. Furthermore, glacial meltwater and proglacial lakes often deposited fluvial and marine sediments in areas of low relief (Pawlowicz and Fenton, *2005 a,b*).

The Buffalo Head Hills area is covered by drift of variable thicknesses ranging from 15 to over 250 m (Pawlowicz and Fenton, 2005a,b and 1995a,b; Balzer and Dufresne, 1999), and commonly from 75 to 150 m thick. Drift thickness may be locally thinner in areas of higher topographic relief. Unfortunately, local drift thicknesses for Grizzly's Buffalo Head Hills properties cannot be easily delineated, due to the paucity of publicly available data for the region. Limited general information regarding bedrock topography and drift thickness in northern Alberta is available from petroleum, coal, and groundwater exploration well logs, as well as regional government compilations (Tokarsky, 1972; Mossop and Shetson, 1994; Pawlowicz and Fenton, 2005a,b and 1995a,b; Dufresne *et al.*, 1996). It should be noted that the drift thickness over the Buffalo Head Hills kimberlites is extremely variable, ranging from more than 120 m to kimberlites that outcrop or subcrop. Several of the kimberlites, intersected in drilling to date, exist as positive topographic features relative to the local bedrock surface beneath the glacial overburden. The BHHJV K6 kimberlite is one of a number of kimberlites in the Buffalo Head Hills that displays the positive topographic relationship relative to the bedrock. The K6 kimberlite was initially intersected beneath 13 m of overburden (Ashton Mining of Canada Inc., 1997c), yet it also yields depths of overburden greater than 70 m along the margins of the pipe, and even thicker depths over the mudstone bedrock surrounding the pipe (Mr. B. Clements, *personal communication*, 2002). The positive topographic relationship with kimberlites in areas of overburden between 75 and 150 m thick, suggests that recently discovered kimberlites may have substantially less overburden coverage.

Glacial ice is believed to have receded from the Buffalo Head Hills region between 15,000 and 10,000 years ago. After the final glacial retreat, lacustrine clays and silts were deposited in low-lying regions along with organic sediments. Rivers previously re-routed due to glaciation, re-established easterly to north-easterly drainage regimes similar to that of the pre-Pleistocene. Extensive colluvial and alluvial sediments accompanied post-glacial river and stream incision.

RECENT GRIZZLY DIAMONDS LTD. EXPLORATION

2005 Exploration

APEX was retained during 2005 by Grizzly to evaluate the potential of the Grand Cub Aidan property to host kimberlites and possibly, diamonds. The 2005 exploration program was based on recommendations that resulted from data compilation and review. Between October 30 and December 3 2005, Firefly Aviation Ltd. completed an 11,663 line-km fixed-wing High Resolution Airborne Magnetic (HRAM) survey over the Grand Cub Aidan property. The aeromagnetic survey was conducted out of the town of Peace River, approximately 150 km from the property. The survey was carried out using a single engine Cessna U206G aircraft with full avionics, including real time differential 3D GPS navigation. The Cessna U206G was equipped with a rigid-mount tail boom, specially designed for geophysical survey operations, a high sensitivity magnetometer, a full on-board real time compensation recording computer, and related equipment. In order to conduct airborne geophysical surveys, the aircraft was modified to reduce noise from electrical systems and interference from any ferruginous materials in close proximity to the sensor.

The HRAM survey was flown using parallel flight lines in a traverse line direction of 270 degrees with 150 m spaced line intervals and data sample stations at every 5.5 m along the lines. Tie lines were flown perpendicular to the flight lines and spaced at 1000 metres. The height at which the survey was flown was a best-fit 60 m drape mode elevation. A high sensitivity base magnetic station was provided by a proton magnetometer which recorded the diurnal activity throughout the survey onto a PC module. A GPS base station was used to collect ground GPS data and to correct any post-flight differential errors in the GPS flight path recovery. Airborne recorded data included the total field magnetic data, radar altimeter, and all ground GPS data. All magnetic datasets collected from the HRAM survey are provided on a DVD+R Media within the appendices. A HRAM logistical report for the Grand Cub Aidan property survey by Firefly Aviation Ltd. is provided in Dufresne *et al.* (2006). The data and an interpretation of the data including maps are provided in Dufresne *et al.* (2006)

Preliminary data was contoured using Geosoft Oasis Montaj 6.0 and ER Mapper 6.3, and then reviewed by APEX and Kit Campbell of Intrepid, during January 2006. The data was reviewed on a line by line profile basis to look for high frequency, short wavelength magnetic anomalies that reflect small, shallow source magnetic targets potentially related to geological features, such as kimberlites. A large number of interesting high frequency magnetic anomalies, greater than 30 nT, were identified during the review and potential targets were then selected for future fieldwork.

A total of 95 magnetic anomalies were identified in the HRAM dataset and reviewed for kimberlite potential (Appendix 1 and Dufresne *et al.*, 2006). A number of the magnetic anomalies present in the survey data represented either man-made culture, or part of linear arrays likely related to magnetic sands in the overburden. Anomalies typically related to man-made culture commonly produce very sharp spike-

like peaks, often with an associated adjacent magnetic low, termed a dipole anomaly. These types of anomalies, and those that are part of linear and sinusoidal arrays, are placed in the lower priority rankings. Priority one anomalies are considered highly likely to be kimberlites, there were none on the Grand Cub Aidan property. Priority two anomalies are represented by isolated high frequency magnetic signatures that are likely related to near surface geological features that could be kimberlite, and require follow up exploration including ground geophysical surveys and possibly drilling.

Based upon the review and interpretation of the 2005 fixed-wing aeromagnetic survey over the Grand Cub Aidan property, a number of moderate to high priority magnetic anomalies remained unexplained (Dufresne *et al.*, 2006). A number of these unexplained anomalies were chosen for ground truthing to check for man-made culture, and any remaining anomalies left unexplained would then be considered for ground geophysical surveys and subsequent drill testing.

2006 Exploration

Between January 24 and mid April 2006, a program of ground truthing along with ground geophysics for unexplained magnetic anomalies was completed on the Grand Cub Aidan property on behalf of Grizzly, by APEX personnel and Fred Welke, a geological consultant. The ground geophysical program was based out of Peace River and Red Earth, Alberta and consisted of ground truthing a number of priority geophysical anomalies. A total of 95 targets were identified from the winter 2005 HRAM survey over the Grand Cub Aidan property. Subsequent data review in conjunction with previous survey results, lead to the recognition of 30 priority anomalies that required ground truthing in early 2006. A total of 16 targets were ground truthed resulting in ground grids being established over 10 anomalies left unexplained after the ground truthing. Subsequent magnetic surveys, totalling 35 line-km, were completed over 10 targets (Figure 7). Ground magnetic data indicate that four of the targets, GCA-026, GCA-062, GCA-065a and GCA-065b, warrant follow-up exploration including drill testing (Table 3 and Appendix 1). If a kimberlite is intersected, a few low priority targets my warrant drill testing as well. A significant number of moderate to moderate-high priority airborne magnetic targets still remain to be ground truthed and possibly ground geophysical surveyed during future field programs (Appendix 1). A list of the 16 magnetic anomalies ground truthed and/or ground geophysically surveyed, along with the field observations including comments on the results of the ground geophysical surveys are provided in Table 3 and Appendix 1.

Due to size limitations, the established magnetic ground grids were independently sized based on the individual anomaly dimensions. Grids were first established using Garmin®12-XL handheld GPS units and 50 m survey chain. Lines were spaced at 50 m intervals and data readings were collected every 5 metres with a mobile Gem Systems GSM-19 magnetometer. An detailed overview of the GSM-19 magnetometers used during the 2006 ground geophysical surveys is presented in Dufresne *et al.* (2006).

TABLE 3
GROUND GEOPHYSICAL ANOMALY SUMMARY
GRAND CUB AIDAN PROPERTY

TARGET ID	Easting (NAD27/Z11)	Northing (NAD27/Z11)	Ground Truthing Comments	Line-km Magnetics
GCA-022	598381.1	6368033.8	Metal Bridge	na
GCA-024	569347.4	6364739.8	Ground Geophysics – No Further Work	3.15
GCA-026	554117.8	6364137.8	Ground Geophysics – Medium Priority Target	3
GCA-027	597144	6363232.8	Large metal culvert	na
GCA-028	587239.7	6360236.8	Ground Geophysics – No Further Work	3.46
GCA-029	585459	6359189.8	Well site with large tanks	Na
GCA-044	583459.1	6351085.9	Well site with large tower	Na
GCA-046	589358.3	6352584.4	Well site with large tower	na
GCA-047	587813.3	6350932.4	Gas Plant	na
GCA-056	567888.7	6369987.8	Ground Geophysics – Low Priority Target	2.18
GCA-060	582205.5	6364280.8	Ground Geophysics – No Further Work	3.6
GCA-062	556213.9	6362935.3	Ground Geophysics – Medium Priority Target	4.63
GCA-063	556090.1	6361884.3	Ground Geophysics – Low Priority Target	4.75
GCA-065a	551593.9	6363835.8	Ground Geophysics – High Priority Target	3.35
GCA-065b	551754.2	6364136.8	Ground Geophysics – High Priority Target	2.95
GCA-082a	560340.2	6356336.4	Ground Geophysics – No Further Work	3.1

Completion of a survey grid over multiple days requires individual magnetometer data to be levelled, prior to any compiling of the mobile and base station magnetic data. To facilitate levelling of ground magnetic data typically 100 metres of survey overlap is completed each day of the survey. The difference between duplicate data readings is averaged and produces a correction factor that can be applied to one of the data sets. The correction factor, either a positive or negative value, can be subtracted from the 1st data set or added to the 2nd data set with no effect on the magnitude of the anomaly. Typically, the correction factor is many orders of magnitude less than a given magnetic reading and no other levelling or processing of data is necessary. Detail of the methodology for the ground geophysical surveys are provided in Dufresne *et al.* (2006).

The raw magnetic data and contoured results collected during 2006 are provided in Appendices 3 and 4. An interpretation of the results obtained from the 10 ground geophysical surveys is presented below and in Appendix 1.

Anomaly GCA-024

A survey grid, 400 x 350 m, was established over the target and 3.15 line-km of magnetic data was collected at 5 m intervals along 50 m spaced lines. Results from the magnetic survey revealed a cluster of peaks within a larger sinusoidal to linear feature.

The magnetic high identified within the data exhibits a northwest-southeast trend with isolated areas of peaks and troughs. The distinctive geometry associated with the anomaly, leads to an interpretation that the magnetic source is mostly likely accumulations of heavy minerals in paleochannel drainages in the overburden and further investigation is not warranted.

Anomaly GCA-026

A total of 3.0 line-km of magnetic data was collected over the GCA-026 grid, which had dimensions of 375 x 350 metres. Two large contiguous anomalies trending in a northeast-southwest direction were identified. Both magnetic anomalies exhibited slight "bulls eye" features, with a circular northern anomaly and oblate southern anomaly shape. Although the two features together form a linear feature, the anomalies are strong (greater than 50 nT) and smooth edged rather than spike like. The features could be paleo-channel related, however a couple of the Ashton kimberlites do present as a strings of tear-dropped shaped magnetic anomalies, therefore, GCA-026 requires further investigation with detailed drilling of the moderate priority drill target.

Anomaly GCA-028

Ground geophysics over anomaly GCA-028 yields a large and broad curvilinear feature trending in a relatively north-south direction from the 3.46 line-km of data retrieved along the 400 x 350 m anomaly grid. The presence of several isolated, spike like highs within the feature, suggest the anomaly is likely surficial related and therefore requires no further work.

Anomaly GCA-056

A survey grid, 325 x 250 m, was established over the target and 2.175 line-km of magnetic data was collected. A discreet oblate magnetic high anomaly, elongated in a northeast-southwest direction was revealed in the survey data. The anomaly has the appearance of having wings or tails of the ends and appears to be a bit spike like in nature therefore the data indicates a source of surficial derivation and the anomaly is classified as a low priority target for drilling.

Anomaly GCA-060

A total of 3.6 line-km of magnetic data was collected over the GCA-060 grid, which had dimensions of 425 x 350 metres. A large and discreet east-west linear feature along the length of the west side of the grid was identified in the magnetic data results. Within the southwest portion of the grid, the linear feature is connected to a strongly magnetic anomaly with two distinct peaks, trending in a northeast direction. The geometry of this second feature, along with its spatial relationship to the large linear structure suggests that the anomaly may be paleo-channed related and therefore no further investigation is warranted. If any kimberlites are intersected at any of the other Grand Cub Aidan targets this anomaly may warrant a low priority drill test.

Anomaly GCA-062

Two large circular structures were revealed from the 4.625 line-km of data retrieved along the 550 x 400 m anomaly grid. The structures were located within a larger curvilinear feature trending in a relatively north-south direction. Similar to anomaly GCA-026, the two features together form a linear feature, the anomalies are strong (greater than 30 nT) and smooth edged rather than spike like. The features could be paleo-channel related, however a couple of the Ashton kimberlites do present as a strings of tear-dropped shaped magnetic anomalies, therefore, GCA-062 requires further investigation with detailed drilling of the moderate priority drill target. Consideration should given to extending the grid to the north and perhaps constructing a few east-west lines across the anomaly.

Anomaly GCA-063

A survey grid, 550 x 350 m, was established over the target and 4.75 line-km of magnetic data was collected. Results from the magnetic survey revealed a linear magnetic high feature, trending in a north-south direction. The feature contained two peaks; the more northerly of the two structures curved correlatively with the large feature, while the more southern structure was circular. Even though the curvilinear geometry of the larger feature suggests a channel derivation, classification as a low priority drill target is warranted as the anomalies are strong and smooth edged and not spike-like. Consideration should be given to conducting a few follow-up east-west lines across the anomaly.

Anomalies GCA-065a and GCA-065b

A survey grid was established over the 200 x 200 m GCA-065a magnetic high target. The grid dimensions were 400 x 350 m and a total of 3.35 line-km of magnetic data was collected. The GCA-065b anomaly exhibited approximate dimensions of 150 x 150 m and was surveyed over a 400 x 350 m grid, totalling 2.95 line-km of magnetic data. Combination of both survey grids over the GCA-065 anomaly established an overall area 700 x 500 m in dimension, with a total of 6.30 line-km of magnetic data. Results from the magnetic surveys revealed two strong circular magnetic features located relatively in the center of each grid. The southwest circular feature within the GCA-065a grid reflected a smaller magnetic high than the GCA-065b northeast circular anomaly. GCA-065a and GCA-065b are both interesting "bulls eye" magnetic features and therefore warrant a high priority for drilling.

Anomaly GCA-082a

Collection and analysis of 3.1 line-km of magnetic survey data from the 350 x 350 m anomaly grid revealed several scattered peaks within a large curvilinear feature. The distinctive north-south geometry associated with the anomaly, lead to a channel interpretation and further investigation is not warranted.

Property visits were conducted during the late summer and fall of 2006 to the Grand Cub Aidan property. Reconnaissance prospecting was conducted and an evaluation of the access for potential future diamond indicator sampling and drilling programs were evaluated. A brief check was conducted looking for culture at the remaining targets that are yet to be properly ground truthed (Appendix 1). No samples were collected, however, in future it is strongly recommended that diamond indicator mineral sampling be considered in drainages adjacent to a number of the prospective clusters of kimberlites that have been identified on the property. Further to the south of the property it was demonstrated that eskers in and around the Ashton kimberlites yield boulders of kimberlite. Any eskers present on the Grand Cub Aidan property should be identified, prospected and sampled and may represent an excellent exploration tool.

2007 Exploration


During 2007, APEX personnel continued exploration for kimberlites on the Grand Cub Aidan property with site visits and the planning of an HRAM survey for the southern Mineral Permits 9305031119 and 9305031121 to 9305031123. APEX contracted Firefly Aviation on February 1, 2007 to commence a large 25,000 lin-km HRAM airborne survey covering the southern permits of the Grand Cub Aidan property and the entire Smoky The Bear property. The survey was scheduled to commence mid to late February and be completed by the end of March. APEX is currently waiting for Firefly Aviation to provide the data and final report for the survey.

As soon as the data is available, it will be contoured using Geosoft Oasis Montaj 6.2 and ER Mapper 7.2, and then reviewed by APEX personnel. The data will be reviewed on a line by line profile basis to look for high frequency, short wavelength magnetic anomalies that reflect small, shallow source magnetic targets potentially related to geological features, such as kimberlites. During the review, anomalies within the data will be identified as potential targets for future fieldwork. Any unexplained anomalies would first require ground truthing for man-made culture, and any remaining anomalies left unexplained should then be considered for ground geophysical surveys and subsequent drill testing.

The bulk of the expenditure being claimed in this report is for the completion of the 2006 ground geophysical program in March and April of 2006 (which were not claimed in Dufresne *et al.*, 2006), as well as a number of property visits and site evaluations performed during summer and fall 2006 as well as February 2007.

EXPLORATION EXPENDITURES

APEX reports property related exploration expenditures on behalf of Grizzly of CDN$111,430.20 (plus GST) for the 2006 to 2007 exploration programs on the Grand Cub Aidan property in the Buffalo Head Hills region. A summary breakdown of the exploration costs is provided in Appendix 5.



LEGEND

- Road
- Trail
- Lake
- Drainage
- Township & Range Boundary
- 2007 Airborne Survey
- Grizzly Diamonds Ltd., Grizzly Gold Inc. or APEX Geoscience Ltd. Mineral Permit
- Other Grizzly Diamonds Land
- Sandswamp Exploration Ltd. Permit
- Ashton Diamonds (Canada) Inc. Permit
- 3869008 Canada Ltd. Permit

APEX Geoscience Ltd., Grizzly Gold Inc. & Grizzly Diamonds Ltd.

Grand Cub Aidan Property

2007 AIRBORNE SURVEY

2km 0 2 4km

SCALE 1:200,000
Zone 11 NAD 27
APEX Geoscience Ltd.

Edmonton, Alberta **May, 2007**

FIGURE 8.

CONCLUSIONS AND DISCUSSION

The regional setting for Grizzly's Buffalo Head Hills diamond properties is considered highly favourable for the presence of diamondiferous kimberlites. The Grizzly permits are predominantly underlain by Early Proterozoic to Archean basement of the Buffalo Head Craton. The local bedrock geology, underlying crystalline basement, and associated Phanerozoic structures, such as the Peace River Arch, likely provided a favourable environment for the formation and ascent of kimberlitic magmas in the Buffalo Head Hills area. Periodic tectonic activity associated with movement along the Peace River Arch and the Grosmont High, would have also influenced the formation and ascent of kimberlitic magma in the upper mantle. Significant crustal thicknesses (35 to 40 km) and the presence of several Gurney (1984) G10 subcalcic pyrope garnets, strongly indicate that the Buffalo Head Hills area is underlain by upper mantle suitable for the formation and preservation of diamonds. This statement is confirmed with the discovery of at least 26 diamondiferous kimberlite pipes to date in the Buffalo Head Hills area by the BHHJV. Exploration and drilling between 1997 and 2001 by the BHHJV, has resulted in the discovery of 10 kimberlites less than 33 km from the southern property boundary of Grizzly's Grand Cub Aidan property (Skelton and Bursey, 1998 and 1999; Skelton and Willis, 2001).

Limited bedrock exposures have been observed and reported within the area due to the presence of extensive glacial deposits. Local bedrock exposed in the area or intersected in near surface drilling is age correlative to bedrock intruded by kimberlites in other parts of the Buffalo Head Hills. The glacial history for the region is very complex with regions of thick glacial drift, extensive glacial gravel, and evidence of extensive glacial tectonism. Drift thickness is known to range from less than 25 m to greater than 250 m with multiple layers of till and glacial outwash. The complex glacial deposits and glacial history can be a serious impediment to exploration for kimberlites. Detailed compilations on glacial deposit type and drift thickness should accompany any future exploration programs for kimberlites and diamonds in the Buffalo Head Hills area. Regions of thin drift and less glacial complexity should be the focus of any future exploration programs. Those areas underlain by thick drift in preglacial paleo-river channels should be omitted from future exploration.

To date, a number of diamond indicator minerals have been recovered from limited sampling of outwash glacial gravel, recent fluvial gravel, and till on Grizzly's Grand Cub Aidan property. The importance of these indicator minerals and potential source areas are unknown due to the presence of variable drift thickness and the poor sampling density. However, a number of samples collected from, and immediately south of, the Grand Cub Aidan property by the AGS, the GSC, Ashton and Monopros have yielded significant numbers of indicator minerals including olivine, pyrope garnet, chromite and picroilmenite. All of these sample sites exist well north of the northernmost known BHHJV kimberlite. Therefore there is a strong likelihood that undiscovered kimberlites exist on or to the north of the Grand Cub Aidan property. The diamond potential of the area cannot be fully assessed with the limited amount of sampling that

has been conducted to date. It is expected that further systematic sampling will lead to a better understanding of the diamond potential of the properties.

From October to December 2005, Firefly Aviation conducted an 11,663 line-km HRAM survey over the Grand Cub Aidan property. A total of 95 magnetic anomalies were identified in the dataset. From these, a large number of the anomalies were rejected or considered lower priority as they were deemed to be the result of man-made culture or part of linear arrays likely related to magnetic sands in the overburden. A total of 30 anomalies were considered of moderate to high priority for follow-up exploration including ground truthing and ground geophysical surveying during 2006. A total of 16 of the targets have been properly ground truthed with ground geophysical surveys completed over 10 of the targets. Ground geophysically surveyed anomalies GCA-026, GCA-062, GCA-065a and GCA-065b remain identified as moderate to high priority and warrant drill testing. APEX is currently awaiting the finalized data and report from Firefly Aviation for a recently completed airborne HRAM survey completed over the southern mineral permits 9305031119 and 9305031121 to 9305031123 within the Grand Cub Aidan property. A significant number of moderate to high priority targets still remain to be ground truthed and ground geophysically surveyed during future field programs. These anomalies in conjunction with the presence of nearby kimberlites indicate that the Grand Cub Aidan property is a high priority target area for kimberlite exploration.

RECOMMENDATIONS

The favourable geological setting and encouraging exploration results to date, within Grizzly's Grand Cub Aidan property, warrants an aggressive, systematic follow up exploration program to search for diamondiferous kimberlites. Such a follow up program should include diamond indicator mineral sampling, ground magnetic surveys and subsequent drill testing. The potential for discovery of diamondiferous kimberlites within Grizzly's Grand Cub Aidan property is considered high.

For Grizzly's Grand Cub Aidan property, future exploration should be conducted in three stages (Table 4) and consist of the following:

Stage 1: Stage 1 should consist of contouring the new HRAM survey data with Geosoft Oasis Montaj 6.2 and ER Mapper 7.2. Followed by the assessment of new targets on a line by line profile basis to look for high frequency, short wavelength magnetic anomalies that reflect targets potentially related to kimberlites. The estimated cost of the Stage 2 exploration is $ 5,000.

Stage 2: Within Stage 2, any unexplained anomalies from Stage 1 would first require ground truthing for man-made culture, and any remaining anomalies left unexplained should then be considered for ground geophysical surveys and subsequent drill testing. The estimated cost of the Stage 2 exploration is $ 170,000.

Stage 3: The Stage 3 drilling program should drill test at least 4 geophysical anomalies using either diamond drill or water well drill. The estimated cost for each drill hole is $75,000. To date 4 anomalies that warrant drill testing have been identified. The cost of performing Stage 3 is $ 300,000.

TABLE 4
RECOMMENDED 2007 PROGRAM AND BUDGET
GRAND CUB AIDAN PROPERTY

ITEM	DESCRIPTION	COST
Stage 1		
	Survey data should be contoured and reviewed on a line by line profile basis to look for targets potentially related to kimberlites.	$5,000
Stage 2		
1	Unexplained anomalies from Stage 1 would first require ground truthing for man-made culture.	$20,000
2	A number of rank 2 and 3 airborne anomalies remain to be investigated. A further 15 ground magnetic surveys are warranted based on existing information. $10,000 per target	$150,000
	Total Stage 1 and 2 Project Costs, Excluding GST	**$ 175,000**
Stage 3		
1	Four drill hole program: The estimated cost of each drill hole is $75,000. Four anomalies that warrant drill testing are GCA026, GCA-062, GCA-065a and GCA-065b.	$300,000
	GRAND TOTAL EXPLORATION BUDGET	**$ 475,000**

The total estimated cost of the recommended exploration for Grizzly Diamond Ltd.'s Grand Cub Aidan property including drilling is **$475,000** plus GST.

PERMIT TO PRACTICE
APEX Geoscience Ltd.
Signature
Date May 16, 2007
PERMIT NUMBER: P-5824
The Association of Professional Engineers, Geologists and Geophysicists of Alberta

APEX Geoscience Ltd.

Michael B. Dufresne, M.Sc., P.Geol.

Heather Carey, B.Sc., GIT.

May 16, 2007
Edmonton, Alberta, Canada

REFERENCES

Angus, K., Wylie, J., McCloskey, W. and Noble, D. (1989). Paleozoic clastic reservoirs in Geophysical Atlas of western Canadian hydrocarbon pools. Can Soc Petrol Geol and Can Soc Expl Geoph, 1989, pp. 1-25.

Ashton Mining of Canada, Inc. (1997a). Ashton discovers kimberlitic pipes in Alberta. News release transmitted by Canadian Corporate News. January 27, 1997.

Ashton Mining of Canada, Inc. (1997b). Ashton discovers two more kimberlites in Alberta. News release transmitted by Canadian Corporate News. February 14, 1997.

Ashton Mining of Canada, Inc. (1997c). Total of eleven kimberlites discovered. News release transmitted by Canadian Corporate News. March 4, 1997.

Ashton Mining of Canada, Inc. (1997d). Ashton finds diamonds in Alberta kimberlites. News release transmitted by Canadian Corporate News. April 25, 1997.

Ashton Mining of Canada, Inc. (1999). Ashton reports microdiamond results from kimberlites in Alberta. News release transmitted by Canadian Corporate News. April 28, 1999.

Ashton Mining of Canada, Inc. (2001a). K252 Mini-bulk sample return 55.0 cpht. News release transmitted by Canadian Corporate News. May 24, 2001.

Ashton Mining of Canada, Inc. (2001b). Buffalo Hills exploration program approved. News release transmitted by Canadian Corporate News. August 2, 2001.

Ashton Mining of Canada, Inc. (2003a). K300 Alberta Kimberlite Diamondiferous. News Release transmitted by Canadian Corporate News. April 22, 2003.

Ashton Mining of Canada, Inc. (2003b). Alberta K296 Kimberlite Diamondiferous, News Release transmitted by Canadian Corporate News. May 16, 2003.

Ashton Mining of Canada, Inc. (2003c). Results For the Three Months Ended March 31. 2003. News Release transmitted by Canadian Corporate News. May 30, 2003.

Ashton Mining of Canada, Inc. (2004). 2004 Buffalo Hills Program Commences. News Release transmitted by Canadian Corporate News. January 26, 2004.

Ashton Mining of Canada, Inc. (2005a). Drilling on Three Targets at Buffalo Hills Property in Alberta. News Release transmitted by Canadian Corporate News. August 3, 2005.

Ashton Mining of Canada, Inc. (2005b). Drilling Completed on Buffalo Hills Property, Alberta. News Release transmitted by Canadian Corporate News. October 7, 2005.

Aulbach, S., Griffin, W.L., O'Reilly, Y.O. and McCandless, T.E. (2003). The lithospheric mantle beneath the Buffalo Head Hills Terrane, Alberta: Xenoliths from the Buffalo Head Hills Kimberlites. 8th International Kimberlite Conference, Victoria, B.C., Canada, June 22-27th, Extended Abstracts.

Auston, J. (1998). Discovery and Exploration of the Buffalo Hills Kimberlites, North-central Alberta; Mineral Exploration Group, 7th Calgary Mining Forum, April 8-9, 1998, p. 24.

Bachu, S., Undershultz, J.R., Hitchon, B. and Cotterill, D. (1993). Regional-scale subsurface hydrogeology in Northeast Alberta; Alberta Geological Survey, Energy and Utilities Board, Bulletin 061.

Balzer, S.A. and Durfresne, M.B. (1999). Overburden – Bedrock interpretation for target areas. Unpublished report prepared on behalf of Monopros Limited.

Bloch, J., and Leckie, D.A. (1993). Rock-Eval data of the Cretaceous Colorado Group, Western Canada Sedimentary Basin. Open file / Geological Survey of Canada ; 2676.

Bloy, G.R. and Hadley, M.G. (1989). The development of porosity in carbonate reservoirs; Canadian Society of Petroleum Geologists Continuing Education Short Course.

Burwash, R.A., Baadsgaard, H., and Peterman, Z.E. (1962). Precambrian K - Ar dates from the western Canada Sedimentary Basin. Journal of Geophysical Research, 67, pp. 1617-1625.

Burwash, R.A. and Culbert, R.R. (1976). Multivariate geochemical and mineral patterns in the Precambrian basement of Western Canada. Tectonophysics. vol. 20, pp. 193-201.

Burwash, R.A., McGregor, C.R. and Wilson, J.A. (1994). Precambrian basement beneath the Western Canada Sedimentary Basin; *In* G.D. Mossop and I. Shetsen (eds.), *Geological Atlas of the Western Canada Sedimentary Basin*, Published Jointly by the Canadian Society of Petroleum Geologists and the Alberta Research Council, Chapter 5, pp. 49-56.

Cant, D.J. (1988). Regional structure and development of the Peace River Arch, Alberta: A Paleozoic failed-rift system? Bulletin of Canadian Petroleum Geology, 36:284-295.

Carlson, S.M., Hillier, W.D., Hood, C.T., Pryde, R.P. and Skelton, D.N. (1999). The Buffalo Hills Kimberlites: A newly discovered diamondiferous kimberlite province in north-central Alberta, Canada *In* The J.B. Dawson Volume, Proceedings of the VIIth International Kimberlite Conference, Volume 1, pp. 109-116.

Ceroici, W. (1979). Hydrogeology of the Peerless Lake area, Alberta. Alberta Research Council, Alberta Geological Survey, Earth Sciences Report 7905, pp. 10.

Clements, B. (2002). *Personal communication.*

Creighton, S. and Eccles, D.R. (2003). A preliminary study of the mineral chemistry of selected Alberta Kimberlites. 8th International Kimberlite Conference, Victoria, B.C., Canada, June 22-27th, Extended Abstracts.

Davies, R.M., Griffin, W.L., O'Reilly, S.Y. and McCandless, T.E. (2003). Inclusions in diamonds from the K10 and K14 Kimbelrites, Buffalo Hills, Alberta, Canada: Diamond growth in a plume. 8th International Kimberlite Conference, Victoria, B.C., Canada, June 22-27th, Extended Abstracts.

Dawson, J.B., and Stephens, W.E. (1975). Statistical classification of garnets from kimberlite and associated xenoliths. Journal of Geology, Vol. 83, pp. 589-607.

Dufresne, M.B. (2006). Assessment Report for the Preston Upon Wolverine Property, Northern Alberta: Mineral Permits 930407991, 930407993-995, 930407997, 9304080907-11, 9305031120. Unpublished assessment report prepared by APEX Geoscience Ltd. on behalf of Grizzly Diamonds Ltd., 43 pages plus appendices.

Dufresne, M.B. (2007). Assessment Report for the Smoky The Bear Property, Buffalo Head Hills: Mineral Permits 9303031149, to 9303031152-55, 9305010837-38, 9305031116-18, 9306020525-30, 9306020545, 9306110739-42 and 9307010942-45. Unpublished assessment report prepared by APEX Geoscience Ltd. on behalf of Grizzly Diamonds Ltd., 48 pages plus appendices.

Dufresne, M.B., Eccles, D.R.and Leckie, D.A. (2001). The geological and geochemical setting of the Mid-Cretaceous Shaftesbury Formation and other Colorado Group sedimentary Units in northern Alberta; Alberta Geological Survey Special Report 9.

Dufresne, M.B., Eccles, D.R., McKinstry, B., Schmitt, D.R., Fenton, M.M., Pawlowicz, J.G. and Edwards, W.A.D. (1996). The Diamond Potential of Alberta; Alberta Geological Survey, Bulletin No. 63, pp. 158.

Dufresne, M.B., Gunson, T. and Mann, R.C. (2006). Assessment Report for the Grand Cub Aidan Property, Northern Alberta: Mineral Permits 9304020489 to

9304020503. Unpublished assessment report prepared by APEX Geoscience Ltd. on behalf of Grizzly Diamonds Ltd., 50 pages plus appendices.

Dufresne, M.B. and Kupsch, B.G., (2004). Assessment report for Grizzly Gold Inc.'s White Bear Property, Northern Alberta: Metallic Mineral Permits 9302030046 to 53 and 9302030096. Unpublished assessment report prepared on behalf of Grizzly Gold Inc., 52 pages plus appendices.

Dufresne, M.B., Olson, R.A., Schmitt, D.R., McKinstry, B., Eccles, D.R., Fenton, M.M.,Pawlowicz, J.G., Edwards, W.A.D. and Richardson, R.J.H. (1995). The Diamond Potential of Alberta: A Regional Synthesis of the Structural and Stratigraphic Setting, and Other Preliminary Indications of Diamond Potential. MDA Project M93-04-037, Alberta Research Council Open File Report 1994-10.

Eccles, D.R., Heaman, L.M., Luth, R.W. and Creaser, R.A. (2003). Petrogenetic considerations for the Late Cretaceous Northern Alberta Kimberlite Province. 8th International Kimberlite Conference, Victoria, B.C., Canada, June 22-27th, Extended Abstracts.

Eccles, D.R., Haynes, M. and Csanyi, W. (2001). Diamond and metallic-mineral potential of the Peerless Lake map area, North-Central Alberta. Alberta Energy and Utilities Board, Alberta Geological Survey, Earth Science Report 2000-08, pp. 67.

Eccles, D.R., Grunsky, E.C., Grobe, M., and Weiss, J. (2000). Structural emplacement model for kimberlitic diatremes in northern Alberta. Alberta Energy and Utilities Board, Alberta Geological Survey, Earth Science Report 2000-01, pp. 116.

Edwards, D., Scafe, D., Eccles, R., Miller, S., Berezniuk, T. and Boisvert, D. (1994). Mapping and resource evaluation of the Tertiary and preglacial sand and gravel formations of Alberta; Alberta Geological Survey; Energy and Utilities Board, Open File Report 94-06.

Fenton, M.M., and Pawlowicz, J.G. (1997). Diamond indicator mineral anomaly from till sample site NAT95-134. Alberta Energy and Utilities Board, Alberta Geological Survey. Geo-Note 1997-1, pp. 4.

Fenton, M.M. and Pawlowicz, J.G. (1998a). Reconnaissance mineral and geochemical survey with emphasis on Northern Alberta; Report for the end fiscal year 1994 1995 till geochemistry, Northeastern Alberta. Alberta Geological Survey Open File Report 95-12.

Fenton, M.M., and Pawlowicz, J.G. (1998b). Reconnaissance till mineral and geochemical survey with emphasis on Northern Alberta. Alberta Geological Survey, Open File Report 96-07.

Fenton, M.M., Pawlowicz, J.G. and Dufresne, M.B. (1994). Reconnaissance Mineral and Geochemical Survey With Emphasis on Northern Alberta. Canada-Alberta MDA Project M92-04-006, Alberta Geological Survey, Open File Report 94-21.

Fenton, M.M., Paulen, R.C., and Pawlowicz, J.G. (2003a). Surficial Geology of the Peerless Highlands Area, Alberta (NTS 84B/NE). Alberta Geological Survey MAP 267.

Fenton, M.M., Paulen, R.C., and Pawlowicz, J.G. (2003b). Surficial Geology of the Trout River Area, Alberta (NTS 84B/SE). Alberta Geological Survey MAP 268.

Fenton, M.M., Paulen, R.C., and Pawlowicz, J.G. (2003c). Surficial Geology of the Trout River Area, Alberta (NTS 84B/SE). Alberta Geological Survey MAP 268.

Fipke, C.E., Gurney, J.J. and Moore, R.O. (1995). Diamond exploration techniques emphasising indicator mineral geochemistry and Canadian examples; Geological Survey of Canada, Bulletin 423, pp. 86.

Friske, P.W.B., Prior, G.J., McNeil, R.J., McCurdy, M.W., and Day, S.J.A. (2003). National Geochemical Reconnaissance (NGR); Stream sediment and water survey in the Buffalo Head Hills Area, Northern Alberta. Geological Survey of Canada Open File 1790.

Geological Survey of Canada (1989a). Aeromagnetic total field, Peerless Lake (NTS 84B), Alberta Geological Survey of Canada Map 7242G.

Geological Survey of Canada (1989b). Aeromagnetic total field, Peace River (NTS 84C), Alberta Geological Survey of Canada Map 7773G.

Glass, D.J. Editor (1990). Lexicon of Canadian Stratigraphy, Volume 4. Western Canada, including Eastern British Columbia, Alberta, Saskatchewan and Southern Manitoba; Canadian Society of Petroleum Geologists.

Grayston, L.D., Sherwin, D.F., and Allan, J.F. (1964). Middle Devonian. *In:* R.G. McGrossan and R.P. Glaiser (eds.), Geological History of Western Canada. Alberta Society of Petroleum Geologists, pp. 49-59.

Green, R., Mellon, G.B. and Carrigy, M.A. (1970). Bedrock Geology of Northern Alberta. Alberta Research Council, Unnumbered Map (scale 1:500,000).

Greenwalt, W.A. Jr. (1956). Granite Wash of the Peace River area. Journal of Alberta Society of Petroleum Geologists, v. 4, pp. 204-205.

Gurney, J.J. and Moore, R.O. (1993). Geochemical correlations between kimberlitic indicator minerals and diamonds; *In* Diamonds: Exploration, Sampling And Evaluation; Proceedings of a short course presented by the Prospectors and

Developers Association of Canada, March 27, 1993, Toronto, Ontario, pp. 147-171.

Gurney, J.J., (1984). A correlation between garnets and diamonds in kimberlite. *In* Kimberlite Occurrence and Origin: A basis for conceptual models in exploration, J.E. Glover and P.G. Harris (eds.). Geology Department and University Extension, University of Western Australia, Publication No. 8, pp. 143-166.

Hackbarth, D.A. and Nastasa, N. (1979). The hydrogeology of the Athabasca Oil Sands area, Alberta; Alberta Geological Survey, Energy and Utilities Board, Bulletin 038.

Helmstaedt, H.H. (1993). Natural diamond occurrences and tectonic setting of "primary" diamond deposits; *In* Proceedings of a short course presented by the Prospectors and Developers Association of Canada; March 27, 1993, Toronto, Ontario, pp. 3-72.

Hood, C. and McCandless, T.E. (2003). Systematic variations in xenoxcryst mineral composition at the province scale, Buffalo Hills Kimberlites, Alberta, Canada. 8th International Kimberlite Conference, Victoria, B.C., Canada, June 22-27th, Extended Abstracts.

Leckie, D.A., Singh, C., Bloch, J., Wilson, M., and Wall, J.H. (1992). An anoxic event at the Albian-Cenomanian boundary: the Fish Scale marker bed, northern Alberta, Canada. Paleogeography, Paleoclimatology, Paleoecology, v. 92, pp. 139-166.

Leckie, D.A., Kjarsgaard, B.A., Peirce, J.W., Grist, A.M., Collins, M., Sweet, A., Stasiuk, L., Tomica, M.A., Eccles, R., Dufresne, M.B., Fenton, M.M., Pawlowicz, J.G., Balzer, S.A., McIntyre, D.J. and McNeil, D.H. (1997). Geology of a Late Cretaceous Possible Kimberlite at Mountain Lake, Alberta – Chemistry, Petrology, Indicator Minerals, Aeromagnetic Signature, Age, Stratigraphic Position and Setting; Geological Survey of Canada, Open file 3441, pp. 202.

Lehnert-Thiel, K., Loewer, R., Orr, R.G. and Robertshaw, P. (1992). Diamond bearing kimberlites in Saskatchewan, Canada: The Fort à la Corne case history; Exploration Mining Geology, Journal of the Geological Society of CIM, vol. 1, pp. 391-403.

Mandryk, G.B. and Richardson, R.J.H. (1988). Coal resource data in the plains area of Alberta; Alberta Geological Survey, Energy and Utilities Board, Open File Report 88-07.

McCurdy M.W., Prior G.J., Friske P.W.B., McNeil R.J., Day S.J.A., Nicholl, T.J. (2006): Geochemical, mineralogical and kimberlite indicator mineral electron microprobe data from silts, heavy mineral concentrates and waters from a National

Geochemical Reconnaissance stream sediment and water survey in the northern and southwestern Buffalo Head Hills, Northern Alberta (Parts of 84B, 84C, 84F and 84G); Alberta Energy and Utilities Board - Alberta Geological Survey, Special Report 76 / Geological Survey of Canada, Open File 5057.

Mitchell, R.H. (1986). Kimberlite: Mineralogy, Geochemistry and Petrology. Plenum Press, New York, pp. 442.

Mitchell, R.H. (1989). Aspects of the petrology of kimberlites and lamproites: some definitions and distinctions; *In* Kimberlites and Related Rocks, Volume 1, Their Composition, Occurrence and Emplacement; Geological Society of Australia, Special Publication No. 14, pp. 7-46.

Mitchell, R.H. (1991). Kimberlites and lamproites: Primary sources of diamond. Geoscience Canada, vol. 18, pp. 1-16.

Mossop, G. and Shetsen, I. (eds.) (1994). Geological Atlas of the Western Canada Sedimentary Basin. Calgary, Canadian Society of Petroleum Geologists and Alberta Research Council, pp. 510.

O'Connell, S.C., Dix, G.R. and Barclay, J.E. (1990). The origin, history and regional structural development of the Peace River Arch, Western Canada; Bulletin of Canadian Petroleum Geology, 38A:4-24.

Olson, R.A., Dufresne, M.B., Freeman, M.E., Eccles, D.R., and Richardson, R.J.H. (1994). Regional Metallogenic Evaluation of Alberta; Alberta Geological Survey, Open File Report 1994-08.

Paulen, R.C., Fenton, M.M., Pawlowicz, J.G. and Campbell, J.E. (2003). Surficial Geology of the Southeast Buffalo Head Hills Area, Alberta (NTS 84B/NW). Alberta Geological Survey MAP 265.

Pawlowicz, J.G. and Fenton, M.M. (1995a). Bedrock topography of Alberta. Alberta Geological Survey, Energy and Utilities Board, Map 226, scale 1:2,000,000.

Pawlowicz, J.G. and Fenton, M.M. (1995b). Drift thickness of Alberta. Alberta Geological Survey, Energy and Utilities Board, Map 227, scale 1:2,000,000.

Pawlowicz, J.G. and Fenton, M.M. (2001). Peerless Lake area (NTS 84B) update on diamond indicator minerals and geochemistry. *In* AGS and Selected Industry Contributions from the 2002, 11th Annual Calgary Mining Forum and Alberta Geological Survey Minerals Section Open House. Alberta Energy and Utilities Board/Alberta Geological Survey Information Series Report 125.

Pawlowicz, J.G. and Fenton, M.M. (2005a). Drift thickness map, Peerless Lake map area (84B), Alberta Geological Survey, Alberta Energy and Utilities Board, Map 253.

Pawlowicz, J.G. and Fenton, M.M. (2005b). Bedrock surface topography map, Peerless Lake map area (84B), Alberta Geological Survey, Alberta Energy and Utilities Board, Map 252.

Pawlowicz, J.G., Dufresne M.B. and Fenton, M.M. (1998a). Diamond indicator minerals from till, Northern Alberta; 1995-1997 data from electron probe analysis. Alberta Geological Survey, Alberta Energy and Utilities Board, Geo-Note 1998-01, pp. 18.

Pawlowicz, J.G., Dufresne M.B. and Fenton, M.M. (1998b). Diamond indicator minerals, auger core holes, Peerless Lake map area 84B. Alberta Geological Survey, Alberta Energy and Utilities Board, Geo-Note 1998-02, pp. 8.

Prior, G.J., McCurdy, M.W., Friske, P.W.B., Pawlowicz, J.G., Day, S.J.A. and McNeil, R.J. (2006). Preliminary release of kimberlite indicator mineral data from National Geochemical Reconnaissance stream sediment samples in the Jackpine Lake Area (NTS 84C/15, 84C/16, 84F/01, 84F/02); Alberta Energy and Utilities Board - Alberta Geological Survey, Special Report 78 / Geological Survey of Canada, Open File 5267.

Pryde, Rob (1998). *Personal communication.*

Ross, G.M. and Stephenson, R.A. (1989). Crystalline Basement: The Foundation of Western Canada Sedimentary Basin; *In* B.D. Ricketts (ed.) Western Canada Sedimentary Basin, A Case History; Canadian Society of Petroleum Geologists, Calgary, Alberta, pp. 33-45.

Ross, G.M., Parrish, R.R., Villeneuve, M.E. and Bowring, S.A. (1991). Geophysics and geochronology of the crystalline basement of the Alberta Basin, western Canada; Canadian Journal of Earth Sciences, vol. 28, pp. 512-522.

Ross, G.M., Theriault, R. and Villeneuve, M. (1998). Buffalo Head Terrane and Buffalo Head Craton; What's the difference and does it matter?; Calgary Mineral Exploration Group, 7th Annual Calgary Mining Forum, pp. 19-20.

Scott Smith, B.H., Orr, R.G., Robertshaw, P. and Avery, R.W. (1994). Geology of the Fort à la Corne kimberlites, Saskatchewan; Extended Abstract, The Sixteenth CIM Annual General Meeting, Vancouver, British Columbia, October 11 to 15, 1994, Paper No. 68.

Scott Smith, B.H. (1995). Petrology and diamonds. Exploration and Mining Geology , vol. 4, no. 2, pp. 127-140.

Skelton, D. and Bursey, T. (1998). Assessment report: Buffalo Head Hills property (AL01), Ashton Mining of Canada Inc. Assessment File 19980015, Alberta Geological Survey, pp. 19.

Skelton, D. and Bursey, T. (1999). Assessment report: Buffalo Head Hills property (AL01), Ashton Mining of Canada Inc. Assessment File 19990011, Alberta Geological Survey.

Skelton D., Clements B., McCandless T.E., Hood C., Aulbach S., Davis R., and Boyer L.P. (2003). The BHH Kimberlite province, Alberta. Proceedings of the 8th International kimberlite conference, Northern Alberta-Slave kimberlite field Trip guide book. Geological Survey of Canada, Miscellaneous Publication.

Skelton, D. and Willis, D. (2001). Assessment Report for the Loon Lake, Birch Mountain, Rabbit Lake, and Muddy River Properties. Assessment File 20010007, Alberta Geological Survey.

Skinner, E.M.W. (1989). Contrasting Group I and Group II kimberlite petrology: towards a genetic model for kimberlites. *In* J. Ross (ed.) Kimberlites and Related rocks, Vol. 1, Their Composition, Occurrence, Origin and Emplacement, Proceedings of the Fourth Kimberlite Conference, Perth, 1986, Geological Society of Australia, Special Publication No. 14, pp. 528-544.

Tokarsky, O. (1972). Hydrogeology of the Bison Lake area, Alberta. Alberta Research Council, Alberta Geological Survey, Earth Sciences Report 72 02, pp. 10.

Villeneuve, M.E., Ross, G.M., Theriault, R.J., Miles, W., Parrish, R.R. and Broome, J. (1993). Tectonic subdivision and U-Pb geochronology of the crystallineBasement of the Alberta basin, western Canada; Geological Survey of Canada, Bulletin 447.

Vogwill, R.I.J. (1978). Hydrogeology of the Lesser Slave Lake area, Alberta, Alberta Research Council, Alberta Geological Survey, Earth Sciences Report 77-01, pp. 10.

Willis, D. and Skelton, D. (2002). Assessment Report for the: Buffalo Hills Property. Assessment File 20020010, Alberta Geological Survey, pp. 20.

Wood, B.D. (1999). Geological assessment report, Troymin prospect, sediment sampling, geophysics and exploration drilling. Assessment File 19990017, Alberta Geological Survey.

CERTIFICATE OF AUTHOR

I, Michael B. Dufresne, M.Sc., P.Geol., do hereby certify that:

1. I am President of: APEX Geoscience Ltd.
   Suite 200, 9797 – 45th Avenue
   Edmonton, Alberta T6E 5V8
   Phone: 780-439-5380


2. I graduated with a B.Sc. Degree in Geology from the University of North Carolina at Wilmington in 1983 and with a M.Sc. Degree in Economic Geology from the University of Alberta in 1987.

3. I am a Professional Geologist registered with APEGGA (Association of Professional Engineers, Geologists and Geophysicists), and qualify as s 'Qualified Person' in relation to the subject matter of this report.

4. I have not received, nor do I expect to receive, any interest, directly or indirectly, in the Grand Cub Aidan Property nor do I hold securities of Grizzly Diamonds Ltd.

5. I am not aware of any material fact or material change with respect to the subject matter of the Report that is not reflected in the Report, or the omission to disclose which makes the Report misleading.

6. I have visited the properties that are the subject of this Report fall 2006 and early 2007.



Michael B. Dufresne, M.Sc., P.Geol.
Edmonton, Alberta, Canada
May 16, 2007

CERTIFICATE OF AUTHOR

I, Heather Carey, residing at 105 – 2623 Richmond Rd., Victoria, British Columbia, Canada do hereby certify that:

1. I am a Geologist with APEX Geoscience Ltd. ("APEX"), Suite 200, 9797 – 45 Avenue, Edmonton, Alberta, Canada.

2. I am a graduate of the University of Vitoria, Victoria, British Columbia with a B.Sc. in Geology (2006) and have practised my profession continuously since 2006.

3. I am a Geologist In Training registered with APEGGA (Association of Professional Engineers, Geologists and Geophysicists).

4. I have not received, nor do I expect to receive, any interest, directly or indirectly, in the Grand Cub Aidan Property nor do I hold securities of Grizzly Diamonds Ltd.

5. I am not aware of any material fact or material change with respect to the subject matter of the Report that is not reflected in the Report, or the omission to disclose which makes the Report misleading.



Heather Carey, B.Sc., Geol.I.T.
Edmonton, Alberta, Canada
May 16, 2007

APPENDIX 1

Grand Cub Aidan Airborne Anomalies and Follow-up Exploration Results and Comments

Target	Rank	Review comments	East nad27	North nad27	Ground Grid	Grid_rank	MD Comment	Ground Truth or Geophysics Comment	Follow-up	Linekm
GCA024	2		569347.4	6364739.8	Yes	1	Gold looking anomaly on cutline, check for culture if none proceed with ground grid - high priority	GG indicates sinuous, spikey ;inear anomaly with dipole	No Further Work	3.15
GCA029	2	possible culture? ...although unflagged as such	585459.0	6359189.8	No	3	Likely well based on signal and because well location within 25m	Well site with large tanks	No Further Work	
GCA031	2	possible culture? although unflagged as such	580786.8	6359636.3	No	3	Likely well based on signal and because well location within 25m			
GCA034	2	possible culture (although unflagged as such)	567379.5	6357385.3	No	3	Likely well based on signal and because well location within 25m			
GCA054	2	also MR12; possible culture?	583765.1	6370734.8	No	3	Pull Ashton ground geophysical grid and review	To be checked or reviewed	To be checked or reviewed	
GCA059	2	also MR10; localized high on NW gradient/trend	574544.6	6369532.3	Maybe	2	Very intersting looking anomaly, Pull Ashton helicopter and ground geophysics and review	To be checked or reviewed	To be checked or reviewed	
GCA060	2	Dufresne pick	582205.5	6364280.8	Yes	1	Excellent looking anomaly - high priority get after it	GG identified discreet anomaly but a bit spikey and linear	No Further Work to Low Priority?	3.6
GCA063	2	Dufresne pick	556090.1	6361884.3	Yes	1	Ground check and if culture free construct ground grid	GG identified discreet 40 nT double anomaly but could be part of linear array	Low Priority Drill Target - construct a couple of crosslines?	4.75
GCA001	3		546227.3	6377785.8	Maybe	2	Unsure, part of same area with apparent gravel channel deposits - risky	To be checked or reviewed	To be checked or reviewed	
GCA003	3	also MR23; just off N-S linear trend	574007.0	6376735.8	No	3	Pull Ashton ground geophysical grid and review	To be checked or reviewed	To be checked or reviewed	
GCA004	3		547131.6	6376731.3	Maybe	2	Unsure, part of same area with apparent gravel channel deposits - risky	To be checked or reviewed	To be checked or reviewed	
GCA005	3	also MR14	545014.4	6376138.3	No	3	Pull Ashton ground geophysical grid and review; could be part of gravel channel deposits	To be checked or reviewed	To be checked or reviewed	
GCA007	3	possible channel deposits? ...NW trend	544856.2	6374038.3	No	3	Part of possible gravel channel deposits			
GCA008	3	intersect. NE and NW linear trends	545398.9	6373737.3	No	3	Part of possible gravel channel deposits			
GCA009	3	intersect. NW and NE linear trends	545983.2	6373433.8	No	3	Part of possible gravel channel deposits			
GCA012	3	beware near-by wells...	559607.3	6373734.8	Yes	1	Ground check first as could be culture and is on cutline, no corresponding well location, if not culture proceed with ground grid	To be checked or reviewed	To be checked or reviewed	
GCA013	3	also MR16	562156.8	6373729.3	No	3	Pull Ashton ground geophysical grid and review	To be checked or reviewed	To be checked or reviewed	
GCA020	3	also MR13	578920.7	6367284.8	Maybe	2	Good looking anomaly, Pull Ashton helicopter and ground geophysics and review	To be checked or reviewed	To be checked or reviewed	
GCA022	3	well site not flagged? ...suspicious very intense response	598381.1	6368033.8	No	3	Bridge on Wabasca No Further Work	Metal bridge observed	No Further Work	
GCA026	3	marginally offset from b/g noise to south	554117.8	6364137.8	Yes	1	Ground check and if culture free construct ground grid	GG indicates double linear anomaly but 40nT and holds together well	Medium Priority Drill Target	3
GCA028	3	also BL-22	587239.7	6360236.8	Yes	1	Ground check and construct ground grid - Interesting looking geological anomaly between creeks - picked also by Monopros	GG indicates broad spikey and weak anomaly	No Further Work	3.46
GCA038a	3	also BL-7	548523.3	6355588.9	Yes	1	Ground check and construct ground grid - Interesting looking anomaly - picked also by Monopros - perhaps extend grid and catch 38b	To be checked or reviewed	To be checked or reviewed	
GCA038b	3		548321.7	6355285.4	Maybe	2	Catch as part of 38a?	To be checked or reviewed	To be checked or reviewed	
GCA048	3		573740.4	6374033.8	Maybe	2	Small interesting anomaly, might be a little lower priority than others	To be checked or reviewed	To be checked or reviewed	
GCA056	3	Dufresne pick	567888.7	6369987.8	Yes	1	Ground check first, beside creek but does not look like culture such as bridge if no culture proceed with ground grid	GG identified discreet anomaly but a bit spikey and with tails	Low Priority Drill Target	2.18
GCA062	3	Dufresne pick	556213.9	6362935.3	Yes	1	Ground check and if culture free construct ground grid	GG identified discreet 30nT anomaly that holds together well but could link to something to the north	Medium Priority Drill Target - Extend Grid?	4.63
GCA065a	3	possible culture?	551593.9	6363835.8	Yes	1	Ground check and if culture free construct ground grid	GG indicates moderate sized but discreet 25 to 30nT bullseye	High Priority Drill Target	3.35
GCA065b	3	possible culture?	551754.2	6364136.8	Yes	1	Ground check and if culture free construct ground grid	GG indicates small but discreet 40nT bullseye	High Priority Drill Target	2.95
GCA069	3	Dufresne pick	549750.0	6354385.4	Maybe	2	Small interesting anomaly, might be a little lower priority than others	To be checked or reviewed	To be checked or reviewed	
GCA073	3	also 3-H; localized high on NW-fabric	577485.2	6353783.9	Maybe	2	Small interesting anomaly, might be a little lower priority than others	To be checked or reviewed	To be checked or reviewed	
GCA074	3	also 3-G; localized high on NW-fabric	578016.3	6354233.9	Maybe	2	Small interesting anomaly, might be a little lower priority than others	To be checked or reviewed	To be checked or reviewed	
GCA079	3	also BL-31/32	554278.5	6357086.9	Maybe	2	Small interesting anomaly, might be a little lower priority than others	To be checked or reviewed	To be checked or reviewed	
GCA082a	3	also 3-F	560340.2	6356336.4	Yes	1	Could be large interesting anomaly, groud check and if no culture proceed with grid, group with 82b - maybe extend grid to cover	GG indicates sinuous, spikey, linear anomaly with dipole	No Further Work	3.1
GCA091	3	also 2-B; x-structures, linear feature	555226.4	6356786.9	Maybe	2	Small interesting anomaly, might be a little lower priority than others	To be checked or reviewed	To be checked or reviewed	
GCA002	4		582090.0	6374934.3						
GCA006	4	very close to MR14	545460.1	6375534.8						
GCA011	4		559945.5	6374334.8						
GCA017	4	beware: close to well site!	573722.2	6372386.3						
GCA019	4		563921.3	6370285.8						
GCA025	4		557545.8	6366088.3						
GCA027	4	abrupt topo low; river and bridge?	597144.0	6363232.8				Large metal culvert	No Further Work	
GCA037	4		583032.7	6354534.4						
GCA049	4		550419.9	6366983.3						
GCA050	4		551708.6	6365187.3						
GCA051	4	Dufresne pick	554187.8	6375836.3						
GCA052	4	Dufresne pick	555380.9	6376285.3						
GCA053	4	also MR11	583205.8	6371485.8						
GCA055	4	also MR9; occurs on sinuous NNW trend ...gravels?	566339.7	6370286.3						
GCA057	4	Dufresne pick; appears to lie on NW sinuous trend (gravels?)	548151.3	6372838.3						
GCA058	4	also MR17; appears to be elongated geology	545341.3	6370285.8						

Grand Cub Aidan Airborne Anomalies and Follow-up Exploration Results and Comments

Target	Rank	Review comments	East nad27	North nad27	Ground Grid	Grid_rank	MD Comment	Ground Truth or Geophysics Comment	Follow-up	Linekm
GCA061	4	also 3-K; occurs on NW-trend linear/fault, x-structure	575378.7	6360089.3						
GCA064	4	also 2-A; coincident w/ dramatic topography (river/bridge?)	554823.7	6359933.3						
GCA066	4	also 2-F; occurs on very edge survey, poorly resolved	546308.8	6350340.9						
GCA067	4	Dufresne pick	547228.7	6352738.9						
GCA068	4		548791.8	6353036.9						
GCA070	4	Dufresne pick	555703.3	6353335.4						
GCA071	4	Dufresne pick	560697.0	6352734.4	Maybe		Still like this anomaly even though ranked as a 4	To be checked or reviewed	To be checked or reviewed	
GCA072	4	also BL-20; swelling along west flank of NW-trending dyke?	566499.9	6353485.4						
GCA075	4	also BL-13	584686.2	6354237.4						
GCA076	4	Dufresne pick; localized high on NW-fabric	594976.9	6351835.4						
GCA077	4	Dufresne pick; localized high on NW-fabric	602000.0	6353037.4						
GCA078	4	also 2-D	553766.4	6355588.4						
GCA080a	4	Dufresne pick	552793.9	6358282.3						
GCA080b	4	Dufresne pick	553349.6	6358284.3						
GCA081	4	also BL-19	560451.2	6358138.3						
GCA082b	4	also 3-E	560661.1	6356337.4	Maybe		Could be part pf large interesting anomaly, groud check and then decide whether grid required, group with 82a	To be checked or reviewed	To be checked or reviewed	
GCA083	4	also BL-11	562074.1	6356337.4						
GCA084	4	alos BL-12; b/g noise?	562187.7	6355285.9						
GCA085	4	also BL-10	564461.4	6359937.8						
GCA086	4	also BL-33	565148.0	6359786.3						
GCA087	4	Dufresne pick; localized high in sinuous NW-trend (gravels?)	594062.8	6355740.4						
GCA088	4	also 3-B; very subtle response in gneral NW-trending fabric	570960.6	6350933.9						
GCA089	4	Dufresne pick; localized high on NW-fabric	577333.2	6353188.9						
GCA092	4	also 3-D	568373.4	6356633.4						
GCA010	5	coincident with well site	560926.9	6373435.3						
GCA014	5	coincident with well site	573664.7	6372686.8						
GCA015	5	coincident with well site	578094.7	6373883.8						
GCA016	5	coincident with well site	584643.3	6370736.8						
GCA018	5	coincident with well site	570003.8	6372085.3						
GCA021	5	coincident with well site	583611.8	6368193.8						
GCA023	5	coincident with well site	601429.2	6364435.8						
GCA030	5	most likely due to near-by well site	592790.0	6360838.3						
GCA032	5	coincident with well site	544962.4	6356786.4						
GCA033	5	coincident with well site	546417.1	6356934.9						
GCA035	5	probable culure; v. close to well site	601503.2	6356336.9						
GCA036	5	coincident with well site	586560.5	6354087.4						
GCA040	5	coincident with well site	574141.7	6352134.9						
GCA041	5	coincident with well site	575370.0	6352286.4						
GCA042	5	coincident with well site	575892.8	6352135.4						
GCA043	5	coincident with well site	580631.5	6353339.9						
GCA044	5	coincident with well site	583459.1	6351085.9				Well site with large tower	No Further Work	
GCA045	5	coincident with well site	584667.3	6352137.4						
GCA046	5	coincident with pipeline	589358.3	6352584.4				Well site with large tower	No Further Work	
GCA047	5	coincident with well site	587813.3	6350932.4				Gas plant	No Further Work	
GCA090	5	Dufresne pick; concident with pipeline	582654.5	6351086.4						

APPENDIX 2


2005 and 2006 Grand Cub Aiden Field Personnel

Name	Position	Company	Start and Finish dates	Address
Fred Welke	Geophysical technician	Consultant	Jan 24, 06 to April 15, 06	1000 Mt. Atkinson Place, Vernon, BC V1B 3Z2
Jerry Holmes	Geophysical assistant	APEX Geoscience Ltd.	Jan 24, 06 to April 15, 06	4726 Bond St., Burnaby, BC V5H 1H1
Kris Raffle	Senior Geologist	APEX Geoscience Ltd.	June 01, 06 to Dec 21, 06	Suite 200, 9797 – 45 Ave, Edmonton, AB T6E 5V3
Alex Wallis	Student	APEX Geoscience Ltd.	June 01, 06 to Aug 21, 06	Suite 200, 9797 – 45 Ave, Edmonton, AB T6E 5V3
Karen Anderson	Student	APEX Geoscience Ltd.	June 01, 06 to Aug 21, 06	Suite 200, 9797 – 45 Ave, Edmonton, AB T6E 5V3
Cristen Krauss	Student	APEX Geoscience Ltd.	June 01, 06 to Aug 21, 06	Suite 200, 9797 – 45 Ave, Edmonton, AB T6E 5V3
Heather Carey	Geologist	APEX Geoscience Ltd.	June 01, 06 to Aug 21, 06	Suite 200, 9797 – 45 Ave, Edmonton, AB T6E 5V3
Mark Hanki	Geophysical technician	APEX Geoscience Ltd.	Sep 01, 06 to Oct 31, 06	Suite 200, 9797 – 45 Ave, Edmonton, AB T6E 5V3

2005 to 2007 Grand Cub Aiden Office Personnel

Name	Position	Company	Start and Finish dates	Address
Michael Dufresne	Senior Supervisory	APEX Geoscience Ltd.	March 18, 05 to Mar 17, 07	267 Burton Road, Edmonton, AB T6R 1P5
Dean Besserer	Senior Supervisory	APEX Geoscience Ltd.	March 18, 05 to Mar 17, 07	131 Foxboro Landing, Sherwood Park, AB T8A 6C9
Tara Gunson	Geologist	APEX Geoscience Ltd.	March 18, 05 to Mar 17, 07	11923- 129 Ave, Edmonton, AB T5E 0N4
Barbara Kupsch	Geologist	APEX Geoscience Ltd.	March 18, 05 to Mar 17, 07	#201, 9915-81Ave, Edmonton, AB T6E1W5
Robyn Mann	Geology Technician	APEX Geoscience Ltd.	March 18, 05 to Mar 17, 07	8416-149 St., Edmonton, AB T5R 1BY
Byron Wallis	Geology Technician	APEX Geoscience Ltd.	March 18, 05 to Mar 17, 07	5812-162 Ave, Edmonton, AB T5Y 2S8
Peter Whyte	Geology Technician	APEX Geoscience Ltd.	March 18, 05 to Mar 17, 07	12416 - 51 Street, Edmonton, AB T5W 3H5
Bryan Atkinson	Geologist	APEX Geoscience Ltd.	March 18, 05 to Mar 17, 07	Suite 200, 9797 – 45 Ave, Edmonton, AB T6E 5V3
Sean Milliken	Geologist	APEX Geoscience Ltd.	March 18, 05 to Mar 17, 07	Suite 200, 9797 – 45 Ave, Edmonton, AB T6E 5V3
Mircea Ungurean	GIS Technician	APEX Geoscience Ltd.	March 18, 05 to Mar 17, 07	Suite 200, 9797 – 45 Ave, Edmonton, AB T6E 5V3
Heather Carey	Geologist	APEX Geoscience Ltd.	March 18, 05 to Mar 17, 07	Suite 200, 9797 – 45 Ave, Edmonton, AB T6E 5V3
Anetta Banas-Jamieson	Geologist	APEX Geoscience Ltd.	March 18, 05 to Mar 17, 07	#202, 10545 Saskatchewan Dr., Edmonton, AB T6E 6C6

APPENDIX 3



Scale 1:2500


25 0 25 50

metres

GRIZZLY DIAMONDS LTD.

TOTAL FIELD MAGNETICS
TARGET GCA-024-Redo
Grid North is UTM North NAD1927


APEX Geoscience Ltd. Edmonton, Alberta March, 2006



GRIZZLY DIAMONDS LTD.

TOTAL FIELD MAGNETICS
TARGET GCA-26
Grid North is UTM North NAD1927

APEX Geoscience Ltd. Edmonton, Alberta March, 2006



Scale 1:2500


50 0

metres

GRIZZLY DIAMONDS LTD.

TOTAL FIELD MAGNETICS
TARGET GCA-28
Grid North is UTM North NAD1927


APEX Geoscience Ltd. Edmonton, Alberta March, 2006



GRIZZLY DIAMONDS LTD.

TOTAL FIELD MAGNETICS
TARGET GCA-56
Grid North is UTM North NAD1927

APEX Geoscience Ltd. Edmonton, Alberta March, 2006



Scale 1:2500


25 0 25 50

metres

GRIZZLY DIAMONDS LTD.

TOTAL FIELD MAGNETICS
TARGET GCA-60
Grid North is UTM North NAD1927

APEX Geoscience Ltd. Edmonton, Alberta March,2006



Scale 1:2500


25 0 25 50

metres

GRIZZLY DIAMONDS LTD.

TOTAL FIELD MAGNETICS
TARGET GCA-62
Grid North is UTM North NAD1927

APEX Geoscience Ltd. Edmonton, Alberta March, 2006



Scale 1:2500


25 0 25 50

metres

GRIZZLY DIAMONDS LTD.

TOTAL FIELD MAGNETICS
TARGET GCA-63
Grid North is UTM North NAD1927


APEX Geoscience Ltd. Edmonton, Alberta March, 2006



GRIZZLY DIAMONDS LTD.

TOTAL FIELD MAGNETICS
TARGET GCA-65a-b
Grid North is UTM North NAD1927

APEX Geoscience Ltd. Edmonton, Alberta March, 2006



Scale 1:2500

25 0 25 50

metres

GRIZZLY DIAMONDS LTD.

TOTAL FIELD MAGNETICS
TARGET GCA-82A
Grid North is UTM North NAD1927

APEX Geoscience Ltd. Edmonton, Alberta March, 2006

APPENDIX 4

Appendix 6

Raw Ground Geophysical Data

Anomaly GCA024redo-combined Magnetics

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
569550	6364750	58777.31	57993.38	99	112238	57999.79
569550	6364755	58777.79	57994.1	99	112326	58000.51
569550	6364760	58778.85	57995.36	99	112346	58001.77
569550	6364765	58779.03	57995.8	99	112406	58002.21
569550	6364770	58778.68	57995.73	99	112430	58002.14
569550	6364775	58776.84	57993.94	99	112502	58000.35
569550	6364780	58777.14	57994.19	99	112522	58000.6
569550	6364785	58776.43	57993.45	99	112538	57999.86
569550	6364790	58773.93	57990.96	99	112602	57997.37
569550	6364795	58775.51	57992.67	99	112626	57999.08
569550	6364800	58778.37	57995.41	99	112646	58001.82
569550	6364805	58777.04	57993.84	99	112722	58000.25
569550	6364810	58777.5	57994.3	99	112738	58000.71
569550	6364815	58777.95	57994.72	99	112754	58001.13
569550	6364820	58778.81	57995.54	99	112810	58001.95
569550	6364825	58778.88	57995.52	99	112826	58001.93
569550	6364830	58776.8	57993.55	99	112854	57999.96
569550	6364835	58777.65	57994.48	99	112910	58000.89
569550	6364840	58780.38	57997.19	99	112930	58003.6
569550	6364845	58780	57996.84	99	112950	58003.25
569550	6364850	58779.25	57996.16	99	113010	58002.57
569550	6364855	58780.69	57997.86	99	113042	58004.27
569550	6364860	58780.82	57998.09	99	113058	58004.5
569550	6364865	58781.63	57998.94	99	113118	58005.35
569550	6364870	58780.06	57997.47	99	113138	58003.88
569550	6364875	58779.42	57996.83	99	113210	58003.24
569550	6364880	58778.73	57996.04	99	113258	58002.45
569550	6364885	58779.66	57997	99	113314	58003.41
569550	6364890	58779.63	57997.03	99	113330	58003.44
569550	6364895	58776.03	57993.41	99	113346	57999.82
569550	6364900	58777.84	57995.24	99	113406	58001.65
569550	6364905	58782.77	58000.28	99	113430	58006.69
569550	6364910	58782.75	58000.21	99	113450	58006.62
569550	6364915	58779.75	57997.24	99	113518	58003.65
569550	6364920	58777.31	57994.76	99	113538	58001.17
569550	6364925	58779.73	57997.05	99	113602	58003.46
569550	6364930	58781.53	57998.77	99	113622	58005.18
569550	6364935	58781.97	57999.22	99	113646	58005.63
569550	6364940	58783.68	58000.82	99	113730	58007.23
569550	6364945	58782.56	57999.71	99	113754	58006.12
569550	6364950	58785.37	58002.41	99	113822	58008.82
569500	6364950	58772.58	57990.14	99	114834	57996.55
569500	6364945	58778.1	57994	99	114906	58000.41
569500	6364940	58776.77	57992.36	99	114926	57998.77
569500	6364935	58775.28	57990.73	99	114954	57997.14
569500	6364930	58778.33	57993.75	99	115010	58000.16
569500	6364925	58779.54	57995.07	99	115030	58001.48
569500	6364920	58777.61	57994.14	99	115222	58000.55
569500	6364915	58776.57	57993.17	99	115238	57999.58
569500	6364910	58776.21	57992.84	99	115258	57999.25
569500	6364905	58777.16	57993.83	99	115326	58000.24

Appendix 6

Raw Ground Geophysical Data

Anomaly GCA024redo-combined Magnetics

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
569500	6364900	58775.29	57991.97	99	115346	57998.38
569500	6364895	58778.12	57994.64	99	115402	58001.05
569500	6364890	58778.45	57994.94	99	115418	58001.35
569500	6364885	58776.56	57992.91	99	115434	57999.32
569500	6364880	58778.55	57994.89	99	115446	58001.3
569500	6364875	58779.56	57995.71	99	115506	58002.12
569500	6364870	58781.09	57997.31	99	115522	58003.72
569500	6364865	58779.55	57996.07	99	115538	58002.48
569500	6364860	58775.8	57992.81	99	115558	57999.22
569500	6364855	58778.87	57996.2	99	115618	58002.61
569500	6364850	58774.09	57991.6	99	115642	57998.01
569500	6364845	58778.74	57996.17	99	115658	58002.58
569500	6364840	58781.38	57998.29	99	115718	58004.7
569500	6364835	58778.23	57994.73	99	115734	58001.14
569500	6364830	58779.6	57995.53	99	115750	58001.94
569500	6364825	58780.19	57995.77	99	115806	58002.18
569500	6364820	58776.15	57991.35	99	115822	57997.76
569500	6364815	58780.53	57995.57	99	115838	58001.98
569500	6364810	58781.71	57996.63	99	115854	58003.04
569500	6364805	58780.27	57995.22	99	115914	58001.63
569500	6364800	58783.24	57998.31	99	115930	58004.72
569500	6364795	58779.53	57994.89	99	120002	58001.3
569500	6364790	58780.33	57995.89	99	120018	58002.3
569500	6364785	58774.98	57990.78	99	120034	57997.19
569500	6364780	58773.03	57989.29	99	120106	57995.7
569500	6364775	58776.12	57992.72	99	120130	57999.13
569500	6364770	58773.5	57990.25	99	120150	57996.66
569500	6364765	58777.25	57994.17	99	120202	58000.58
569500	6364760	58775.14	57992.07	99	120222	57998.48
569500	6364755	58773.43	57990.33	99	120258	57996.74
569500	6364750	58771.83	57988.5	99	120322	57994.91
569500	6364745	58773.49	57990.24	99	120342	57996.65
569500	6364740	58767.68	57984.54	99	120358	57990.95
569500	6364735	58768.31	57985.46	99	120414	57991.87
569500	6364730	58768.28	57985.59	99	120430	57992
569500	6364725	58769.27	57986.91	99	120446	57993.32
569500	6364720	58769.34	57987.32	99	120506	57993.73
569500	6364715	58767.31	57985.61	99	120522	57992.02
569500	6364710	58771.37	57989.77	99	120538	57996.18
569500	6364705	58768.88	57987.32	99	120558	57993.73
569500	6364700	58768.19	57986.61	99	120622	57993.02
569500	6364695	58770.54	57988.91	99	120650	57995.32
569500	6364690	58771.93	57990.24	99	120706	57996.65
569500	6364685	58773.03	57991.17	99	120734	57997.58
569500	6364680	58772.92	57990.86	99	120758	57997.27
569500	6364675	58769.16	57986.61	99	120822	57993.02
569500	6364670	58773.09	57990.37	99	120838	57996.78
569500	6364665	58774.12	57991.22	99	120850	57997.63
569500	6364660	58770.82	57987.66	99	120906	57994.07
569500	6364655	58767.77	57984.28	99	120926	57990.69
569500	6364650	58771.12	57987.22	99	120942	57993.63

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA024redo-combined Magnetics

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
569500	6364645	58768.86	57983.9	99	121006	57990.31
569500	6364640	58769.45	57984.03	99	121022	57990.44
569500	6364635	58766.22	57980.1	99	121046	57986.51
569500	6364630	58784.32	57998.05	99	121102	58004.46
569500	6364625	58783.36	57997.43	99	121122	58003.84
569500	6364620	58775.45	57993.28	99	121238	57999.69
569500	6364615	58773.61	57992.41	99	121258	57998.82
569500	6364610	58779.17	57998.53	99	121318	58004.94
569500	6364605	58772.29	57991.99	99	121338	57998.4
569500	6364600	58779.2	57999.14	99	121354	58005.55
569500	6364595	58783.03	58003.01	99	121410	58009.42
569500	6364590	58778.43	57997.41	99	121450	58003.82
569500	6364585	58776.35	57994.76	99	121506	58001.17
569500	6364580	58780.79	57998.6	99	121522	58005.01
569500	6364575	58786.57	58003.77	99	121538	58010.18
569500	6364570	58780.78	57997.46	99	121558	58003.87
569500	6364565	58774.13	57990.61	99	121614	57997.02
569500	6364560	58768.78	57985.07	99	121630	57991.48
569500	6364555	58774.17	57990.62	99	121646	57997.03
569500	6364550	58770.56	57987.32	99	121706	57993.73
569450	6364550	58771.59	57989.3	99	121958	57995.71
569450	6364555	58767.75	57985.13	99	122030	57991.54
569450	6364560	58766.3	57983.69	99	122058	57990.1
569450	6364565	58769.02	57986.22	99	122118	57992.63
569450	6364570	58769.87	57986.66	99	122134	57993.07
569450	6364575	58772.15	57988.51	99	122154	57994.92
569450	6364580	58772.06	57988.05	99	122218	57994.46
569450	6364585	58773.3	57988.9	99	122250	57995.31
569450	6364590	58772.1	57987.65	99	122306	57994.06
569450	6364595	58771.49	57987.14	99	122326	57993.55
569450	6364600	58773.09	57989.14	99	122350	57995.55
569450	6364605	58773.53	57989.95	99	122414	57996.36
569450	6364610	58771.71	57988.53	99	122438	57994.94
569450	6364615	58772.05	57989.13	99	122502	57995.54
569450	6364620	58772.49	57989.72	99	122518	57996.13
569450	6364625	58772.52	57989.82	99	122542	57996.23
569450	6364630	58775.78	57992.87	99	122558	57999.28
569450	6364635	58776.67	57993.72	99	122614	58000.13
569450	6364640	58778.73	57995.66	99	122630	58002.07
569450	6364645	58786.82	58003.62	99	122646	58010.03
569450	6364650	58792.79	58009.25	99	122710	58015.66
569450	6364655	58789.35	58005.79	99	122726	58012.2
569450	6364660	58781.74	57997.84	99	122802	58004.25
569450	6364665	58777.32	57993.47	99	122834	57999.88
569450	6364670	58776.24	57992.57	99	122850	57998.98
569450	6364675	58777.49	57994.22	99	122910	58000.63
569450	6364680	58771.85	57989.01	99	122934	57995.42
569450	6364685	58782.65	58000.19	99	122958	58006.6
569450	6364690	58783.93	58001.83	99	123022	58008.24
569450	6364695	58783.66	58001.77	99	123042	58008.18
569450	6364700	58778.72	57997.14	99	123058	58003.55

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA024redo-combined Magnetics

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
569450	6364705	58775.61	57994.21	99	123114	58000.62
569450	6364710	58772.89	57991.38	99	123130	57997.79
569450	6364715	58770.87	57988.99	99	123146	57995.4
569450	6364720	58768.07	57985.9	99	123210	57992.31
569450	6364725	58767.86	57985.33	99	123226	57991.74
569450	6364730	58764.63	57981.9	99	123242	57988.31
569450	6364735	58763.18	57980.56	99	123302	57986.97
569450	6364740	58763.05	57980.39	99	123322	57986.8
569450	6364745	58763.75	57981.29	99	123350	57987.7
569450	6364750	58768.85	57986.66	99	123410	57993.07
569450	6364755	58767.45	57987.52	99	123514	57993.93
569450	6364760	58760.52	57981.01	99	123530	57987.42
569450	6364765	58760.88	57981.74	99	123550	57988.15
569450	6364770	58761.6	57982.27	99	123610	57988.68
569450	6364775	58762.01	57982.45	99	123626	57988.86
569450	6364780	58761.02	57981.17	99	123650	57987.58
569450	6364785	58762.92	57983.11	99	123710	57989.52
569450	6364790	58761.49	57981.48	99	123726	57987.89
569450	6364795	58763.11	57982.48	99	123750	57988.89
569450	6364800	58763.91	57982.85	99	123810	57989.26
569450	6364805	58768.43	57987.06	99	123830	57993.47
569450	6364810	58770.62	57989.2	99	123846	57995.61
569450	6364815	58767.09	57985.54	99	123902	57991.95
569450	6364820	58769.58	57988	99	123918	57994.41
569450	6364825	58772.66	57991.4	99	123938	57997.81
569450	6364830	58772.34	57991.25	99	123958	57997.66
569450	6364835	58775.88	57994.91	99	124018	58001.32
569450	6364840	58777.63	57996.61	99	124038	58003.02
569450	6364845	58772.37	57991.58	99	124054	57997.99
569450	6364850	58776.89	57996.35	99	124114	58002.76
569450	6364855	58776.2	57995.5	99	124134	58001.91
569450	6364860	58775.72	57994.69	99	124150	58001.1
569450	6364865	58777.74	57996.33	99	124210	58002.74
569450	6364870	58780.04	57998.65	99	124230	58005.06
569450	6364875	58766.74	57985.28	99	124302	57991.69
569450	6364880	58767.88	57986.19	99	124318	57992.6
569450	6364885	58766.2	57984.54	99	124334	57990.95
569450	6364890	58765.36	57983.96	99	124350	57990.37
569450	6364895	58764.57	57983.5	99	124406	57989.91
569450	6364900	58768.36	57987.35	99	124422	57993.76
569450	6364905	58771.71	57990.7	99	124442	57997.11
569450	6364910	58787.1	58006.07	99	124458	58012.48
569450	6364915	58787.35	58006.39	99	124514	58012.8
569450	6364920	58780.41	57999.41	99	124534	58005.82
569450	6364925	58774.15	57992.81	99	124554	57999.22
569450	6364930	58775.43	57993.73	99	124614	58000.14
569450	6364935	58776.9	57994.95	99	124630	58001.36
569450	6364940	58781.33	57999.18	99	124646	58005.59
569450	6364945	58783.17	58000.77	99	124706	58007.18
569450	6364950	58780.47	57998.37	99	124730	58004.78
569400	6364950	58767.66	57984.09	99	125038	57990.5

Appendix 6

Raw Ground Geophysical Data

Anomaly GCA024redo-combined Magnetics

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
569400	6364945	58777.13	57992.92	99	125058	57999.33
569400	6364940	58787.58	58003.11	99	125114	58009.52
569400	6364935	58789.55	58005.08	99	125130	58011.49
569400	6364930	58782.58	57998.48	99	125154	58004.89
569400	6364925	58769.55	57985.9	99	125226	57992.31
569400	6364920	58772.57	57989.47	99	125250	57995.88
569400	6364915	58773.44	57990.56	99	125306	57996.97
569400	6364910	58785.15	58002.47	99	125326	58008.88
569400	6364905	58783.88	58001.41	99	125346	58007.82
569400	6364900	58769.96	57987.7	99	125414	57994.11
569400	6364895	58773.1	57990.75	99	125442	57997.16
569400	6364890	58777.28	57994.89	99	125458	58001.3
569400	6364885	58774.62	57992.39	99	125534	57998.8
569400	6364880	58771.12	57989.22	99	125558	57995.63
569400	6364875	58778.09	57996.43	99	125618	58002.84
569400	6364870	58773.23	57991.95	99	125642	57998.36
569400	6364865	58770.65	57989.57	99	125702	57995.98
569400	6364860	58766.11	57985.12	99	125722	57991.53
569400	6364855	58768.44	57987.8	99	125754	57994.21
569400	6364850	58763.17	57982.66	99	125818	57989.07
569400	6364845	58765.54	57984.76	99	125854	57991.17
569400	6364840	58765.2	57983.8	99	125930	57990.21
569400	6364835	58768.32	57986.58	99	130002	57992.99
569400	6364830	58771.54	57989.83	99	130034	57996.24
569400	6364825	58780.4	57998.84	99	130110	58005.25
569400	6364820	58789.51	58008.09	99	130142	58014.5
569400	6364815	58793.12	58011.79	99	130206	58018.2
569400	6364810	58795.89	58014.55	99	130226	58020.96
569400	6364805	58792.17	58010.85	99	130258	58017.26
569400	6364800	58795.13	58013.65	99	130318	58020.06
569400	6364795	58790.07	58008.4	99	130338	58014.81
569400	6364790	58788.62	58006.79	99	130354	58013.2
569400	6364785	58794.7	58012.8	99	130414	58019.21
569400	6364780	58792.09	58010.2	99	130430	58016.61
569400	6364775	58795.49	58013.5	99	130454	58019.91
569400	6364770	58793.7	58011.73	99	130514	58018.14
569400	6364765	58800.42	58018.57	99	130530	58024.98
569400	6364760	58801.46	58019.72	99	130546	58026.13
569400	6364755	58803.49	58021.82	99	130606	58028.23
569400	6364750	58803.34	58021.82	99	130626	58028.23
569400	6364745	58799.72	58018.31	99	130646	58024.72
569400	6364740	58798.73	58017.4	99	130702	58023.81
569400	6364735	58798.97	58017.84	99	130722	58024.25
569400	6364730	58799.96	58018.95	99	130742	58025.36
569400	6364725	58800.06	58019.26	99	130758	58025.67
569400	6364720	58798.67	58017.93	99	130818	58024.34
569400	6364715	58800.38	58019.57	99	130834	58025.98
569400	6364710	58802.55	58021.68	99	130854	58028.09
569400	6364705	58802.3	58021.44	99	130914	58027.85
569400	6364700	58795.16	58014.43	99	130942	58020.84
569400	6364695	58782.1	58001.28	99	131006	58007.69

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA024redo-combined Magnetics

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
569400	6364690	58766.8	57986.01	99	131022	57992.42
569400	6364685	58758.04	57977.62	99	131042	57984.03
569400	6364680	58754.64	57974.62	99	131106	57981.03
569400	6364675	58746.36	57966.65	99	131130	57973.06
569400	6364670	58747.28	57968.09	99	131150	57974.5
569400	6364665	58755.23	57976.58	99	131210	57982.99
569400	6364660	58769.15	57990.6	99	131238	57997.01
569400	6364655	58795.96	58017.02	99	131310	58023.43
569400	6364650	58788.31	58009.04	99	131330	58015.45
569400	6364645	58785.47	58005.39	99	131402	58011.8
569400	6364640	58777.58	57997.03	99	131418	58003.44
569400	6364635	58774.97	57994.06	99	131438	58000.47
569400	6364630	58775.61	57994.33	99	131502	58000.74
569400	6364625	58775.2	57993.55	99	131542	57999.96
569400	6364620	58775.34	57993.58	99	131606	57999.99
569400	6364615	58774.14	57991.99	99	131630	57998.4
569400	6364610	58771.66	57989.41	99	131646	57995.82
569400	6364605	58766.67	57984.72	99	131706	57991.13
569400	6364600	58770.14	57988.19	99	131730	57994.6
569400	6364595	58772.69	57990.37	99	131758	57996.78
569400	6364590	58769.49	57987.15	99	131814	57993.56
569400	6364585	58767.46	57984.96	99	131838	57991.37
569400	6364580	58764.23	57982.77	99	131938	57989.18
569400	6364575	58768.72	57987.6	99	132014	57994.01
569400	6364570	58770.31	57988.61	99	132054	57995.02
569400	6364565	58770.64	57988.62	99	132110	57995.03
569400	6364560	58773.76	57991.68	99	132130	57998.09
569400	6364555	58769.37	57987.66	99	132158	57994.07
569400	6364550	58770.33	57989.24	99	132218	57995.65
569350	6364550	58757.73	57977.25	99	132514	57983.66
569350	6364555	58763.19	57984.07	99	132546	57990.48
569350	6364560	58763.93	57985.33	99	132602	57991.74
569350	6364565	58764.7	57986.58	99	132622	57992.99
569350	6364570	58765.52	57987.53	99	132638	57993.94
569350	6364575	58763.6	57985.68	99	132658	57992.09
569350	6364580	58762.76	57984.7	99	132722	57991.11
569350	6364585	58765.44	57986.96	99	132742	57993.37
569350	6364590	58769.49	57990.03	99	132806	57996.44
569350	6364595	58775.28	57994.86	99	132830	58001.27
569350	6364600	58784.52	58003.58	99	132850	58009.99
569350	6364605	58792.65	58011.26	99	132910	58017.67
569350	6364610	58797.49	58015.85	99	132926	58022.26
569350	6364615	58800.88	58019.03	99	132946	58025.44
569350	6364620	58799.18	58017.43	99	133010	58023.84
569350	6364625	58787.5	58006.14	99	133038	58012.55
569350	6364630	58782.64	58001.91	99	133126	58008.32
569350	6364635	58779.47	57998.93	99	133150	58005.34
569350	6364640	58777.93	57997.42	99	133214	58003.83
569350	6364645	58786.89	58006.33	99	133234	58012.74
569350	6364650	58801.48	58020.86	99	133258	58027.27
569350	6364655	58806.6	58025.85	99	133314	58032.26

Appendix 6

Raw Ground Geophysical Data

Anomaly GCA024redo-combined Magnetics

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
569350	6364660	58807.17	58026.1	99	133334	58032.51
569350	6364665	58802.32	58020.89	99	133358	58027.3
569350	6364670	58802.12	58020.38	99	133426	58026.79
569350	6364675	58807.96	58025.61	99	133506	58032.02
569350	6364680	58805.98	58023.41	99	133522	58029.82
569350	6364685	58799.26	58016.48	99	133542	58022.89
569350	6364690	58792.38	58009.46	99	133602	58015.87
569350	6364695	58770.72	57987.69	99	133634	57994.1
569350	6364700	58754.32	57971.33	99	133658	57977.74
569350	6364705	58751.36	57968.62	99	133730	57975.03
569350	6364710	58751.5	57968.87	99	133750	57975.28
569350	6364715	58757.14	57974.67	99	133806	57981.08
569350	6364720	58772.3	57989.85	99	133822	57996.26
569350	6364725	58788.8	58006.32	99	133842	58012.73
569350	6364730	58799.5	58016.93	99	133858	58023.34
569350	6364735	58805.4	58022.86	99	133918	58029.27
569350	6364740	58805.54	58022.96	99	133934	58029.37
569350	6364745	58805.36	58022.8	99	133950	58029.21
569350	6364750	58803.65	58020.97	99	134006	58027.38
569350	6364755	58812.67	58031.5	99	133341	58031.5
569350	6364760	58811.3	58030.3	99	133329	58030.3
569350	6364765	58812.61	58031.78	99	133320	58031.78
569350	6364770	58814.1	58033.44	99	133308	58033.44
569350	6364775	58814.34	58033.83	99	133241	58033.83
569350	6364780	58812.22	58031.67	99	133226	58031.67
569350	6364785	58810.41	58029.89	99	133214	58029.89
569350	6364790	58810.85	58030.33	99	133202	58030.33
569350	6364795	58805.29	58024.76	99	133150	58024.76
569350	6364800	58798.99	58018.44	99	133141	58018.44
569350	6364805	58791.7	58011.05	99	133132	58011.05
569350	6364810	58784	58003.22	99	133120	58003.22
569350	6364815	58776.58	57995.68	99	133105	57995.68
569350	6364820	58763.22	57982.02	99	133050	57982.02
569350	6364825	58759.18	57977.74	99	133032	57977.74
569350	6364830	58766.73	57985.04	99	133017	57985.04
569350	6364835	58774.89	57993.08	99	133005	57993.08
569350	6364840	58783.01	58001.15	99	132950	58001.15
569350	6364845	58789.21	58007.51	99	132932	58007.51
569350	6364850	58799.67	58018.27	99	132911	58018.27
569350	6364855	58810.96	58029.95	99	132853	58029.95
569350	6364860	58814.17	58033.41	99	132841	58033.41
569350	6364865	58806.3	58025.92	99	132829	58025.92
569350	6364870	58791.96	58012.04	99	132817	58012.04
569350	6364875	58785.28	58005.88	99	132805	58005.88
569350	6364880	58784.57	58005.74	99	132753	58005.74
569350	6364885	58785.33	58006.88	99	132741	58006.88
569350	6364890	58781.48	58003.45	99	132720	58003.45
569350	6364895	58778.49	58000.57	99	132659	58000.57
569350	6364900	58782.16	58004.19	99	132641	58004.19
569350	6364905	58769.62	57991.51	99	132626	57991.51
569350	6364910	58764.25	57986.03	99	132617	57986.03

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA024redo-combined Magnetics

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
569350	6364915	58771.45	57992.93	99	132605	57992.93
569350	6364920	58775.18	57996.2	99	132550	57996.2
569350	6364925	58777.68	57998	99	132532	57998
569350	6364930	58781	58000.81	99	132520	58000.81
569350	6364935	58781.66	58000.86	99	132508	58000.86
569350	6364940	58784.7	58003.22	99	132456	58003.22
569350	6364945	58787.31	58005.23	99	132444	58005.23
569350	6364950	58791.22	58008.46	99	132426	58008.46
569200	6364750	58778.71	57994.41	99	122329	57994.41
569200	6364755	58785.57	58001.7	99	122353	58001.7
569200	6364760	58785.09	58001.39	99	122405	58001.39
569200	6364765	58786.89	58003.64	99	122432	58003.64
569200	6364770	58787.86	58004.73	99	122450	58004.73
569200	6364775	58789.27	58006.4	99	122508	58006.4
569200	6364780	58786.36	58003.69	99	122529	58003.69
569200	6364785	58789.83	58007.11	99	122544	58007.11
569200	6364790	58785.84	58002.93	99	122602	58002.93
569200	6364795	58784.59	58001.64	99	122611	58001.64
569200	6364800	58790.45	58007.4	99	122626	58007.4
569200	6364805	58793.19	58010.07	99	122638	58010.07
569200	6364810	58797.27	58013.92	99	122653	58013.92
569200	6364815	58791.76	58008.23	99	122705	58008.23
569200	6364820	58788.61	58005.04	99	122729	58005.04
569200	6364825	58788.37	58004.7	99	122744	58004.7
569200	6364830	58789.62	58005.76	99	122759	58005.76
569200	6364835	58788.54	58004.67	99	122814	58004.67
569200	6364840	58785.68	58001.8	99	122829	58001.8
569200	6364845	58779.72	57995.96	99	122844	57995.96
569200	6364850	58773.55	57990	99	122859	57990
569200	6364855	58774.35	57991.34	99	122920	57991.34
569200	6364860	58770.63	57987.84	99	122938	57987.84
569200	6364865	58771.11	57988.69	99	123002	57988.69
569200	6364870	58773.91	57991.67	99	123017	57991.67
569200	6364875	58773.24	57991.26	99	123032	57991.26
569200	6364880	58769.76	57988	99	123050	57988
569200	6364885	58768.61	57987.14	99	123105	57987.14
569200	6364890	58769.4	57987.97	99	123120	57987.97
569200	6364895	58773.1	57991.53	99	123135	57991.53
569200	6364900	58778.94	57996.95	99	123153	57996.95
569200	6364905	58783.39	58001.32	99	123205	58001.32
569200	6364910	58784.87	58002.5	99	123217	58002.5
569200	6364915	58788.08	58005.41	99	123235	58005.41
569200	6364920	58793.32	58010.61	99	123256	58010.61
569200	6364925	58798.07	58015.42	99	123320	58015.42
569200	6364930	58804.11	58021.66	99	123353	58021.66
569200	6364935	58803.16	58021.08	99	123414	58021.08
569200	6364940	58807.27	58025.82	99	123438	58025.82
569200	6364945	58801.73	58020.85	99	123450	58020.85
569200	6364950	58796.26	58016	99	123505	58016
569250	6364950	58797.5	58017.09	99	123741	58017.09
569250	6364945	58801.88	58021.11	99	123756	58021.11

Appendix 6

Raw Ground Geophysical Data

Anomaly GCA024redo-combined Magnetics

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
569250	6364940	58800.19	58019.02	99	123814	58019.02
569250	6364935	58796.9	58015.57	99	123826	58015.57
569250	6364930	58800.24	58018.88	99	123841	58018.88
569250	6364925	58808.59	58027.06	99	123859	58027.06
569250	6364920	58809.8	58028.22	99	123920	58028.22
569250	6364915	58806.31	58024.89	99	123932	58024.89
569250	6364910	58806.87	58025.71	99	123947	58025.71
569250	6364905	58805.03	58023.97	99	124002	58023.97
569250	6364900	58800.97	58019.98	99	124023	58019.98
569250	6364895	58803.45	58022.44	99	124038	58022.44
569250	6364890	58801.18	58020.54	99	124108	58020.54
569250	6364885	58802.01	58021.22	99	124138	58021.22
569250	6364880	58806.36	58025.34	99	124150	58025.34
569250	6364875	58807.78	58026.44	99	124205	58026.44
569250	6364870	58807.23	58025.78	99	124217	58025.78
569250	6364865	58815.29	58033.92	99	124235	58033.92
569250	6364860	58827.13	58045.74	99	124247	58045.74
569250	6364855	58838.35	58056.93	99	124259	58056.93
569250	6364850	58843.88	58062.28	99	124314	58062.28
569250	6364845	58831.31	58049.6	99	124329	58049.6
569250	6364840	58820.78	58039.15	99	124341	58039.15
569250	6364835	58825.16	58043.75	99	124350	58043.75
569250	6364830	58825.71	58044.49	99	124359	58044.49
569250	6364825	58821.94	58040.89	99	124408	58040.89
569250	6364820	58822.7	58041.68	99	124420	58041.68
569250	6364815	58821.68	58040.7	99	124429	58040.7
569250	6364810	58820.01	58039.01	99	124438	58039.01
569250	6364805	58810.76	58029.71	99	124450	58029.71
569250	6364800	58798.42	58017.44	99	124502	58017.44
569250	6364795	58789.29	58008.32	99	124517	58008.32
569250	6364790	58785.41	58004.42	99	124529	58004.42
569250	6364785	58782.66	58001.63	99	124541	58001.63
569250	6364780	58781.36	58000.06	99	124553	58000.06
569250	6364775	58781.51	57999.95	99	124605	57999.95
569250	6364770	58791.61	58009.89	99	124617	58009.89
569250	6364765	58811.16	58029.23	99	124629	58029.23
569250	6364760	58829.58	58047.47	99	124641	58047.47
569250	6364755	58837.5	58055.24	99	124653	58055.24
569250	6364750	58838.36	58055.97	99	124705	58055.97
569250	6364745	58835.51	58053.28	99	124720	58053.28
569250	6364740	58824.91	58042.83	99	124732	58042.83
569250	6364735	58814.07	58032.18	99	124744	58032.18
569250	6364730	58803.06	58021.44	99	124759	58021.44
569250	6364725	58805.27	58023.78	99	124814	58023.78
569250	6364720	58792.89	58011.42	99	124829	58011.42
569250	6364715	58786.66	58005.14	99	124841	58005.14
569250	6364710	58786.63	58005.17	99	124853	58005.17
569250	6364705	58798.23	58016.64	99	124914	58016.64
569250	6364700	58810.42	58028.4	99	124935	58028.4
569250	6364695	58812.76	58030.27	99	124956	58030.27
569250	6364690	58784.4	58001.15	99	125029	58001.15

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA024redo-combined Magnetics

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
569250	6364685	58779.09	57995.07	99	125050	57995.07
569250	6364680	58775.52	57991.11	99	125108	57991.11
569250	6364675	58777.3	57992.79	99	125126	57992.79
569250	6364670	58777.92	57993.69	99	125144	57993.69
569250	6364665	58782.91	57998.86	99	125159	57998.86
569250	6364660	58785.89	58002	99	125211	58002
569250	6364655	58797.1	58013.34	99	125220	58013.34
569250	6364650	58785.62	58002.18	99	125235	58002.18
569250	6364645	58774.37	57991.2	99	125247	57991.2
569250	6364640	58776.53	57993.56	99	125259	57993.56
569250	6364635	58775.75	57992.97	99	125314	57992.97
569250	6364630	58774.24	57991.55	99	125326	57991.55
569250	6364625	58774.25	57991.68	99	125338	57991.68
569250	6364620	58771.79	57989.38	99	125350	57989.38
569250	6364615	58771.37	57989.02	99	125402	57989.02
569250	6364610	58770.6	57988.33	99	125414	57988.33
569250	6364605	58772.76	57990.5	99	125429	57990.5
569250	6364600	58776.08	57993.76	99	125441	57993.76
569250	6364595	58778.81	57996.47	99	125453	57996.47
569250	6364590	58790.22	58007.82	99	125505	58007.82
569250	6364585	58798.56	58016.25	99	125517	58016.25
569250	6364580	58794.77	58012.53	99	125529	58012.53
569250	6364575	58791.08	58008.95	99	125541	58008.95
569250	6364570	58789.04	58007.11	99	125556	58007.11
569250	6364565	58785.69	58003.8	99	125605	58003.8
569250	6364560	58783.39	58001.7	99	125617	58001.7
569250	6364555	58781.9	58000.47	99	125629	58000.47
569250	6364550	58780.91	57999.61	99	125641	57999.61
569300	6364550	58778.13	57997.61	99	125820	57997.61
569300	6364555	58782.32	58001.79	99	125835	58001.79
569300	6364560	58787.8	58007.13	99	125847	58007.13
569300	6364565	58791.55	58010.71	99	125859	58010.71
569300	6364570	58801.65	58020.73	99	125908	58020.73
569300	6364575	58804.62	58023.45	99	125920	58023.45
569300	6364580	58803.46	58022.03	99	125932	58022.03
569300	6364585	58770.18	57988.58	99	125944	57988.58
569300	6364590	58774.52	57992.78	99	125959	57992.78
569300	6364595	58776.65	57994.94	99	130011	57994.94
569300	6364600	58779.9	57998.22	99	130023	57998.22
569300	6364605	58784.69	58002.98	99	130035	58002.98
569300	6364610	58786.6	58004.95	99	130044	58004.95
569300	6364615	58796.15	58014.57	99	130053	58014.57
569300	6364620	58794.16	58012.58	99	130102	58012.58
569300	6364625	58778.76	57997.2	99	130114	57997.2
569300	6364630	58785.11	58003.65	99	130126	58003.65
569300	6364635	58792.98	58011.55	99	130141	58011.55
569300	6364640	58793.74	58012.37	99	130153	58012.37
569300	6364645	58794.26	58012.91	99	130211	58012.91
569300	6364650	58791.71	58010.38	99	130226	58010.38
569300	6364655	58789.16	58007.91	99	130241	58007.91
569300	6364660	58796.58	58015.28	99	130256	58015.28

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA024redo-combined Magnetics

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
569300	6364665	58803.15	58021.83	99	130305	58021.83
569300	6364670	58814.49	58033.02	99	130317	58033.02
569300	6364675	58820.43	58038.85	99	130329	58038.85
569300	6364680	58824.87	58043.07	99	130347	58043.07
569300	6364685	58829.97	58048.12	99	130405	58048.12
569300	6364690	58839.08	58057.19	99	130417	58057.19
569300	6364695	58845.53	58063.64	99	130429	58063.64
569300	6364700	58847.87	58065.93	99	130444	58065.93
569300	6364705	58846.09	58064.1	99	130456	58064.1
569300	6364710	58838.79	58056.81	99	130511	58056.81
569300	6364715	58830.42	58048.45	99	130523	58048.45
569300	6364720	58818.79	58036.97	99	130538	58036.97
569300	6364725	58791.72	58010.08	99	130553	58010.08
569300	6364730	58766.08	57984.53	99	130614	57984.53
569300	6364735	58759.46	57977.93	99	130626	57977.93
569300	6364740	58758.97	57977.55	99	130638	57977.55
569300	6364745	58760.43	57979.1	99	130656	57979.1
569300	6364750	58760.63	57979.34	99	130705	57979.34
569300	6364755	58762.08	57980.95	99	130723	57980.95
569300	6364760	58765.74	57984.67	99	130735	57984.67
569300	6364765	58765.48	57984.57	99	130747	57984.57
569300	6364770	58766.71	57985.91	99	130802	57985.91
569300	6364775	58773.91	57993.14	99	130814	57993.14
569300	6364780	58779.9	57999.17	99	130829	57999.17
569300	6364785	58784.7	58003.83	99	130859	58003.83
569300	6364790	58789.79	58008.93	99	130911	58008.93
569300	6364795	58794.92	58014.17	99	130923	58014.17
569300	6364800	58794.98	58014.23	99	130941	58014.23
569300	6364805	58788.39	58007.69	99	130953	58007.69
569300	6364810	58786.23	58005.49	99	131002	58005.49
569300	6364815	58788.3	58007.47	99	131011	58007.47
569300	6364820	58791.11	58010.33	99	131023	58010.33
569300	6364825	58798.1	58017.5	99	131032	58017.5
569300	6364830	58803.91	58023.47	99	131041	58023.47
569300	6364835	58800.76	58020.45	99	131050	58020.45
569300	6364840	58796.28	58016.19	99	131102	58016.19
569300	6364845	58797.7	58017.72	99	131114	58017.72
569300	6364850	58794.46	58014.65	99	131126	58014.65
569300	6364855	58794.11	58014.55	99	131138	58014.55
569300	6364860	58789.22	58009.95	99	131147	58009.95
569300	6364865	58776.51	57997.48	99	131156	57997.48
569300	6364870	58764.23	57985.45	99	131205	57985.45
569300	6364875	58756.32	57977.81	99	131217	57977.81
569300	6364880	58755.15	57976.63	99	131232	57976.63
569300	6364885	58760.05	57981.43	99	131244	57981.43
569300	6364890	58773.84	57994.99	99	131259	57994.99
569300	6364895	58782.03	58003.13	99	131308	58003.13
569300	6364900	58790.49	58011.35	99	131326	58011.35
569300	6364905	58786.19	58006.74	99	131341	58006.74
569300	6364910	58778.21	57998.34	99	131356	57998.34
569300	6364915	58774.37	57994.08	99	131408	57994.08

Appendix 6

Raw Ground Geophysical Data

Anomaly GCA024redo-combined Magnetics

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
569300	6364920	58776.63	57995.99	99	131423	57995.99
569300	6364925	58780.8	57999.96	99	131432	57999.96
569300	6364930	58785.78	58004.75	99	131450	58004.75
569300	6364935	58795.8	58014.5	99	131505	58014.5
569300	6364940	58799.39	58017.96	99	131517	58017.96
569300	6364945	58805.31	58023.79	99	131532	58023.79
569300	6364950	58806.22	58024.54	99	131547	58024.54
569550	6364750	58777.63	57995.73	99	140030	58002.14
569545	6364750	58777.32	57995.43	99	140014	58001.84
569540	6364750	58776.66	57994.72	99	140002	58001.13
569535	6364750	58775.89	57993.97	99	135946	58000.38
569530	6364750	58777.97	57994.9	99	135930	58001.31
569525	6364750	58773.95	57990.77	99	135914	57997.18
569520	6364750	58771.86	57988.52	99	135902	57994.93
569515	6364750	58775.19	57991.76	99	135846	57998.17
569510	6364750	58775.07	57991.63	99	135750	57998.04
569505	6364750	58772.2	57988.96	99	135726	57995.37
569500	6364750	58773.33	57990.31	99	135658	57996.72
569495	6364750	58774.39	57991.67	99	135634	57998.08
569490	6364750	58771.73	57989.13	99	135614	57995.54
569485	6364750	58768.59	57986.22	99	135554	57992.63
569480	6364750	58766.17	57983.97	99	135530	57990.38
569475	6364750	58773.19	57991.05	99	135506	57997.46
569470	6364750	58768.56	57986.34	99	135446	57992.75
569465	6364750	58768.71	57986.42	99	135430	57992.83
569460	6364750	58770.74	57988.17	99	135406	57994.58
569455	6364750	58769.76	57986.9	99	135346	57993.31
569450	6364750	58778.67	57995.45	99	135326	58001.86
569445	6364750	58771.61	57988.04	99	135310	57994.45
569440	6364750	58768.5	57984.81	99	135254	57991.22
569435	6364750	58766.51	57982.76	99	135238	57989.17
569430	6364750	58767.07	57983.23	99	135222	57989.64
569425	6364750	58769.35	57985.36	99	135206	57991.77
569420	6364750	58774.37	57990.23	99	135150	57996.64
569415	6364750	58784.43	58000.32	99	135134	58006.73
569410	6364750	58791.99	58008.1	99	135110	58014.51
569405	6364750	58796.82	58013.04	99	135046	58019.45
569400	6364750	58804.19	58020.6	99	135026	58027.01
569395	6364750	58809.37	58026.02	99	135010	58032.43
569390	6364750	58811.96	58028.75	99	134954	58035.16
569385	6364750	58818.01	58035.03	99	134934	58041.44
569380	6364750	58823.44	58040.51	99	134918	58046.92
569375	6364750	58825.9	58043.19	99	134902	58049.6
569370	6364750	58818.14	58035.63	99	134842	58042.04
569365	6364750	58819.11	58036.59	99	134826	58043
569360	6364750	58813.48	58030.69	99	134810	58037.1
569355	6364750	58811.3	58028.18	99	134754	58034.59
569350	6364750	58816.98	58033.9	99	134756	58033.9
569345	6364750	58808.76	58025.98	99	134811	58025.98
569340	6364750	58808.59	58026.06	99	134826	58026.06
569335	6364750	58808.83	58026.34	99	134838	58026.34

Appendix 6

Raw Ground Geophysical Data

Anomaly GCA024redo-combined Magnetics

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
569330	6364750	58808.53	58025.98	99	134847	58025.98
569325	6364750	58804.55	58021.93	99	134856	58021.93
569320	6364750	58796.94	58014.16	99	134908	58014.16
569315	6364750	58784.49	58001.57	99	134917	58001.57
569310	6364750	58772.69	57989.72	99	134929	57989.72
569305	6364750	58768.4	57985.32	99	134941	57985.32
569300	6364750	58762.76	57979.57	99	134953	57979.57
569295	6364750	58758.06	57974.75	99	135008	57974.75
569290	6364750	58754.44	57970.99	99	135017	57970.99
569285	6364750	58757.25	57973.68	99	135029	57973.68
569280	6364750	58759.54	57975.85	99	135041	57975.85
569275	6364750	58765.88	57982.06	99	135102	57982.06
569270	6364750	58778.15	57994.18	99	135117	57994.18
569265	6364750	58792.87	58008.77	99	135129	58008.77
569260	6364750	58813.66	58029.54	99	135138	58029.54
569255	6364750	58830.72	58046.56	99	135147	58046.56
569250	6364750	58839.76	58055.65	99	135159	58055.65
569245	6364750	58840.25	58056.29	99	135208	58056.29
569240	6364750	58832.21	58048.35	99	135220	58048.35
569235	6364750	58813.36	58029.55	99	135232	58029.55
569230	6364750	58805.1	58021.36	99	135241	58021.36
569225	6364750	58800.21	58016.48	99	135250	58016.48
569220	6364750	58795.29	58011.56	99	135259	58011.56
569215	6364750	58786.67	58003.08	99	135308	58003.08
569210	6364750	58782.97	57999.57	99	135317	57999.57
569205	6364750	58776.33	57993.1	99	135326	57993.1
569200	6364750	58773.21	57990.12	99	135335	57990.12

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA026

line_X	station_Y	Field_nT	Corr_nT	signal	time
554300	6363950	59407.13	58004.23	99	114038
554300	6363955	59407.34	58004.52	99	114050
554300	6363960	59407.76	58005.01	99	114102
554300	6363965	59406.78	58004.19	99	114114
554300	6363970	59405.92	58003.51	99	114123
554300	6363975	59406.8	58004.44	99	114132
554300	6363980	59406.63	58004.23	99	114144
554300	6363985	59407.43	58005	99	114153
554300	6363990	59406.48	58003.87	99	114205
554300	6363995	59407.17	58004.47	99	114214
554300	6364000	59406.26	58003.49	99	114223
554300	6364005	59404.54	58001.76	99	114238
554300	6364010	59405.43	58002.76	99	114247
554300	6364015	59404.8	58001.97	99	114302
554300	6364020	59402.42	57999.5	99	114317
554300	6364025	59404.21	58001.26	99	114326
554300	6364030	59405.43	58002.56	99	114338
554300	6364035	59404.88	58002.17	99	114350
554300	6364040	59403.52	58000.85	99	114402
554300	6364045	59404.14	58001.52	99	114411
554300	6364050	59402.52	57999.96	99	114420
554300	6364055	59401.14	57998.73	99	114429
554300	6364060	59400.44	57998.29	99	114441
554300	6364065	59399.55	57997.61	99	114453
554300	6364070	59398.5	57996.78	99	114505
554300	6364075	59398.17	57996.65	99	114550
554300	6364080	59399.55	57998.06	99	114605
554300	6364085	59399.54	57997.97	99	114614
554300	6364090	59398.29	57996.59	99	114626
554300	6364095	59398.53	57996.82	99	114635
554300	6364100	59398.78	57997.04	99	114644
554300	6364105	59398.6	57996.72	99	114653
554300	6364110	59398.07	57996	99	114702
554300	6364115	59395.66	57993.46	99	114711
554300	6364120	59397.7	57995.45	99	114720
554300	6364125	59397.93	57995.56	99	114738
554300	6364130	59398.72	57996.57	99	114823
554300	6364135	59397.43	57995.33	99	114835
554300	6364140	59398.55	57996.8	99	114853
554300	6364145	59400.01	57998.34	99	114905
554300	6364150	59399.97	57998.37	99	114929
554300	6364155	59401.72	58000.24	99	114941
554300	6364160	59402.44	58000.99	99	114950
554300	6364165	59404.05	58002.63	99	114959
554300	6364170	59404.91	58003.48	99	115011
554300	6364175	59406.33	58004.93	99	115020
554300	6364180	59408.56	58007.21	99	115029
554300	6364185	59408.63	58007.34	99	115038
554300	6364190	59409.36	58008.05	99	115047
554300	6364195	59409.7	58008.42	99	115056
554300	6364200	59409.3	58008.15	99	115108

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA026

line_X	station_Y	Field_nT	Corr_nT	signal	time
554300	6364205	59408.54	58007.45	99	115120
554300	6364210	59407.19	58006.09	99	115129
554300	6364215	59404.5	58003.36	99	115138
554300	6364220	59403.73	58002.62	99	115150
554300	6364225	59399.67	57998.5	99	115159
554300	6364230	59397.29	57996.14	99	115208
554300	6364235	59395.58	57994.46	99	115220
554300	6364240	59395.13	57994.07	99	115235
554300	6364245	59394.93	57993.78	99	115247
554300	6364250	59395.13	57993.89	99	115259
554300	6364255	59404.14	58002.86	99	115305
554300	6364260	59396.9	57995.59	99	115314
554300	6364265	59390.02	57988.69	99	115323
554300	6364270	59387.76	57986.41	99	115332
554300	6364275	59390.61	57989.16	99	115347
554300	6364280	59390.91	57989.35	99	115356
554300	6364285	59393.48	57991.88	99	115405
554300	6364290	59393.29	57991.59	99	115414
554300	6364295	59394.12	57992.34	99	115426
554300	6364300	59393.53	57991.66	99	115438
554300	6364305	59392.72	57990.76	99	115450
554300	6364310	59393.72	57991.7	99	115502
554300	6364315	59393.32	57991.22	99	115511
554300	6364320	59391.77	57989.61	99	115520
554300	6364325	59391.68	57989.43	99	115529
554250	6364325	59386.67	57985.2	99	115829
554250	6364320	59382.91	57981.52	99	115841
554250	6364315	59380.97	57979.57	99	115850
554250	6364310	59394.11	57992.76	99	115902
554250	6364305	59400.14	57998.7	99	115947
554250	6364300	59406.23	58004.68	99	115956
554250	6364295	59410.78	58009.17	99	120005
554250	6364290	59414.25	58012.51	99	120020
554250	6364285	59421.19	58019.3	99	120029
554250	6364280	59408.03	58005.96	99	120038
554250	6364275	59397.09	57994.74	99	120050
554250	6364270	59391.88	57989.33	99	120102
554250	6364265	59394.1	57991.44	99	120111
554250	6364260	59397.6	57994.84	99	120120
554250	6364255	59397.63	57994.74	99	120129
554250	6364250	59394.27	57991.2	99	120138
554250	6364245	59394.79	57991.55	99	120153
554250	6364240	59395.79	57992.5	99	120205
554250	6364235	59400.05	57996.74	99	120217
554250	6364230	59399.21	57995.95	99	120226
554250	6364225	59401.72	57998.47	99	120235
554250	6364220	59406.35	58003.09	99	120247
554250	6364215	59410.53	58007.44	99	120259
554250	6364210	59416.88	58013.93	99	120308
554250	6364205	59422.17	58019.31	99	120320
554250	6364200	59426.33	58023.62	99	120329

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA026

line_X	station_Y	Field_nT	Corr_nT	signal	time
554250	6364195	59435.05	58032.58	99	120341
554250	6364190	59433.95	58031.77	99	120405
554250	6364185	59439.3	58037.26	99	120417
554250	6364180	59438.25	58036.34	99	120426
554250	6364175	59436.68	58034.82	99	120435
554250	6364170	59437.15	58035.21	99	120447
554250	6364165	59435.96	58033.96	99	120459
554250	6364160	59430.7	58028.69	99	120511
554250	6364155	59425.85	58023.65	99	120523
554250	6364150	59420.09	58017.65	99	120535
554250	6364145	59414.42	58011.86	99	120547
554250	6364140	59409.18	58006.49	99	120559
554250	6364135	59407.42	58004.52	99	120611
554250	6364130	59406.8	58003.8	99	120617
554250	6364125	59405.48	58002.41	99	120626
554250	6364120	59403.5	58000.45	99	120635
554250	6364115	59401.26	57998.26	99	120647
554250	6364110	59398	57995.03	99	120702
554250	6364105	59398.29	57995.35	99	120714
554250	6364100	59397.74	57994.91	99	120726
554250	6364095	59397.24	57994.62	99	120741
554250	6364090	59398.34	57995.89	99	120753
554250	6364085	59397.09	57994.62	99	120802
554250	6364080	59397.67	57995.11	99	120817
554250	6364075	59398.36	57995.76	99	120826
554250	6364070	59398.88	57996.29	99	120835
554250	6364065	59399.02	57996.38	99	120847
554250	6364060	59399.44	57996.77	99	120856
554250	6364055	59400.31	57997.63	99	120905
554250	6364050	59401.04	57998.24	99	120914
554250	6364045	59402.14	57999.34	99	120929
554250	6364040	59401.97	57999.11	99	120938
554250	6364035	59403.35	58000.45	99	120950
554250	6364030	59403.23	58000.34	99	121002
554250	6364025	59403.52	58000.63	99	121014
554250	6364020	59403.23	58000.31	99	121029
554250	6364015	59403.87	58000.94	99	121041
554250	6364010	59403.43	58000.58	99	121053
554250	6364005	59403.39	58000.55	99	121102
554250	6364000	59403.77	58001.05	99	121135
554250	6363995	59404.49	58001.79	99	121147
554250	6363990	59404.47	58001.83	99	121159
554250	6363985	59404.34	58001.7	99	121208
554250	6363980	59404.17	58001.54	99	121217
554250	6363975	59404.15	58001.5	99	121226
554200	6363975	59402.7	58000	99	121423
554200	6363980	59401.75	57999.08	99	121435
554200	6363985	59402.65	58000.04	99	121447
554200	6363990	59402.45	57999.84	99	121456
554200	6363995	59402.52	57999.8	99	121508
554200	6364000	59402.02	57999.17	99	121517

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA026

line_X	station_Y	Field_nT	Corr_nT	signal	time
554200	6364005	59401.36	57998.46	99	121526
554200	6364010	59401.92	57999	99	121535
554200	6364015	59404.02	58001.1	99	121544
554200	6364020	59401.39	57998.46	99	121556
554200	6364025	59400.95	57998.09	99	121608
554200	6364030	59400.46	57997.58	99	121617
554200	6364035	59400.05	57997.1	99	121632
554200	6364040	59399.61	57996.65	99	121647
554200	6364045	59399.94	57996.97	99	121656
554200	6364050	59398.9	57995.94	99	121708
554200	6364055	59397.79	57994.79	99	121723
554200	6364060	59397.52	57994.47	99	121735
554200	6364065	59396.59	57993.51	99	121744
554200	6364070	59398.11	57994.91	99	121802
554200	6364075	59397.49	57994.27	99	121811
554200	6364080	59400.05	57996.77	99	121820
554200	6364085	59398.54	57995.22	99	121832
554200	6364090	59400.22	57996.89	99	121841
554200	6364095	59400.74	57997.37	99	121850
554200	6364100	59403	57999.49	99	121859
554200	6364105	59404.21	58000.68	99	121908
554200	6364110	59407.1	58003.45	99	121917
554200	6364115	59410.49	58006.76	99	121926
554200	6364120	59413.85	58010.08	99	121935
554200	6364125	59417.84	58014	99	121944
554200	6364130	59423.29	58019.45	99	121953
554200	6364135	59428.61	58024.78	99	122002
554200	6364140	59432.84	58028.96	99	122011
554200	6364145	59435.8	58031.85	99	122020
554200	6364150	59437.91	58033.93	99	122029
554200	6364155	59437.92	58033.91	99	122038
554200	6364160	59434.71	58030.72	99	122050
554200	6364165	59430.69	58026.75	99	122059
554200	6364170	59427.45	58023.53	99	122108
554200	6364175	59422.31	58018.45	99	122117
554200	6364180	59415.83	58011.98	99	122126
554200	6364185	59408.7	58004.85	99	122135
554200	6364190	59403.19	57999.33	99	122147
554200	6364195	59400.65	57996.83	99	122156
554200	6364200	59396.85	57993.06	99	122205
554200	6364205	59393.18	57989.43	99	122217
554200	6364210	59390.73	57986.99	99	122226
554200	6364215	59388.71	57984.98	99	122235
554200	6364220	59386.68	57983.02	99	122247
554200	6364225	59387.04	57983.41	99	122256
554200	6364230	59387.25	57983.64	99	122305
554200	6364235	59387.2	57983.58	99	122317
554200	6364240	59385.7	57982.11	99	122329
554200	6364245	59385.59	57982.05	99	122341
554200	6364250	59385.92	57982.34	99	122350
554200	6364255	59386.5	57982.82	99	122402

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA026

line_X	station_Y	Field_nT	Corr_nT	signal	time
554200	6364260	59387.29	57983.53	99	122411
554200	6364265	59388.59	57984.77	99	122423
554200	6364270	59387.18	57983.31	99	122432
554200	6364275	59389.79	57985.89	99	122444
554200	6364280	59389.19	57985.21	99	122456
554200	6364285	59387.9	57983.9	99	122508
554200	6364290	59387.78	57983.77	99	122517
554200	6364295	59387.79	57983.78	99	122529
554200	6364300	59387.99	57983.97	99	122538
554200	6364305	59387.66	57983.63	99	122547
554200	6364310	59389.29	57985.22	99	122556
554200	6364315	59388.94	57984.81	99	122608
554200	6364320	59388.78	57984.6	99	122617
554200	6364325	59388.82	57984.62	99	122626
554150	6364325	59389.59	57985.33	99	122923
554150	6364320	59387.57	57983.25	99	122941
554150	6364315	59387.75	57983.38	99	122953
554150	6364310	59388.93	57984.51	99	123002
554150	6364305	59388.48	57984.05	99	123008
554150	6364300	59389.15	57984.67	99	123017
554150	6364295	59391.27	57986.64	99	123029
554150	6364290	59388.39	57983.65	99	123038
554150	6364285	59384.11	57979.32	99	123050
554150	6364280	59387.14	57982.32	99	123059
554150	6364275	59386.51	57981.62	99	123111
554150	6364270	59387.51	57982.54	99	123123
554150	6364265	59388.36	57983.36	99	123132
554150	6364260	59386.12	57981.06	99	123147
554150	6364255	59385.39	57980.26	99	123156
554150	6364250	59385.89	57980.73	99	123205
554150	6364245	59386.4	57981.17	99	123217
554150	6364240	59385.21	57979.94	99	123229
554150	6364235	59385.59	57980.33	99	123238
554150	6364230	59385.24	57979.98	99	123247
554150	6364225	59386.43	57981.15	99	123256
554150	6364220	59388.26	57983.02	99	123308
554150	6364215	59388.05	57982.86	99	123317
554150	6364210	59385.86	57980.7	99	123326
554150	6364205	59390.7	57985.54	99	123335
554150	6364200	59392.41	57987.22	99	123344
554150	6364195	59394.44	57989.23	99	123356
554150	6364190	59396.41	57991.17	99	123405
554150	6364185	59401.01	57995.7	99	123417
554150	6364180	59401.75	57996.47	99	123426
554150	6364175	59403.13	57997.83	99	123435
554150	6364170	59406.97	58001.64	99	123447
554150	6364165	59413.81	58008.44	99	123456
554150	6364160	59417.87	58012.52	99	123508
554150	6364155	59422.32	58016.92	99	123517
554150	6364150	59424.01	58019.49	99	123714
554150	6364145	59428.84	58024.44	99	123726

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA026

line_X	station_Y	Field_nT	Corr_nT	signal	time
554150	6364140	59434.5	58030.29	99	123747
554150	6364135	59437.83	58033.62	99	123756
554150	6364130	59438.38	58034.27	99	123805
554150	6364125	59438.68	58034.62	99	123814
554150	6364120	59435.73	58031.7	99	123826
554150	6364115	59431.24	58027.15	99	123838
554150	6364110	59427.13	58022.94	99	123847
554150	6364105	59423.91	58019.56	99	123859
554150	6364100	59420.46	58016.02	99	123908
554150	6364095	59415.83	58011.27	99	123920
554150	6364090	59410.42	58005.79	99	123932
554150	6364085	59407.38	58002.7	99	123944
554150	6364080	59407.61	58002.89	99	123953
554150	6364075	59400.81	57995.97	99	124008
554150	6364070	59402.4	57997.8	99	124141
554150	6364065	59401.03	57996.63	99	124153
554150	6364060	59401.14	57996.95	99	124205
554150	6364055	59398.56	57994.61	99	124217
554150	6364050	59398.97	57995.17	99	124229
554150	6364045	59398.09	57994.43	99	124241
554150	6364040	59398.76	57995.1	99	124250
554150	6364035	59397.96	57994.3	99	124302
554150	6364030	59397.05	57993.38	99	124311
554150	6364025	59397.44	57993.73	99	124320
554150	6364020	59398.65	57994.83	99	124332
554150	6364015	59398.87	57994.96	99	124344
554150	6364010	59399.55	57995.61	99	124356
554150	6364005	59399.15	57995.08	99	124408
554150	6364000	59400.15	57995.88	99	124417
554150	6363995	59401.23	57996.71	99	124429
554150	6363990	59401.19	57996.52	99	124441
554150	6363985	59400.7	57995.88	99	124453
554150	6363980	59401.01	57996.14	99	124502
554150	6363975	59401.04	57996.22	99	124523
554100	6363975	59398.02	57993.72	99	124750
554100	6363980	59398.45	57994.11	99	124802
554100	6363985	59398.11	57993.83	99	124817
554100	6363990	59398.73	57994.49	99	124826
554100	6363995	59398.12	57993.96	99	124838
554100	6364000	59397.59	57993.41	99	124847
554100	6364005	59397.31	57993.19	99	124856
554100	6364010	59397.89	57993.83	99	124908
554100	6364015	59398.22	57994.02	99	124920
554100	6364020	59397.42	57993.23	99	124929
554100	6364025	59397.53	57993.51	99	124941
554100	6364030	59397.77	57993.85	99	124950
554100	6364035	59398.64	57994.88	99	125002
554100	6364040	59398.5	57994.96	99	125014
554100	6364045	59398.92	57995.58	99	125026
554100	6364050	59399.92	57996.76	99	125038
554100	6364055	59401.55	57998.45	99	125050

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA026

line_X	station_Y	Field_nT	Corr_nT	signal	time
554100	6364060	59404.46	58001.46	99	125102
554100	6364065	59406.99	58004.15	99	125114
554100	6364070	59408.52	58005.85	99	125123
554100	6364075	59412.55	58010.05	99	125132
554100	6364080	59419.63	58017.17	99	125141
554100	6364085	59424.71	58022.3	99	125150
554100	6364090	59430.92	58028.53	99	125205
554100	6364095	59437.74	58035.34	99	125217
554100	6364100	59444.02	58041.53	99	125226
554100	6364105	59450	58047.4	99	125235
554100	6364110	59453.61	58050.91	99	125244
554100	6364115	59461.77	58058.91	99	125259
554100	6364120	59466.88	58063.71	99	125311
554100	6364125	59468.42	58064.9	99	125347
554100	6364130	59466.17	58062.54	99	125359
554100	6364135	59460.35	58056.69	99	125408
554100	6364140	59454.76	58051.04	99	125417
554100	6364145	59451.57	58047.79	99	125426
554100	6364150	59447.22	58043.38	99	125438
554100	6364155	59438.31	58034.47	99	125450
554100	6364160	59424.23	58020.38	99	125459
554100	6364165	59423.68	58019.87	99	125511
554100	6364170	59416.16	58012.38	99	125520
554100	6364175	59412.91	58009.14	99	125529
554100	6364180	59408.4	58004.67	99	125541
554100	6364185	59404.52	58000.76	99	125553
554100	6364190	59401.36	57997.57	99	125602
554100	6364195	59398.46	57994.63	99	125611
554100	6364200	59396.09	57992.27	99	125620
554100	6364205	59393.18	57989.36	99	125632
554100	6364210	59390.15	57986.33	99	125644
554100	6364215	59386.98	57983.01	99	125656
554100	6364220	59386.5	57982.54	99	125705
554100	6364225	59385.23	57981.27	99	125714
554100	6364230	59383.9	57980.06	99	125726
554100	6364235	59381.63	57977.86	99	125738
554100	6364240	59383.2	57979.36	99	125747
554100	6364245	59382.89	57979.05	99	125756
554100	6364250	59382.77	57978.85	99	125805
554100	6364255	59382.73	57978.72	99	125817
554100	6364260	59383.12	57979.01	99	125826
554100	6364265	59383.52	57979.31	99	125835
554100	6364270	59384.16	57979.83	99	125844
554100	6364275	59383.98	57979.57	99	125853
554100	6364280	59384.69	57980.28	99	125905
554100	6364285	59384.17	57979.78	99	125917
554100	6364290	59385.33	57980.97	99	125926
554100	6364295	59383.87	57979.54	99	125935
554100	6364300	59384.76	57980.58	99	125944
554100	6364305	59386.19	57982.08	99	125953
554100	6364310	59387.51	57983.43	99	130002

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA026

line_X	station_Y	Field_nT	Corr_nT	signal	time
554100	6364315	59387.03	57982.99	99	130011
554100	6364320	59386.07	57982.18	99	130020
554100	6364325	59385.61	57981.86	99	130029
554050	6364325	59384.84	57980.18	99	130217
554050	6364320	59385.45	57980.7	99	130232
554050	6364315	59385.69	57980.99	99	130244
554050	6364310	59384.35	57979.64	99	130253
554050	6364305	59383.97	57979.29	99	130302
554050	6364300	59383.8	57979.17	99	130311
554050	6364295	59387.28	57982.74	99	130320
554050	6364290	59383.6	57979.1	99	130329
554050	6364285	59383.16	57978.73	99	130341
554050	6364280	59382.74	57978.46	99	130353
554050	6364275	59382.64	57978.49	99	130402
554050	6364270	59380.46	57976.45	99	130414
554050	6364265	59382.56	57978.58	99	130423
554050	6364260	59381.88	57977.89	99	130432
554050	6364255	59381.55	57977.59	99	130441
554050	6364250	59382.16	57978.29	99	130450
554050	6364245	59380.67	57976.81	99	130502
554050	6364240	59380.55	57976.75	99	130514
554050	6364235	59380.48	57976.69	99	130523
554050	6364230	59381.11	57977.33	99	130532
554050	6364225	59380.64	57976.83	99	130541
554050	6364220	59381.99	57978.14	99	130550
554050	6364215	59382.08	57978.21	99	130559
554050	6364210	59382.93	57978.97	99	130608
554050	6364205	59383.98	57979.84	99	130617
554050	6364200	59385.67	57981.36	99	130626
554050	6364195	59388.9	57984.45	99	130638
554050	6364190	59391.92	57987.46	99	130650
554050	6364185	59395.7	57991.19	99	130702
554050	6364180	59398.17	57993.61	99	130711
554050	6364175	59401.76	57997.22	99	130720
554050	6364170	59405.86	58001.36	99	130729
554050	6364165	59410.68	58006.24	99	130738
554050	6364160	59414.57	58010.24	99	130747
554050	6364155	59418.57	58014.38	99	130756
554050	6364150	59419.64	58015.55	99	130811
554050	6364145	59424.09	58020.2	99	130832
554050	6364140	59424.96	58021.21	99	130841
554050	6364135	59424.02	58020.4	99	130850
554050	6364130	59423.97	58020.39	99	130902
554050	6364125	59421.89	58018.29	99	130920
554050	6364120	59421.48	58017.7	99	130935
554050	6364115	59419.72	58015.84	99	130944
554050	6364110	59416.69	58012.69	99	130953
554050	6364105	59413.89	58009.78	99	131002
554050	6364100	59412.36	58008.18	99	131011
554050	6364095	59410.01	58005.73	99	131020
554050	6364090	59408.37	58004.01	99	131029

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA026

line_X	station_Y	Field_nT	Corr_nT	signal	time
554050	6364085	59406.59	58002.07	99	131038
554050	6364080	59405.17	58000.56	99	131047
554050	6364075	59405.1	58000.31	99	131056
554050	6364070	59403.6	57998.72	99	131105
554050	6364065	59402.14	57997.05	99	131117
554050	6364060	59401.62	57996.45	99	131126
554050	6364055	59401.06	57995.87	99	131138
554050	6364050	59399.7	57994.49	99	131150
554050	6364045	59399.4	57994.18	99	131202
554050	6364040	59398.92	57993.75	99	131214
554050	6364035	59397.35	57992.16	99	131223
554050	6364030	59397.33	57992.18	99	131232
554050	6364025	59397.28	57992.12	99	131241
554050	6364020	59396.33	57991.2	99	131250
554050	6364015	59396.53	57991.42	99	131259
554050	6364010	59396.55	57991.48	99	131308
554050	6364005	59396.73	57991.73	99	131317
554050	6364000	59397.21	57992.34	99	131326
554050	6363995	59397.61	57992.83	99	131335
554050	6363990	59396.28	57991.56	99	131344
554050	6363985	59395.98	57991.34	99	131356
554050	6363980	59394.83	57990.38	99	131411
554050	6363975	59396.79	57992.45	99	131423
554000	6363975	59394.25	57989.68	99	131744
554000	6363980	59395.23	57990.57	99	131756
554000	6363985	59394.04	57989.29	99	131808
554000	6363990	59394.95	57990.18	99	131820
554000	6363995	59393.64	57989.13	99	131838
554000	6364000	59393.48	57989.03	99	131847
554000	6364005	59392.78	57988.47	99	131859
554000	6364010	59393.43	57989.36	99	131911
554000	6364015	59393.02	57989.09	99	131923
554000	6364020	59393.16	57989.5	99	131938
554000	6364025	59392.91	57989.38	99	131947
554000	6364030	59392.99	57989.59	99	131959
554000	6364035	59393.52	57990.2	99	132011
554000	6364040	59393.68	57990.31	99	132020
554000	6364045	59393.56	57990.15	99	132029
554000	6364050	59393.12	57989.77	99	132038
554000	6364055	59393.09	57989.77	99	132047
554000	6364060	59392.51	57989.2	99	132056
554000	6364065	59392.66	57989.33	99	132105
554000	6364070	59393.14	57989.76	99	132114
554000	6364075	59393.5	57990.02	99	132123
554000	6364080	59393.37	57989.8	99	132135
554000	6364085	59392.96	57989.24	99	132147
554000	6364090	59393.08	57989.32	99	132156
554000	6364095	59393.72	57989.95	99	132205
554000	6364100	59394.43	57990.68	99	132214
554000	6364105	59393.42	57989.69	99	132226
554000	6364110	59393.46	57989.72	99	132235

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA026

line_X	station_Y	Field_nT	Corr_nT	signal	time
554000	6364115	59394.08	57990.44	99	132247
554000	6364120	59393.96	57990.41	99	132259
554000	6364125	59394.3	57990.84	99	132311
554000	6364130	59393.58	57990.3	99	132323
554000	6364135	59392.09	57989.03	99	132335
554000	6364140	59390.42	57987.53	99	132344
554000	6364145	59390.75	57987.99	99	132350
554000	6364150	59389.84	57987.18	99	132359
554000	6364155	59389.32	57986.67	99	132429
554000	6364160	59387.07	57984.33	99	132438
554000	6364165	59385.7	57982.9	99	132450
554000	6364170	59385.46	57982.51	99	132459
554000	6364175	59383.73	57980.66	99	132511
554000	6364180	59382.05	57978.84	99	132523
554000	6364185	59381.35	57978.06	99	132532
554000	6364190	59380.91	57977.6	99	132541
554000	6364195	59379.76	57976.44	99	132550
554000	6364200	59380.18	57976.82	99	132559
554000	6364205	59380.26	57976.94	99	132608
554000	6364210	59380.54	57977.23	99	132617
554000	6364215	59380.66	57977.36	99	132629
554000	6364220	59381.17	57977.76	99	132641
554000	6364225	59382.2	57978.67	99	132653
554000	6364230	59381.36	57977.64	99	132705
554000	6364235	59381.75	57977.71	99	132720
554000	6364240	59382.31	57977.97	99	132732
554000	6364245	59382.6	57978.05	99	132741
554000	6364250	59383.5	57978.66	99	132756
554000	6364255	59383.02	57977.98	99	132808
554000	6364260	59384.7	57979.54	99	132820
554000	6364265	59383.87	57978.64	99	132832
554000	6364270	59385.08	57979.8	99	132841
554000	6364275	59385.32	57979.94	99	132850
554000	6364280	59385.81	57980.21	99	132902
554000	6364285	59384.71	57978.98	99	132914
554000	6364290	59386.02	57980.3	99	132926
554000	6364295	59384.48	57978.73	99	132935
554000	6364300	59385.06	57979.26	99	132947
554000	6364305	59383.95	57978.2	99	132959
554000	6364310	59384.23	57978.53	99	133008
554000	6364315	59384.5	57978.85	99	133017
554000	6364320	59383.9	57978.2	99	133026
554000	6364325	59384.13	57978.34	99	133038
553950	6364325	59384.28	57978.29	99	133229
553950	6364320	59384.59	57978.48	99	133241
553950	6364315	59384.23	57978.01	99	133253
553950	6364310	59384.09	57977.85	99	133302
553950	6364305	59384.35	57978.09	99	133311
553950	6364300	59383.93	57977.66	99	133323
553950	6364295	59384.24	57977.94	99	133332
553950	6364290	59384.24	57977.88	99	133341

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA026

line_X	station_Y	Field_nT	Corr_nT	signal	time
553950	6364285	59384.63	57978.23	99	133353
553950	6364280	59385.77	57979.35	99	133408
553950	6364275	59385.02	57978.56	99	133420
553950	6364270	59384.8	57978.22	99	133429
553950	6364265	59384.89	57978.22	99	133438
553950	6364260	59386.16	57979.47	99	133447
553950	6364255	59384.52	57977.77	99	133456
553950	6364250	59385.31	57978.52	99	133505
553950	6364245	59384.84	57977.95	99	133517
553950	6364240	59384.9	57977.89	99	133526
553950	6364235	59384.77	57977.69	99	133535
553950	6364230	59385.59	57978.41	99	133544
553950	6364225	59385.57	57978.17	99	133559
553950	6364220	59386.5	57978.77	99	133620
553950	6364215	59386.27	57978.38	99	133632
553950	6364210	59387.33	57979.3	99	133644
553950	6364205	59387.18	57979.08	99	133653
553950	6364200	59386.83	57978.63	99	133705
553950	6364195	59387.08	57978.86	99	133717
553950	6364190	59386.33	57978.18	99	133729
553950	6364185	59386.9	57978.84	99	133738
553950	6364180	59386.75	57978.76	99	133747
553950	6364175	59386.76	57978.81	99	133756
553950	6364170	59386.68	57978.85	99	133805
553950	6364165	59387.07	57979.29	99	133814
553950	6364160	59387.52	57979.91	99	133823
553950	6364155	59387.18	57979.64	99	133835
553950	6364150	59386.8	57979.4	99	133847
553950	6364150	59386.51	57979.81	99	134017
553955	6364150	59387.22	57980.53	99	134035
553960	6364150	59387.86	57981.15	99	134047
553965	6364150	59388.24	57981.57	99	134059
553970	6364150	59387.63	57980.98	99	134105
553975	6364150	59387.65	57981.02	99	134114
553980	6364150	59388.08	57981.41	99	134123
553985	6364150	59389.79	57983.02	99	134141
553990	6364150	59390.79	57984.07	99	134153
553995	6364150	59391.4	57984.79	99	134202
554000	6364150	59393.67	57987.14	99	134211
554005	6364150	59395.84	57989.27	99	134223
554010	6364150	59398.87	57992.17	99	134232
554015	6364150	59400.69	57993.82	99	134241
554020	6364150	59402.99	57996.07	99	134250
554025	6364150	59404.61	57997.72	99	134259
554030	6364150	59408.19	58001.35	99	134308
554035	6364150	59410.6	58003.81	99	134317
554040	6364150	59414.91	58008.25	99	134326
554045	6364150	59417.75	58011.22	99	134335
554050	6364150	59421.47	58014.99	99	134344
554055	6364150	59426.07	58019.64	99	134356
554060	6364150	59430.43	58024.04	99	134405

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA026

line_X	station_Y	Field_nT	Corr_nT	signal	time
554065	6364150	59433.31	58027.08	99	134417
554070	6364150	59435.61	58029.43	99	134423
554075	6364150	59438.11	58032.07	99	134432
554080	6364150	59438.07	58032.27	99	134444
554085	6364150	59443.42	58037.86	99	134456
554090	6364150	59445.1	58039.75	99	134508
554095	6364150	59445.63	58040.37	99	134517
554100	6364150	59448.96	58043.74	99	134526
554105	6364150	59449.97	58044.6	99	134541
554110	6364150	59446.47	58040.97	99	134553
554115	6364150	59439.28	58033.63	99	134605
554120	6364150	59434.24	58028.46	99	134614
554125	6364150	59433.77	58027.84	99	134623
554130	6364150	59430.28	58023.89	99	134653
554135	6364150	59428.76	58022.26	99	134705
554140	6364150	59427.27	58020.58	99	134717
554145	6364150	59427.93	58021.03	99	134729
554150	6364150	59426.6	58019.6	99	134738
554155	6364150	59427.13	58020.13	99	134805
554160	6364150	59426.65	58019.67	99	134820
554165	6364150	59425.68	58018.74	99	134829
554170	6364150	59425.2	58018.4	99	134841
554175	6364150	59426.09	58019.38	99	134850
554180	6364150	59429.47	58022.85	99	134902
554185	6364150	59432.55	58025.93	99	134914
554190	6364150	59435.98	58029.33	99	134923
554195	6364150	59438.96	58032.24	99	134932
554200	6364150	59440.25	58033.44	99	134944
554205	6364150	59441.61	58034.73	99	134953
554210	6364150	59442.78	58035.82	99	135002
554215	6364150	59443.08	58036.11	99	135011
554220	6364150	59441.93	58034.98	99	135020
554225	6364150	59441.8	58034.85	99	135029
554230	6364150	59441.56	58034.66	99	135038
554235	6364150	59437.74	58030.88	99	135047
554240	6364150	59434.78	58027.95	99	135056
554245	6364150	59431.8	58024.92	99	135108
554250	6364150	59423.4	58016.23	99	135150
554255	6364150	59421.83	58014.68	99	135202
554260	6364150	59419.99	58012.82	99	135214
554265	6364150	59415.46	58008.36	99	135226
554270	6364150	59414.4	58007.38	99	135244
554275	6364150	59413.98	58007.01	99	135253
554280	6364150	59409.88	58003.09	99	135311
554285	6364150	59407.1	58000.35	99	135323
554290	6364150	59405.7	57999.03	99	135338
554295	6364150	59404.81	57998.19	99	135347
554300	6364150	59404.56	57998	99	135356

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA028

line_X	station_Y	Field_nT	Corr_nT	signal	time
587050	6360050	58753.25	58020.87	69	111846.8
587050	6360055	58745.42	58013.18	99	111902.1
587050	6360060	58748.21	58015.84	99	111928.2
587050	6360065	58748.72	58015.94	99	111940.5
587050	6360070	58749.42	58016.65	99	112029.7
587050	6360075	58748.55	58015.48	99	112045.2
587050	6360080	58751.65	58018.64	99	112058.6
587050	6360085	58749.33	58016.04	99	112108.9
587050	6360090	58750.18	58017.4	99	112232.6
587050	6360095	58751.53	58018.59	99	112240.4
587050	6360100	58750.77	58018.02	99	112250.3
587050	6360105	58753.2	58019.98	99	112310.2
587050	6360110	58755.09	58021.89	99	112319.9
587050	6360115	58753.68	58020.24	99	112330.5
587050	6360120	58750.77	58017.15	99	112344.6
587050	6360125	58754.43	57997.87	99	112401.9
587050	6360130	58758.77	58025.5	99	112416.6
587050	6360135	58759.17	58026.16	99	112425.8
587050	6360140	58756.38	58022.97	99	112438.5
587050	6360145	58756.4	58022.78	99	112447.1
587050	6360150	58755.38	58021.56	99	112502.3
587050	6360155	58755.21	58021.39	99	112515.5
587050	6360160	58758.99	58025.49	99	112526.2
587050	6360165	58761.42	58027.9	99	112538.6
587050	6360170	58759.17	58025.88	99	112549
587050	6360175	58759.28	58026.13	99	112556.9
587050	6360180	58758.67	58025.27	99	112606
587050	6360185	58760.73	58027.21	99	112615.4
587050	6360190	58760.69	58027.21	99	112624.3
587050	6360195	58758.12	58024.29	99	112636.3
587050	6360200	58756.41	58022.46	99	112645.6
587050	6360205	58755.5	58021.67	99	112657.3
587050	6360210	58755.9	58021.81	99	112705.9
587050	6360215	58754.93	58020.85	99	112716.2
587050	6360220	58756.93	58023.13	99	112729
587050	6360225	58752.37	58018.43	99	112740.8
587050	6360230	58753.69	58019.98	99	112758.5
587050	6360235	58758.97	58025.03	99	112808.4
587050	6360240	58756.57	58022.7	99	112816.8
587050	6360245	58750.69	58016.71	99	112826.1
587050	6360250	58748.47	58014.04	99	112947.3
587050	6360255	58747.79	58013	99	113005.9
587050	6360260	58751.77	58017.01	99	113015.6
587050	6360265	58759.97	58025.22	99	113024.4
587050	6360270	58753.35	58018.41	99	113034.6
587050	6360275	58753.89	58019.12	99	113045
587050	6360280	58753.88	58019.18	99	113101.2
587050	6360285	58750.07	58015.32	99	113110.3
587050	6360290	58750.19	58015.66	99	113119.1
587050	6360295	58750.97	58016.41	99	113126.4
587050	6360300	58750.55	58015.73	99	113134

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA028

line_X	station_Y	Field_nT	Corr_nT	signal	time
587050	6360305	58750.28	58015.43	99	113143.7
587050	6360310	58752.27	58017.56	99	113153.2
587050	6360315	58750.23	58015.27	99	113204.2
587050	6360320	58745.97	58010.95	99	113214
587050	6360325	58749.49	58014.48	99	113226.7
587050	6360330	58746.98	58011.7	99	113235.7
587050	6360335	58745.05	58009.87	99	113253.7
587050	6360340	58747.02	58011.62	99	113307.8
587050	6360345	58749.21	58013.99	99	113316.4
587050	6360350	58779.97	58044.65	99	113327.7
587050	6360355	58761.91	58026.4	99	113340.9
587050	6360360	58753.02	58017.24	99	113400.9
587050	6360365	58750.78	58014.81	99	113413.5
587050	6360370	58750.22	58014.13	99	113428.1
587050	6360375	58750.81	58014.52	99	113440.3
587050	6360380	58749.83	58013.64	99	113459.7
587050	6360385	58753.85	58018.04	99	113523.9
587050	6360390	58747.24	58011.35	99	113540.8
587050	6360395	58748.42	58012.48	99	113549.1
587050	6360400	58749.24	58012.95	99	113602.5
587050	6360405	58747.04	58011.33	99	113617.4
587050	6360410	58750.61	58015.09	99	113625.9
587050	6360415	58749.86	58014.25	99	113641.5
587050	6360420	58751.09	58015.49	99	113652.6
587050	6360425	58748.94	58013.05	99	113702.5
587050	6360430	58750.25	58014.63	99	113714.5
587050	6360435	58748.35	58012.58	99	113726.2
587050	6360440	58745.88	58009.83	99	113738.3
587050	6360445	58745.65	58009.75	99	113749.6
587050	6360450	58746.21	58010.21	99	113758
587100	6360450	58751.03	58015.84	99	113941.8
587100	6360445	58751.06	58015.84	99	113953.9
587100	6360440	58756.21	58020.83	99	114004.9
587100	6360435	58751.66	58016.69	99	114020.5
587100	6360430	58749.52	58014.25	99	114041.6
587100	6360425	58750.24	58015.51	99	114054.3
587100	6360420	58754.11	58019.09	99	114109.7
587100	6360415	58755.1	58019.96	99	114119.9
587100	6360410	58754.35	58018.78	99	114130.7
587100	6360405	58755.71	58020.14	99	114140.4
587100	6360400	58754.52	58018.91	99	114150
587100	6360395	58754.64	58018.91	99	114202
587100	6360390	58758.62	58023.24	99	114215.8
587100	6360385	58755.82	58020.4	99	114229.3
587100	6360380	58756.72	58021.49	99	114253.9
587100	6360375	58757.79	58022.39	99	114306.1
587100	6360370	58752.34	58017.15	99	114323.5
587100	6360365	58757.07	58021.73	99	114337.8
587100	6360360	58753.55	58018.29	99	114407.9
587100	6360355	58754.21	58018.83	99	114427.4
587100	6360350	58757.14	58021.77	99	114443.4

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA028

line_X	station_Y	Field_nT	Corr_nT	signal	time
587100	6360345	58758.62	58023.15	99	114450.9
587100	6360340	58754.81	58018.9	99	114507.6
587100	6360335	58755.37	58019.18	99	114529.2
587100	6360330	58757.67	58021.65	99	114600.3
587100	6360325	58755.92	58020.09	99	114617.3
587100	6360320	58759.45	58023.34	99	114632.5
587100	6360315	58759.45	58023.49	99	114643.5
587100	6360310	58760	58023.68	99	114655.8
587100	6360305	58756.58	58020.23	99	114705.4
587100	6360300	58756.8	58020.71	99	114714.9
587100	6360295	58756.15	58020	99	114724.8
587100	6360290	58757.86	58021.98	99	114736.1
587100	6360285	58756.01	58020.49	99	114745.7
587100	6360280	58755.19	58019.6	99	114753.2
587100	6360275	58757.31	58021.81	99	114800.2
587100	6360270	58757.06	58021.81	99	114809.2
587100	6360265	58754.31	58019.01	99	114818.4
587100	6360260	58753.31	58017.72	99	114831.2
587100	6360255	58753.7	58018.24	99	114842.4
587100	6360250	58754.26	58018.64	99	114851.7
587100	6360245	58753.77	58018.01	99	114904.2
587100	6360240	58754.73	58019.12	99	114913.2
587100	6360235	58764.24	58028.38	99	114922.7
587100	6360230	58761.25	58025.21	99	114934
587100	6360225	58764.81	58028.83	99	115017.2
587100	6360220	58762.98	58026.78	99	115026.8
587100	6360215	58760.83	58024.65	99	115035.8
587100	6360210	58762.3	58026.3	99	115043.7
587100	6360205	58768.67	58032.44	99	115049.9
587100	6360200	58780.27	58043.96	99	115057.2
587100	6360195	58787.08	58050.75	99	115106.8
587100	6360190	58783.17	58046.75	99	115115.9
587100	6360185	58780.3	58043.42	99	115137.4
587100	6360180	58775.83	58038.71	99	115148.9
587100	6360175	58771.73	58034.44	99	115201.9
587100	6360170	58774.94	58037.9	99	115211.4
587100	6360165	58777.74	58040.55	99	115223
587100	6360160	58777.25	58040.03	99	115230.6
587100	6360155	58774.69	58037.68	99	115240.4
587100	6360150	58769.81	58032.66	99	115249.9
587100	6360145	58772.9	58035.95	99	115302.4
587100	6360140	58770.85	58034.3	99	115310.9
587100	6360135	58770.71	58034.22	99	115321.1
587100	6360130	58775.2	58038.89	99	115329.9
587100	6360125	58771.67	58035.8	99	115339.5
587100	6360120	58772.7	58036.9	99	115348.5
587100	6360115	58768.48	58032.63	99	115358.3
587100	6360110	58766.02	58030.3	99	115409.7
587100	6360105	58765.36	58029.62	99	115417.5
587100	6360100	58763.46	58027.55	99	115426.2
587100	6360095	58762.49	58026.73	99	115434.4

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA028

line_X	station_Y	Field_nT	Corr_nT	signal	time
587100	6360090	58761.11	58025.18	99	115443.6
587100	6360085	58760.7	58024.21	99	115452.6
587100	6360080	58757.89	58021.46	99	115508.1
587100	6360075	58756.7	58020.24	99	115520.2
587100	6360070	58757.2	58020.85	99	115538.5
587100	6360065	58752.17	58015.62	99	115554.7
587100	6360060	58749.99	58013.81	99	115608.3
587100	6360055	58751.5	58015.53	99	115617.5
587100	6360050	58748.74	58012.64	99	115626.9
587150	6360050	58751.46	58016.5	99	115758.6
587150	6360055	58758.01	58022.61	99	115817
587150	6360060	58756.63	58021.03	99	115835.9
587150	6360065	58759.55	58023.53	99	115902.9
587150	6360070	58761.91	58026.29	99	115913.7
587150	6360075	58763.78	58027.93	99	115923.9
587150	6360080	58765.72	58029.93	99	115942.8
587150	6360085	58769.08	58032.58	99	115957.2
587150	6360090	58771.87	58034.85	99	120008.1
587150	6360095	58774.65	58037.07	99	120018.8
587150	6360100	58775.8	58038.74	99	120035.4
587150	6360105	58773.21	58036.4	99	120048.6
587150	6360110	58772.82	58036.14	99	120058.4
587150	6360115	58772.97	58036.52	99	120114
587150	6360120	58773.05	58036.57	99	120127.9
587150	6360125	58772.86	58036.96	99	120139.9
587150	6360130	58775.13	58039.66	99	120151.9
587150	6360135	58775.65	58040.4	99	120202.7
587150	6360140	58776.76	58040.98	99	120215.4
587150	6360145	58776.93	58040.58	99	120232.1
587150	6360150	58777.62	58040.97	99	120243.9
587150	6360155	58776.72	58039.97	99	120256.3
587150	6360160	58781.5	58045.03	99	120308.3
587150	6360165	58779.88	58043.51	99	120320.3
587150	6360170	58779.66	58044.57	99	120341.4
587150	6360175	58778.18	58043.01	99	120353.9
587150	6360180	58777.26	58041.89	99	120411.9
587150	6360185	58775.87	58040.05	99	120422.5
587150	6360190	58778.91	58043.13	99	120434.2
587150	6360195	58777.69	58041.81	99	120442.9
587150	6360200	58777.48	58041.45	99	120452.2
587150	6360205	58773.42	58037.94	99	120502.3
587150	6360210	58771.86	58036.72	99	120512.1
587150	6360215	58769.86	58034.99	99	120522.7
587150	6360220	58771.13	58036.68	99	120621.7
587150	6360225	58769.94	58035.59	99	120634.7
587150	6360230	58767.27	58032.77	99	120645.5
587150	6360235	58765.09	58030.94	99	120656.2
587150	6360240	58765.43	58031.79	99	120705.3
587150	6360245	58767.97	58034.75	99	120728.3
587150	6360250	58765	58032.47	99	120740.1
587150	6360255	58765.5	58033.11	99	120750.5

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA028

line_X	station_Y	Field_nT	Corr_nT	signal	time
587150	6360260	58761.9	58029.52	99	120807.9
587150	6360265	58762.15	58029.18	99	120819.2
587150	6360270	58760.99	58027.54	99	120829.5
587150	6360275	58763.06	58028.9	99	120846.6
587150	6360280	58762.25	58028.28	99	120857.5
587150	6360285	58764.95	58031.42	99	120911.5
587150	6360290	58765.88	58032.28	99	120920.3
587150	6360295	58764.3	58031.03	99	120930.1
587150	6360300	58765.51	58032.03	99	120943.4
587150	6360305	58765.22	58031.47	99	120956
587150	6360310	58760.34	58026.81	99	121008.3
587150	6360315	58759.86	58026.48	99	121025
587150	6360320	58760.66	58027.72	99	121038.1
587150	6360325	58758.07	58025.18	99	121053.8
587150	6360330	58756.22	58023.72	99	121105.9
587150	6360335	58752.14	58019.65	99	121117.7
587150	6360340	58753.16	58020.9	99	121151.1
587150	6360345	58761.5	58029.1	99	121207.8
587150	6360350	58744.04	58010.98	99	121219.2
587150	6360355	58755.92	58022.67	99	121236.2
587150	6360360	58748.51	58014.79	99	121248.7
587150	6360365	58749.17	58015.43	99	121256.9
587150	6360370	58748.3	58015	99	121307.2
587150	6360375	58748.31	58014.88	99	121325.5
587150	6360380	58752.03	58018.53	99	121344.4
587150	6360385	58747.22	58013.38	99	121415.6
587150	6360390	58753.7	58020.77	99	121442.5
587150	6360395	58750.15	58017.96	99	121502.7
587150	6360400	58749.84	58017.74	99	121528.6
587150	6360405	58749.59	58017.03	99	121545.4
587150	6360410	58750.77	58018.06	99	121558.5
587150	6360415	58753.76	58020.73	99	121615.4
587150	6360420	58750.84	58017.99	99	121635.5
587150	6360425	58748.08	58014.91	99	121646.7
587150	6360430	58748.81	58015.96	99	121700.4
587150	6360435	58749.58	58016.68	99	121712.2
587150	6360440	58751.2	58018.58	99	121723.4
587150	6360445	58754.36	58022.15	99	121735.4
587150	6360450	58755.88	58023.49	99	121747.9
587200	6360450	58766.65	58033.21	99	121858.2
587200	6360445	58767.03	58033.24	99	121912.9
587200	6360440	58766.48	58032.59	99	121922.9
587200	6360435	58770.96	58037.24	99	121931.9
587200	6360430	58760.51	58026.53	99	121940.2
587200	6360425	58764.85	58030.7	99	121950.6
587200	6360420	58758.51	58024.29	99	122006.7
587200	6360415	58748.72	58014.59	99	122028.4
587200	6360410	58750.79	58016.68	99	122038.5
587200	6360405	58750.81	58016.94	99	122055.9
587200	6360400	58749.26	58015.72	99	122111.3
587200	6360395	58748.26	58014.84	99	122128.7

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA028

line_X	station_Y	Field_nT	Corr_nT	signal	time
587200	6360390	58749.79	58015.77	99	122145.9
587200	6360385	58758.34	58024.1	99	122200.2
587200	6360380	58756.15	58021.4	99	122212.3
587200	6360375	58765.72	58030.83	99	122227.4
587200	6360370	58760.69	58025.47	99	122239.1
587200	6360365	58765.41	58030.07	99	122249.4
587200	6360360	58769.59	58034.07	99	122303
587200	6360355	58764	58027.95	99	122311.8
587200	6360350	58769.67	58033.54	99	122320.8
587200	6360345	58769.01	58033.3	99	122330.6
587200	6360340	58766.46	58030.66	99	122342.9
587200	6360335	58766.74	58031.16	99	122353.9
587200	6360330	58765.41	58029.86	99	122403.1
587200	6360325	58765.3	58029.44	99	122413.5
587200	6360320	58779.16	58043.43	99	122424.2
587200	6360315	58778.68	58042.11	99	122433.3
587200	6360310	58766.67	58030.63	99	122447.2
587200	6360305	58768.15	58032.04	99	122456.3
587200	6360300	58769.81	58033.4	99	122504.2
587200	6360295	58768.85	58032.28	99	122516.1
587200	6360290	58771.92	58035.44	99	122525.3
587200	6360285	58776.23	58039.42	99	122536.5
587200	6360280	58771.41	58034.46	99	122548.6
587200	6360275	58777.74	58040.67	99	122600.2
587200	6360270	58780.24	58042.95	99	122614.5
587200	6360265	58777.72	58040.86	99	122628.4
587200	6360260	58776.67	58039.67	99	122638.9
587200	6360255	58777.64	58040.32	99	122647.9
587200	6360250	58775.75	58038.2	99	122656.4
587200	6360245	58779.26	58041.28	99	122705.4
587200	6360240	58778.82	58040.78	99	122715.2
587200	6360235	58782.73	58044.83	99	122728.4
587200	6360230	58779.3	58041.1	99	122738.2
587200	6360225	58778.72	58040.18	99	122747.7
587200	6360220	58778.75	58040.16	99	122756.4
587200	6360215	58775.42	58036.68	99	122805.7
587200	6360210	58771.03	58032.43	99	122814.4
587200	6360205	58773.53	58035.13	99	122826.2
587200	6360200	58775.63	58036.84	99	122834.5
587200	6360195	58775.9	58036.6	99	122843.6
587200	6360190	58774.55	58035.13	99	122852.9
587200	6360185	58773.46	58033.89	99	122907.7
587200	6360180	58771.89	58032.72	99	122918.2
587200	6360175	58771.23	58032.56	99	122927.3
587200	6360170	58775.61	58037.47	99	122944.4
587200	6360165	58772.04	58034.24	99	122955.1
587200	6360160	58773.46	58035.47	99	123009.2
587200	6360155	58779.84	58041.9	99	123023.1
587200	6360150	58788.49	58050.05	99	123033.9
587200	6360145	58785.16	58046.74	99	123043.9
587200	6360140	58781.34	58043.15	99	123058.4

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA028

line_X	station_Y	Field_nT	Corr_nT	signal	time
587200	6360135	58784.58	58045.93	99	123109.5
587200	6360130	58782.67	58044.09	99	123118.8
587200	6360125	58787.91	58049.15	99	123128.5
587200	6360120	58788.31	58048.71	99	123139.8
587200	6360115	58788.64	58048.64	99	123150
587200	6360110	58790.13	58049.89	99	123210.5
587200	6360105	58783.86	58043.86	99	123219.2
587200	6360100	58778.83	58038.65	99	123227.8
587200	6360095	58776.69	58035.74	99	123240.5
587200	6360090	58775.97	58034.74	99	123253.2
587200	6360085	58775.07	58033.43	99	123300.9
587200	6360080	58782.75	58040.26	99	123314.9
587200	6360075	58783.77	58040.75	99	123323.8
587200	6360070	58782.1	58038.12	99	123336.9
587200	6360065	58779.04	58034.92	99	123346.1
587200	6360060	58780.77	58035.9	99	123403.5
587200	6360055	58779.69	58034.58	99	123413.2
587200	6360050	58780.22	58035.39	99	123424.3
587250	6360050	58757.61	58013.81	99	123616
587250	6360055	58759.34	58014.95	99	123633.3
587250	6360060	58756.96	58012.31	99	123645.1
587250	6360065	58755.58	58010.53	99	123654.7
587250	6360070	58757.12	58011.21	99	123716.3
587250	6360075	58758.66	58012.17	99	123730.1
587250	6360080	58760.62	58013.78	99	123745.8
587250	6360085	58766.83	58019.4	99	123800.9
587250	6360090	58770.61	58022.71	99	123817.5
587250	6360095	58775.6	58027.25	99	123828.3
587250	6360100	58784.47	58035.92	99	123838.1
587250	6360105	58792.09	58043.7	99	123853.9
587250	6360110	58798.2	58049.84	99	123912.6
587250	6360115	58800.51	58052.23	99	123939.9
587250	6360120	58801.74	58053.66	99	124014.7
587250	6360125	58806.57	58058.13	99	124038.7
587250	6360130	58807.34	58058.94	99	124056.3
587250	6360135	58811.28	58063.24	99	124115.3
587250	6360140	58808.59	58060.46	99	124124.9
587250	6360145	58803.84	58055.71	99	124137.6
587250	6360150	58797.36	58049.47	99	124149.5
587250	6360155	58792.28	58044.22	99	124242.9
587250	6360160	58792.65	58044.28	99	124258.7
587250	6360165	58792.56	58044.25	99	124314.8
587250	6360170	58794.05	58045.53	99	124327.7
587250	6360175	58794.95	58046.48	99	124337.8
587250	6360180	58793.69	58045.53	99	124353.6
587250	6360185	58796.36	58048.48	99	124424.2
587250	6360190	58795.9	58048.61	99	124442.4
587250	6360195	58797.65	58050.42	99	124450.2
587250	6360200	58795.4	58047.99	99	124504.1
587250	6360205	58788.24	58041.06	99	124517.6
587250	6360210	58785.67	58037.83	99	124533.3

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA028

line_X	station_Y	Field_nT	Corr_nT	signal	time
587250	6360215	58793.6	58045.87	99	124542.7
587250	6360220	58784.31	58036.67	99	124603.9
587250	6360225	58774.78	58027.68	99	124619.9
587250	6360230	58784.52	58038.26	99	124651.2
587250	6360235	58780.06	58035.86	99	124718.1
587250	6360240	58786.15	58042.24	99	124734.4
587250	6360245	58788.56	58044.83	99	124752.1
587250	6360250	58786.24	58041.87	99	124808.8
587250	6360255	58790.48	58045.41	99	124821.9
587250	6360260	58787.84	58041.81	99	124833.7
587250	6360265	58786.83	58040.14	99	124843.1
587250	6360270	58790.67	58043.18	99	124851.4
587250	6360275	58789.22	58041.18	99	124859.5
587250	6360280	58789.82	58041.58	99	124907.9
587250	6360285	58792.31	58043.48	99	124918.3
587250	6360290	58792.18	58042.96	99	124927.3
587250	6360295	58785.66	58036.65	99	124936.3
587250	6360300	58782.68	58033.91	99	124946.8
587250	6360305	58796.18	58047.09	99	124956.7
587250	6360310	58790.76	58041.79	99	125006
587250	6360315	58784.38	58035.73	99	125018.3
587250	6360320	58784	58035.47	99	125027.3
587250	6360325	58781.93	58033.87	99	125039.4
587250	6360330	58782.88	58034.79	99	125048
587250	6360335	58779.6	58031.24	99	125057.3
587250	6360340	58782.69	58034.39	99	125107.1
587250	6360345	58782.48	58034.16	99	125116.9
587250	6360350	58784.13	58035.38	99	125124.6
587250	6360355	58783.53	58034.43	99	125135.2
587250	6360360	58782.59	58033.24	99	125145.1
587250	6360365	58783.44	58033.81	99	125155.9
587250	6360370	58784.3	58034.61	99	125206.5
587250	6360375	58780.95	58030.9	99	125215.7
587250	6360380	58785.7	58034.69	99	125228.9
587250	6360385	58788.14	58036.72	99	125244.5
587250	6360390	58787.88	58036.24	99	125301.6
587250	6360395	58785.85	58034.65	99	125316.6
587250	6360400	58785.23	58033.92	99	125327.1
587250	6360405	58785.4	58034.51	99	125342.9
587250	6360410	58787.03	58036.03	99	125421.5
587250	6360415	58779.66	58028.57	99	125505.7
587250	6360420	58778.05	58027.14	99	125557.8
587250	6360425	58778.83	58027.64	99	125613.3
587300	6360425	58797.22	58043.86	99	130258
587300	6360420	58798.23	58045.09	99	130318.7
587300	6360415	58800.19	58046.92	99	130354.8
587300	6360410	58798.53	58046.93	99	130430.5
587300	6360405	58799.14	58048.71	99	130454
587300	6360400	58802.57	58052.84	99	130507.3
587300	6360395	58794.7	58046.12	99	130530.7
587300	6360390	58799.75	58051.41	99	130549.3

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA028

line_X	station_Y	Field_nT	Corr_nT	signal	time
587300	6360385	58796.85	58048.41	99	130615.1
587300	6360380	58793.6	58044.82	99	130628.8
587300	6360375	58794.39	58046.04	99	130643.8
587300	6360370	58794.71	58042.75	99	130656.6
587300	6360365	58790.83	58042.74	99	130707.8
587300	6360360	58785.97	58037.85	99	130722.8
587300	6360355	58784.26	58036.48	99	130742.5
587300	6360350	58783.24	58035.28	99	130754.5
587300	6360345	58784.41	58036.86	99	130809.9
587300	6360340	58786.47	58038.52	99	130821.3
587300	6360335	58790.92	58042.95	99	130832
587300	6360330	58792.31	58044.07	99	130844.4
587300	6360325	58798.47	58050.32	99	130857.5
587300	6360320	58799.73	58050.9	99	130909.5
587300	6360315	58797.61	58047.58	99	130923.9
587300	6360310	58790.29	58040.68	99	130950.2
587300	6360305	58791.74	58042	99	130959.1
587300	6360300	58790.41	58040.14	99	131007.9
587300	6360295	58789.75	58038.58	99	131020.7
587300	6360290	58795.79	58045.13	99	131033.1
587300	6360285	58807.67	58057.28	99	131041.8
587300	6360280	58797.55	58047.31	99	131051.5
587300	6360275	58794.82	58044.77	99	131059.5
587300	6360270	58799.83	58049.34	99	131112.9
587300	6360265	58801.06	58050.54	99	131122.9
587300	6360260	58794.46	58044.23	99	131256.2
587300	6360255	58784.87	58034.53	99	131311.9
587300	6360250	58782.83	58032.16	99	131324.5
587300	6360245	58776.52	58024.84	99	131344.1
587300	6360240	58793.57	58041.51	99	131409.3
587300	6360235	58798.1	58046.81	99	131428.8
587300	6360230	58793.21	58042.59	99	131517.1
587300	6360225	58778.15	58027.77	99	131536.1
587300	6360220	58782.17	58032.06	99	131554
587300	6360215	58789.67	58040.36	99	131617.9
587300	6360210	58786.3	58036.53	99	131634
587300	6360205	58780.54	58030.87	99	131649.4
587300	6360200	58782.37	58033.38	99	131701.3
587300	6360195	58780.66	58031.27	99	131714.1
587300	6360190	58785.16	58035.6	99	131726.5
587300	6360185	58803	58052.87	99	131744.1
587300	6360180	58817.31	58067.31	99	131802.1
587300	6360175	58823.59	58073.12	99	131815.2
587300	6360170	58823.45	58072.87	99	131829.2
587300	6360165	58818.41	58067.76	99	131839.4
587300	6360160	58819.79	58068.91	99	131850.9
587300	6360155	58824.27	58071.9	99	131923.3
587300	6360150	58822.51	58069.46	99	132048.9
587300	6360145	58826.81	58073.11	99	132108.9
587300	6360140	58822.05	58066.97	99	132139.9
587300	6360135	58813.52	58058.91	99	132152.1

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA028

line_X	station_Y	Field_nT	Corr_nT	signal	time
587300	6360130	58801.33	58045.47	99	132216.2
587300	6360125	58784.81	58028.67	99	132232.2
587300	6360120	58780.58	58024.61	99	132248.5
587300	6360115	58779.52	58023.81	99	132300.5
587300	6360110	58776.54	58020.53	99	132319.9
587300	6360105	58771.79	58016.69	99	132329.9
587300	6360100	58771.44	58017.22	99	132340.5
587300	6360095	58770.18	58016.39	99	132352.8
587300	6360090	58771.32	58017.46	99	132403.8
587300	6360085	58773.85	58019.56	99	132414
587300	6360080	58771.93	58017.77	99	132426.9
587300	6360075	58772.41	58017.95	99	132437.5
587300	6360070	58773.66	58019.02	99	132448.9
587300	6360065	58783.98	58029.58	99	132458.5
587300	6360060	58783.01	58028.57	99	132512.1
587300	6360055	58785	58030.76	99	132520.3
587300	6360050	58787.19	58033.36	99	132529
587350	6360050	58775.84	58019.44	99	132849.5
587350	6360055	58776.52	58020.11	99	132903.8
587350	6360060	58773.54	58020.75	99	132935.1
587350	6360065	58773.81	58018.28	99	132950.3
587350	6360070	58771.59	58016.69	99	133003.9
587350	6360075	58767.4	58012.37	99	133016.5
587350	6360080	58768.11	58013.33	99	133040
587350	6360085	58767.19	58013.01	99	133054.2
587350	6360090	58768.03	58013.72	99	133109.6
587350	6360095	58770.65	58016.44	99	133125.3
587350	6360100	58771.84	58017.96	99	133143.5
587350	6360105	58772.05	58017.98	99	133205.8
587350	6360110	58772.89	58018.58	99	133259.5
587350	6360115	58771.59	58016.26	99	133321.6
587350	6360120	58771.82	58016.75	99	133348.1
587350	6360125	58771.48	58016.04	99	133414.6
587350	6360130	58764.34	58009.58	99	133459.3
587350	6360135	58759.86	58005.21	99	133525.4
587350	6360140	58760.6	58006.75	99	133544.5
587350	6360145	58759.23	58006.22	99	133602.5
587350	6360150	58760.8	58007.3	99	133613.1
587350	6360155	58759.68	58005.56	99	133626.4
587350	6360160	58758.13	58003.72	99	133639
587350	6360165	58760.28	58006.64	99	133649.7
587350	6360170	58763.42	58010.26	99	133659.6
587350	6360175	58758.34	58005.07	99	133714.5
587350	6360180	58744.95	57991.17	99	133753.4
587350	6360185	58741.73	57989.33	99	133923.8
587350	6360190	58742.64	57990.64	99	134003.1
587350	6360195	58753.27	58001.55	99	134028.3
587350	6360200	58745.15	57994	99	134108.7
587350	6360205	58739.55	57988.22	99	134129.6
587350	6360210	58744.12	57993.14	99	134157.1
587350	6360215	58753.58	58004.2	99	134241

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA028

line_X	station_Y	Field_nT	Corr_nT	signal	time
587350	6360220	58754.61	58004.99	99	134259.1
587350	6360225	58751.91	58002.22	99	134320.6
587350	6360230	58749.68	58000.91	99	134412.1
587350	6360235	58754.53	58006.44	99	134430.8
587350	6360240	58807.27	58060.47	99	134455.3
587350	6360245	58784.62	58037.43	99	134519.7
587350	6360250	58779.87	58032.82	99	134542.5
587350	6360255	58762.15	58015.3	99	134600.7
587350	6360260	58755.44	58008.23	99	134641.4
587350	6360265	58762.01	58014.44	99	134721.5
587350	6360270	58767.73	58019.18	99	134824.2
587350	6360275	58772.92	58024.25	99	134835.5
587350	6360280	58762.1	58013.29	99	134847.2
587350	6360285	58751.48	58001.69	99	134909.2
587350	6360290	58753.67	58003.37	99	134923.3
587350	6360295	58754.55	58004.49	99	134946.5
587350	6360300	58753.03	58002.56	99	135013.1
587350	6360305	58761.58	58011.57	99	135035.4
587350	6360310	58758.2	58008.93	99	135045.6
587350	6360315	58760.35	58011.78	99	135104.1
587350	6360320	58758.34	58010.61	99	135138.4
587350	6360325	58753.12	58006.11	99	135157
587350	6360330	58761.24	58014.27	99	135221.6
587350	6360335	58767.23	58020.41	99	135237.1
587350	6360340	58764.87	58019.31	99	135259.7
587350	6360345	58758.46	58012.52	99	135342.8
587350	6360350	58753.28	58007.91	99	135405.2
587350	6360355	58749.12	58006.02	99	135749.8
587350	6360360	58751.03	58008.32	99	135807.5
587350	6360365	58751.16	58009.01	99	135843.3
587350	6360370	58756.31	58012.18	99	135908.9
587350	6360375	58760.14	58016.33	99	135925.1
587350	6360380	58764.97	58020.82	99	135945.1
587350	6360385	58762.03	58017.28	99	140001
587350	6360390	58764.84	58019.07	99	140015.7
587350	6360395	58765.43	58021.75	99	140036.5
587350	6360400	58779.19	58034.38	99	140106.4
587350	6360405	58762.82	58019.28	99	140126.8
587350	6360410	58771.82	58028.17	99	140152.1
587350	6360415	58770.81	58026.99	99	140234.1
587350	6360420	58778.06	58034.36	99	140249.9
587400	6360425	58794.73	58051.37	99	140601.6
587400	6360420	58787.71	58044.58	99	140621.4
587400	6360415	58780.2	58036.18	99	140642.9
587400	6360410	58768.54	58025.5	99	140658.5
587400	6360405	58765.41	58022.84	99	140709.4
587400	6360400	58763.75	58020.89	99	140721.9
587400	6360395	58762.6	58019.35	99	140735.8
587400	6360390	58758.2	58016.1	99	140751.8
587400	6360385	58763.33	58021.39	99	140804.3
587400	6360380	58768.81	58026.91	99	140834.4

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA028

line_X	station_Y	Field_nT	Corr_nT	signal	time
587400	6360375	58764.96	58022.96	99	140847.2
587400	6360370	58765.08	58023.73	99	140901.1
587400	6360365	58764.87	58022.98	99	140912.4
587400	6360360	58766.22	58024.31	99	140923.1
587400	6360355	58762.82	58021.06	99	140939.1
587400	6360350	58762.27	58020.25	99	140949.5
587400	6360345	58759.63	58017.58	99	141010.3
587400	6360340	58762.95	58020.64	99	141029.3
587400	6360335	58766	58022.69	99	141050.5
587400	6360330	58770.76	58026.98	99	141150.3
587400	6360325	58766.78	58022.8	99	141209.8
587400	6360320	58767.02	58023.65	99	141227.3
587400	6360315	58767.06	58023.29	99	141246.9
587400	6360310	58765.25	58021.89	99	141303.9
587400	6360305	58764.48	58020.66	99	141316.7
587400	6360300	58762.95	58018.72	99	141330.5
587400	6360295	58764.53	58021.22	99	141341.7
587400	6360290	58763.91	58021.92	99	141358.2
587400	6360285	58763.96	58021.34	99	141408.7
587400	6360280	58764.26	58021.17	99	141419.2
587400	6360275	58765.06	58022.41	99	141432.1
587400	6360270	58763.76	58021.43	99	141446.5
587400	6360265	58763.34	58021.16	99	141458.5
587400	6360260	58765.34	58022.41	99	141511.6
587400	6360255	58765.41	58021.76	99	141550.9
587400	6360250	58765.71	58022.76	99	141602.9
587400	6360245	58767.9	58024.43	99	141620.5
587400	6360240	58776.77	58031.92	99	141640.8
587400	6360235	58771.42	58027.94	99	141700.7
587400	6360230	58769.37	58025.83	99	141713.5
587400	6360225	58765.88	58022.28	99	141726.3
587400	6360220	58756.62	58013.75	99	141747.9
587400	6360215	58759.77	58017.46	99	141800
587400	6360210	58763.49	58022.89	99	141845.9
587400	6360205	58760.88	58020.88	99	141856.9
587400	6360200	58758.94	58019.55	99	141915.8
587400	6360195	58764.54	58025.92	99	141929.5
587400	6360190	58767.25	58029.09	99	141958.2
587400	6360185	58765.64	58028.36	99	142027.2
587400	6360180	58764.69	58027.33	99	142037.6
587400	6360175	58765.38	58027.69	99	142051.3
587400	6360170	58760.21	58022.51	99	142109.1
587400	6360165	58756.6	58019.02	99	142119.9
587400	6360160	58755.79	58018.31	99	142135.6
587400	6360155	58759.99	58021.68	99	142150.4
587400	6360150	58764.29	58025	99	142202.4
587400	6360145	58763.74	58023.58	99	142217.5
587400	6360140	58760.33	58020.18	99	142227.1
587400	6360135	58758.56	58018.42	99	142237.5
587400	6360130	58763.75	58023.02	99	142247.5
587400	6360125	58763.93	58022.76	99	142300.9

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA028

line_X	station_Y	Field_nT	Corr_nT	signal	time
587400	6360120	58762.67	58020.84	99	142326.8
587400	6360115	58764.6	58021.89	99	142348
587400	6360110	58770.8	58027.94	99	142359.9
587400	6360105	58767.93	58025.23	99	142414.8
587400	6360100	58767.06	58025.05	99	142426.2
587400	6360095	58768.05	58026.29	99	142437.9
587400	6360090	58766.48	58024.07	99	142451.1
587400	6360085	58765.34	58023.11	99	142501.7
587400	6360080	58766.48	58025.04	99	142534.6
587400	6360075	58765.1	58023.41	99	142546.8
587400	6360070	58763.31	58022.28	99	142602.5
587400	6360065	58761.29	58020.78	99	142614.1
587400	6360060	58762.24	58022.54	99	142626.8
587400	6360055	58762.43	58023.25	99	142637.7
587400	6360050	58760.58	58021.13	99	142649.2
587400	6360250	58763.7	58022.99	99	143906.4
587395	6360250	58766.57	58025.54	99	143937.4
587390	6360250	58763.64	58023.15	99	143954.3
587385	6360250	58764.29	58023.25	99	144015.1
587380	6360250	58770.4	58030.61	99	144043.5
587375	6360250	58774.81	58034.41	99	144104.3
587370	6360250	58777.67	58037	99	144117.3
587365	6360250	58777.26	58036.37	99	144135.4
587360	6360250	58773.17	58031.29	99	144204.2
587355	6360250	58774.4	58031.83	99	144248.7
587350	6360250	58775.99	58033.19	99	144317.2
587345	6360250	58766.84	58023	99	144339.6
587340	6360250	58765.68	58020.47	99	144357.2
587335	6360250	58768.07	58022.13	99	144428.6
587330	6360250	58774.24	58025.91	99	144445.6
587325	6360250	58776.47	58026.24	99	144530.4
587320	6360250	58778.51	58027.39	99	144550.1
587315	6360250	58782.69	58032.34	99	144617.1
587310	6360250	58782.82	58032.84	99	144631.8
587305	6360250	58782.96	58032.73	99	144643.7
587300	6360250	58781.31	58030.71	99	144657.2
587295	6360250	58774.31	58024.64	99	144711.5
587290	6360250	58769.44	58020.69	99	144723.9
587285	6360250	58769.54	58021.15	99	144736.3
587280	6360250	58774.38	58026.21	99	144756.6
587275	6360250	58780.34	58033.72	99	144815.3
587270	6360250	58784.68	58037.9	99	144830.1
587265	6360250	58786.51	58039.5	99	144846.5
587260	6360250	58786.25	58039.13	99	144856.9
587255	6360250	58787.63	58041.1	99	144907.6
587250	6360250	58787.73	58041.95	99	144918.1
587245	6360250	58792.79	58046.71	99	144929.4
587240	6360250	58794.25	58047.89	99	144947.2
587235	6360250	58797.67	58050.61	99	145007.6
587230	6360250	58795.05	58048.39	99	145027.9
587225	6360250	58792.06	58046.11	99	145049.8

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA028

line_X	station_Y	Field_nT	Corr_nT	signal	time
587220	6360250	58788.98	58042.93	99	145106.3
587215	6360250	58794.5	58049.18	99	145118.1
587210	6360250	58788.8	58044.22	99	145129.8
587205	6360250	58787.23	58043.36	99	145138.6
587200	6360250	58782.07	58038.67	99	145148.7
587195	6360250	58784.08	58040.79	99	145159.2
587190	6360250	58783.28	58040.28	99	145216.6
587185	6360250	58778.76	58036.06	99	145235
587180	6360250	58781.06	58039.7	99	145256.3
587175	6360250	58776.93	58035.78	99	145305.7
587170	6360250	58774.72	58034.01	99	145316.5
587165	6360250	58773.97	58033.07	99	145326.9
587160	6360250	58773.16	58032.99	99	145349.7
587155	6360250	58775.6	58035.43	99	145415.5
587150	6360250	58774.34	58033.24	99	145427.4
587145	6360250	58784.17	58034.17	99	145651.2
587140	6360250	58780.36	58029.81	99	145708.6
587135	6360250	58778.7	58027.92	99	145722.2
587130	6360250	58780.22	58028.78	99	145735.9
587125	6360250	58778.04	58026.7	99	145750.3
587120	6360250	58775.28	58023.81	99	145800.2
587115	6360250	58773.12	58021.87	99	145820
587110	6360250	58770.74	58019.17	99	145831.5
587105	6360250	58769.71	58018.25	99	145841.7
587100	6360250	58769.15	58018.42	99	145925.4
587095	6360250	58765.86	58015.55	99	145959.9
587090	6360250	58767.1	58016.95	99	150011.5
587085	6360250	58765.93	58015.97	99	150026.3
587080	6360250	58766.38	58016.28	99	150042.4
587075	6360250	58766.03	58016.28	99	150056.2
587070	6360250	58765.68	58015.81	99	150108.8
587065	6360250	58764.81	58015.09	99	150119.7
587060	6360250	58766.92	58016.75	99	150131.8
587055	6360250	58766.28	58015.96	99	150144.9
587050	6360250	58764.35	58014.13	99	150153.6

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA056

line_X	station_Y	field_nT	corr_nT	signal	time
568100	6369825	59028.82	58018.66	99	115453
568100	6369830	59030.23	58020.05	99	115511
568100	6369835	59038.66	58028.33	99	115523
568100	6369840	59032.87	58022.47	99	115535
568100	6369845	59031.88	58021.49	99	115544
568100	6369850	59032.29	58021.84	99	115553
568100	6369855	59032	58021.49	99	115605
568100	6369860	59034.67	58024.17	99	115614
568100	6369865	59038.25	58027.79	99	115623
568100	6369870	59039.74	58029.4	99	115635
568100	6369875	59040.23	58029.87	99	115644
568100	6369880	59035.55	58025.17	99	115653
568100	6369885	59036.08	58025.66	99	115705
568100	6369890	59037.3	58026.79	99	115720
568100	6369895	59042.12	58031.87	99	115738
568100	6369900	59046.07	58035.97	99	115750
568100	6369905	59044.65	58034.72	99	115802
568100	6369910	59041.23	58031.39	99	115811
568100	6369915	59041.11	58031.28	99	115820
568100	6369920	59041.19	58031.24	99	115832
568100	6369925	59044.79	58034.63	99	115844
568100	6369930	59044.93	58034.62	99	115856
568100	6369935	59043.8	58033.38	99	115908
568100	6369940	59043.98	58033.59	99	115920
568100	6369945	59045.91	58035.59	99	115929
568100	6369950	59045.67	58035.43	99	115938
568100	6369955	59041.13	58030.95	99	115953
568100	6369960	59040.34	58030.16	99	120005
568100	6369965	59041.28	58031.1	99	120017
568100	6369970	59040.77	58030.61	99	120026
568100	6369975	59042.46	58032.3	99	120041
568100	6369980	59043.29	58033.18	99	120053
568100	6369985	59041.95	58031.87	99	120105
568100	6369990	59047.22	58037.13	99	120117
568100	6369995	59046.44	58036.28	99	120126
568100	6370000	59047.03	58036.8	99	120132
568100	6370005	59048.04	58037.82	99	120141
568100	6370010	59046.06	58035.87	99	120150
568100	6370015	59045.39	58035.22	99	120202
568100	6370020	59044.92	58034.7	99	120211
568100	6370025	59044.31	58034.01	99	120220
568100	6370030	59047.4	58036.96	99	120229
568100	6370035	59048.7	58038.16	99	120238
568100	6370040	59049.54	58038.96	99	120247
568100	6370045	59049.6	58038.93	99	120259
568100	6370050	59052.75	58042.06	99	120308
568100	6370055	59052.81	58042.14	99	120317
568100	6370060	59049.87	58039.2	99	120326
568100	6370065	59051.07	58040.39	99	120335
568100	6370070	59054.01	58043.41	99	120344
568100	6370075	59059.36	58048.76	99	120356

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA056

line_X	station_Y	field_nT	corr_nT	signal	time
568100	6370080	59051.5	58040.86	99	120408
568100	6370085	59052.13	58041.47	99	120417
568100	6370090	59053.93	58043.3	99	120429
568100	6370095	59054.14	58043.56	99	120438
568100	6370100	59054.79	58044.2	99	120447
568100	6370105	59054.59	58043.99	99	120459
568100	6370110	59054.56	58043.93	99	120508
568100	6370115	59057.35	58046.74	99	120520
568100	6370120	59059.26	58048.64	99	120535
568100	6370125	59063.26	58052.72	99	120547
568100	6370130	59061.67	58051.25	99	120556
568100	6370135	59060.18	58049.85	99	120608
568100	6370140	59055.78	58045.49	99	120617
568100	6370145	59055.92	58045.65	99	120623
568100	6370150	59054.78	58044.55	99	120632
568100	6370155	59056.57	58046.32	99	120644
568100	6370160	59057.3	58047.02	99	120653
568100	6370165	59060.68	58050.33	99	120702
568100	6370170	59063.32	58053.01	99	120714
568100	6370175	59065.09	58054.84	99	120732
568050	6370175	59066.42	58055.52	99	121002
568050	6370170	59066.4	58055.38	99	121017
568050	6370165	59066.71	58055.66	99	121029
568050	6370160	59064.93	58053.92	99	121038
568050	6370155	59062.46	58051.5	99	121047
568050	6370150	59062.24	58051.34	99	121056
568050	6370145	59060.93	58050.14	99	121108
568050	6370140	59061.56	58050.85	99	121117
568050	6370135	59062.32	58051.77	99	121129
568050	6370130	59060.94	58050.45	99	121141
568050	6370125	59060.87	58050.4	99	121153
568050	6370120	59060.2	58049.7	99	121205
568050	6370115	59056.66	58046.15	99	121214
568050	6370110	59054.29	58043.75	99	121223
568050	6370105	59058.54	58047.98	99	121232
568050	6370100	59060.14	58049.58	99	121241
568050	6370095	59059.32	58048.77	99	121250
568050	6370090	59053.78	58043.27	99	121259
568050	6370085	59051.24	58040.75	99	121308
568050	6370080	59053.36	58042.87	99	121317
568050	6370075	59052.54	58042.11	99	121329
568050	6370070	59052.59	58042.21	99	121338
568050	6370065	59054.47	58044.09	99	121350
568050	6370060	59050.92	58040.48	99	121402
568050	6370055	59048.51	58038.04	99	121411
568050	6370050	59047.51	58037	99	121420
568050	6370045	59044.39	58033.9	99	121429
568050	6370040	59039.17	58028.73	99	121441
568050	6370035	59035.97	58025.63	99	121502
568050	6370030	59036.18	58026	99	121523
568050	6370025	59038.49	58028.33	99	121532

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA056

line_X	station_Y	field_nT	corr_nT	signal	time
568050	6370020	59036.16	58025.93	99	121544
568050	6370015	59039.88	58029.65	99	121556
568050	6370010	59049.71	58039.49	99	121608
568050	6370005	59046.44	58036.22	99	121626
568050	6370000	59057.38	58047.07	99	121638
568050	6369995	59073.43	58063.06	99	121650
568050	6369990	59076.79	58066.39	99	121702
568050	6369985	59080.6	58070.2	99	121714
568050	6369980	59076.82	58066.38	99	121723
568050	6369975	59067.8	58057.32	99	121732
568050	6369970	59063.71	58053.17	99	121747
568050	6369965	59076.84	58066.22	99	121759
568050	6369960	59073.48	58062.82	99	121811
568050	6369955	59070.44	58059.74	99	121820
568050	6369950	59074.84	58064.1	99	121832
568050	6369945	59079.31	58068.49	99	121844
568050	6369940	59060.93	58050.03	99	121853
568050	6369935	59043.21	58032.32	99	121902
568050	6369930	59041.08	58030.23	99	121911
568050	6369925	59036.7	58025.88	99	121920
568050	6369920	59034.67	58023.84	99	121929
568050	6369915	59034.05	58023.19	99	121941
568050	6369910	59035.62	58024.78	99	121953
568050	6369905	59035.04	58024.22	99	122002
568050	6369900	59036.6	58025.85	99	122011
568050	6369895	59035.6	58024.87	99	122020
568050	6369890	59034.64	58023.94	99	122029
568050	6369885	59035.95	58025.22	99	122041
568050	6369880	59039.07	58028.31	99	122056
568050	6369875	59038.9	58028.17	99	122105
568050	6369870	59036.67	58026	99	122117
568050	6369865	59035.75	58025.07	99	122129
568050	6369860	59036.26	58025.57	99	122144
568050	6369855	59036.23	58025.52	99	122156
568050	6369850	59032.23	58021.52	99	122208
568050	6369845	59032.06	58021.27	99	122226
568050	6369840	59030.49	58019.7	99	122302
568050	6369835	59030.19	58019.4	99	122326
568050	6369830	59037.11	58026.44	99	122359
568050	6369825	59032.46	58021.75	99	122520
568000	6369825	59036.73	58026.52	99	123720
568000	6369830	59041.43	58031.13	99	123744
568000	6369835	59041.52	58031.04	99	123802
568000	6369840	59034.17	58023.55	99	123841
568000	6369845	59037.33	58026.7	99	123850
568000	6369850	59038.17	58027.58	99	123905
568000	6369855	59039.04	58028.43	99	123920
568000	6369860	59028.84	58018.19	99	123929
568000	6369865	59039.11	58028.25	99	123950
568000	6369870	59031.44	58020.41	99	124008
568000	6369875	59040.22	58029.2	99	124023

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA056

line_X	station_Y	field_nT	corr_nT	signal	time
568000	6369880	59049.38	58038.37	99	124038
568000	6369885	59041.63	58030.6	99	124047
568000	6369890	59023.05	58012.03	99	124059
568000	6369895	59022.07	58011.02	99	124105
568000	6369900	59030.74	58019.7	99	124114
568000	6369905	59067.22	58056.12	99	124126
568000	6369910	59045.85	58034.65	99	124138
568000	6369915	59040.36	58029.08	99	124150
568000	6369920	59039.88	58028.52	99	124202
568000	6369925	59042.15	58030.75	99	124214
568000	6369930	59059.34	58047.94	99	124226
568000	6369935	59077.26	58065.86	99	124238
568000	6369940	59057.84	58046.51	99	124247
568000	6369945	59051.43	58040.06	99	124259
568000	6369950	59050.81	58039.45	99	124308
568000	6369955	59053.57	58042.21	99	124317
568000	6369960	59054.05	58042.69	99	124326
568000	6369965	59055.96	58044.57	99	124338
568000	6369970	59053.82	58042.4	99	124350
568000	6369975	59062.88	58051.45	99	124402
568000	6369980	59066.92	58055.41	99	124414
568000	6369985	59069.87	58058.32	99	124426
568000	6369990	59079.1	58067.54	99	124438
568000	6369995	59078.38	58066.73	99	124450
568000	6370000	59082.85	58071.2	99	124502
568000	6370005	59057.99	58046.33	99	124514
568000	6370010	59027.63	58015.92	99	124523
568000	6370015	59013.87	58002.09	99	124535
568000	6370020	59015.21	58003.38	99	124547
568000	6370025	59022.16	58010.38	99	124559
568000	6370030	59033.35	58021.57	99	124611
568000	6370035	59040.15	58028.37	99	124620
568000	6370040	59043.5	58031.65	99	124632
568000	6370045	59045.35	58033.48	99	124641
568000	6370050	59053.76	58041.95	99	124653
568000	6370055	59054.46	58042.6	99	124705
568000	6370060	59055.71	58043.81	99	124717
568000	6370065	59057	58045.07	99	124729
568000	6370070	59057.97	58045.97	99	124744
568000	6370075	59058.72	58046.72	99	124753
568000	6370080	59058.46	58046.47	99	124805
568000	6370085	59060.01	58047.98	99	124820
568000	6370090	59058.83	58046.82	99	124832
568000	6370095	59059.77	58047.8	99	124841
568000	6370100	59059.28	58047.35	99	124853
568000	6370105	59060.01	58048.07	99	124905
568000	6370110	59060.34	58048.36	99	124917
568000	6370115	59061.68	58049.68	99	124929
568000	6370120	59062.64	58050.68	99	124938
568000	6370125	59063	58051.07	99	124947
568000	6370130	59064.31	58052.4	99	124959

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA056

line_X	station_Y	field_nT	corr_nT	signal	time
568000	6370135	59063.58	58051.67	99	125017
568000	6370140	59068.25	58056.42	99	125032
568000	6370145	59068.75	58056.98	99	125044
568000	6370150	59069.59	58057.86	99	125053
568000	6370155	59069.9	58058.3	99	125105
568000	6370160	59070.14	58058.69	99	125117
568000	6370165	59069.51	58058.16	99	125129
568000	6370170	59068.98	58057.64	99	125138
568000	6370175	59071.14	58059.84	99	125150
567950	6370175	59063.38	58051.67	99	125535
567950	6370170	59064.04	58052.32	99	125544
567950	6370165	59063.05	58051.31	99	125553
567950	6370160	59063.93	58052.25	99	125629
567950	6370155	59062.37	58050.64	99	125644
567950	6370150	59063.05	58051.25	99	125653
567950	6370145	59065.01	58053.13	99	125705
567950	6370140	59062.85	58050.99	99	125720
567950	6370135	59062.84	58051.06	99	125732
567950	6370130	59061.13	58049.38	99	125741
567950	6370125	59061.53	58049.75	99	125750
567950	6370120	59061.22	58049.4	99	125802
567950	6370115	59057.87	58046.12	99	125811
567950	6370110	59054.78	58043.16	99	125823
567950	6370105	59057.69	58046.16	99	125832
567950	6370100	59057.24	58045.75	99	125844
567950	6370095	59054.12	58042.55	99	125856
567950	6370090	59053.69	58042	99	125908
567950	6370085	59050.75	58039.03	99	125917
567950	6370080	59046.17	58034.43	99	125923
567950	6370075	59043.16	58031.22	99	125935
567950	6370070	59035.29	58023.2	99	125947
567950	6370065	59023.47	58011.38	99	125959
567950	6370060	59019.83	58007.74	99	130008
567950	6370055	59024.39	58012.21	99	130017
567950	6370050	59027.21	58014.99	99	130026
567950	6370045	59057.94	58045.73	99	130038
567950	6370040	59089.43	58077.31	99	130050
567950	6370035	59118.45	58106.41	99	130059
567950	6370030	59129.49	58117.52	99	130108
567950	6370025	59130.57	58118.7	99	130117
567950	6370020	59105.3	58093.52	99	130129
567950	6370015	59080.94	58069.17	99	130141
567950	6370010	59078.75	58067.01	99	130150
567950	6370005	59082.44	58070.7	99	130202
567950	6370000	59083.27	58071.54	99	130211
567950	6369995	59080.1	58068.49	99	130223
567950	6369990	59067	58055.49	99	130235
567950	6369985	59059.44	58048.03	99	130244
567950	6369980	59065.27	58053.9	99	130253
567950	6369975	59066.15	58054.77	99	130305
567950	6369970	59068.16	58056.68	99	130314

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA056

line_X	station_Y	field_nT	corr_nT	signal	time
567950	6369965	59061.77	58050.33	99	130326
567950	6369960	59041.16	58029.84	99	130338
567950	6369955	59017.69	58006.33	99	130350
567950	6369950	59026.11	58014.55	99	130402
567950	6369945	59067.38	58055.69	99	130414
567950	6369940	59042.24	58030.48	99	130429
567950	6369935	59036.82	58025.05	99	130438
567950	6369930	59044.31	58032.52	99	130447
567950	6369925	59049.24	58037.4	99	130456
567950	6369920	59048.92	58037.03	99	130505
567950	6369915	59059.19	58047.23	99	130514
567950	6369910	59071.46	58059.4	99	130523
567950	6369905	59086.26	58074.15	99	130529
567950	6369900	59066.5	58054.32	99	130538
567950	6369895	59038.58	58026.35	99	130547
567950	6369890	59057.79	58045.54	99	130556
567950	6369885	59083.65	58071.32	99	130605
567950	6369880	59069.84	58057.48	99	130614
567950	6369875	59047.7	58035.29	99	130623
567950	6369870	59043.34	58030.9	99	130635
567950	6369865	59038.56	58026.17	99	130644
567950	6369860	59031.93	58019.58	99	130656
567950	6369855	59030.57	58018.25	99	130705
567950	6369850	59042.83	58030.59	99	130717
567950	6369845	59044.58	58032.4	99	130729
567950	6369840	59051.42	58039.29	99	130741
567950	6369835	59048.54	58036.51	99	130759
567950	6369830	59040.37	58028.45	99	130817
567950	6369825	59039.3	58027.48	99	130835
567900	6369825	59043.79	58032.38	99	131526
567900	6369825	59043.76	58032.37	99	131532
567900	6369830	59039.29	58027.89	99	131544
567900	6369835	59038.53	58027.17	99	131605
567900	6369840	59040.41	58029.11	99	131620
567900	6369845	59044.67	58033.33	99	131632
567900	6369850	59043.99	58032.61	99	131644
567900	6369855	59047.86	58036.44	99	131656
567900	6369860	59056.14	58044.71	99	131711
567900	6369865	59034.62	58023.17	99	131723
567900	6369870	59034.57	58023.11	99	131732
567900	6369875	59040.91	58029.43	99	131741
567900	6369880	59051.87	58040.37	99	131756
567900	6369885	59071.59	58060.03	99	131808
567900	6369890	59042.6	58031.09	99	131820
567900	6369895	59038.63	58027.08	99	131829
567900	6369900	59045.05	58033.48	99	131838
567900	6369905	59048.96	58037.37	99	131850
567900	6369910	59050.87	58039.27	99	131908
567900	6369915	59032.01	58020.4	99	131920
567900	6369920	59032.19	58020.69	99	131932
567900	6369925	59047.07	58035.59	99	131944

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA056

line_X	station_Y	field_nT	corr_nT	signal	time
567900	6369930	59048.24	58036.75	99	131956
567900	6369935	59059.78	58048.31	99	132008
567900	6369940	59056.84	58045.41	99	132020
567900	6369945	59064.34	58052.92	99	132032
567900	6369950	59078.22	58066.81	99	132041
567900	6369955	59088.13	58076.72	99	132053
567900	6369960	59091.21	58079.87	99	132105
567900	6369965	59100.29	58088.91	99	132117
567900	6369970	59110.15	58098.76	99	132126
567900	6369975	59121.97	58110.56	99	132141
567900	6369980	59125.97	58114.56	99	132150
567900	6369985	59117.02	58105.6	99	132202
567900	6369990	59111.28	58099.79	99	132214
567900	6369995	59118.31	58106.81	99	132223
567900	6370000	59127.87	58116.38	99	132232
567900	6370005	59128.07	58116.56	99	132244
567900	6370010	59125.32	58113.82	99	132256
567900	6370015	59119.13	58107.63	99	132305
567900	6370020	59124.52	58113.03	99	132314
567900	6370025	59128.88	58117.43	99	132323
567900	6370030	59127.39	58115.91	99	132335
567900	6370035	59113.75	58102.2	99	132350
567900	6370040	59070.95	58059.41	99	132402
567900	6370045	59049.83	58038.28	99	132414
567900	6370050	59044.43	58032.81	99	132426
567900	6370055	59047.14	58035.51	99	132444
567900	6370060	59052.59	58040.97	99	132456
567900	6370065	59052.32	58040.65	99	132508
567900	6370070	59050.63	58038.94	99	132520
567900	6370075	59045.24	58033.55	99	132535
567900	6370080	59047.35	58035.68	99	132550
567900	6370085	59052.71	58041.07	99	132602
567900	6370090	59059.03	58047.38	99	132614
567900	6370095	59059.62	58048.02	99	132626
567900	6370100	59059.65	58048.12	99	132635
567900	6370105	59060.21	58048.71	99	132647
567900	6370110	59059.84	58048.39	99	132659
567900	6370115	59061.15	58049.76	99	132711
567900	6370120	59062.08	58050.77	99	132723
567900	6370125	59062.22	58050.95	99	132732
567900	6370130	59067.28	58056.02	99	132744
567900	6370135	59071.47	58060.27	99	132756
567900	6370140	59071.55	58060.4	99	132805
567900	6370145	59072.47	58061.31	99	132811
567900	6370150	59072.01	58060.9	99	132820
567900	6370155	59073.35	58062.29	99	132829
567900	6370160	59075.09	58064.1	99	132841
567900	6370165	59076.15	58065.22	99	132853
567900	6370170	59077.9	58067.03	99	132905
567900	6370175	59077.29	58066.43	99	132914
567850	6370175	59076.43	58065.28	99	133029

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA056

line_X	station_Y	field_nT	corr_nT	signal	time
567850	6370170	59076.57	58065.36	99	133038
567850	6370165	59072.91	58061.65	99	133047
567850	6370160	59068.94	58057.59	99	133102
567850	6370155	59069.9	58058.53	99	133120
567850	6370150	59067.78	58056.41	99	133129
567850	6370145	59070.33	58058.96	99	133138
567850	6370140	59069.09	58057.71	99	133147
567850	6370135	59068.6	58057.19	99	133156
567850	6370130	59069.41	58057.96	99	133211
567850	6370125	59068.4	58056.94	99	133220
567850	6370120	59071.51	58060.05	99	133232
567850	6370115	59071.69	58060.2	99	133241
567850	6370110	59067.94	58056.45	99	133253
567850	6370105	59065.48	58053.96	99	133302
567850	6370100	59062.67	58051.1	99	133311
567850	6370095	59056.93	58045.31	99	133323
567850	6370090	59052.37	58040.72	99	133335
567850	6370085	59050.1	58038.42	99	133344
567850	6370080	59051.22	58039.45	99	133359
567850	6370075	59057.14	58045.32	99	133411
567850	6370070	59074.55	58062.69	99	133423
567850	6370065	59077.34	58065.46	99	133432
567850	6370060	59058.68	58046.78	99	133441
567850	6370055	59039.63	58027.78	99	133453
567850	6370050	59029.26	58017.46	99	133502
567850	6370045	59025.9	58014.12	99	133514
567850	6370040	59041.52	58029.7	99	133523
567850	6370035	59049.01	58037.19	99	133535
567850	6370030	59068.55	58056.75	99	133544
567850	6370025	59079.12	58067.3	99	133553
567850	6370020	59084.95	58073.1	99	133605
567850	6370015	59085.74	58073.86	99	133614
567850	6370010	59085.2	58073.31	99	133623
567850	6370005	59088.55	58076.7	99	133632
567850	6370000	59085.07	58073.27	99	133644
567850	6369995	59089.41	58077.69	99	133653
567850	6369990	59083.5	58071.81	99	133702
567850	6369985	59089.5	58077.86	99	133714
567850	6369980	59107.58	58095.97	99	133726
567850	6369975	59101.5	58090	99	133741
567850	6369970	59095.95	58084.47	99	133753
567850	6369965	59105.36	58093.84	99	133802
567850	6369960	59120.44	58108.92	99	133811
567850	6369955	59080.77	58069.18	99	133820
567850	6369950	59061.33	58049.68	99	133832
567850	6369945	59065.9	58054.16	99	133844
567850	6369940	59073.14	58061.38	99	133856
567850	6369935	59082.01	58070.32	99	133908
567850	6369930	59079.75	58068.09	99	133917
567850	6369925	59073.73	58062.07	99	133929
567850	6369920	59069.99	58058.4	99	133938

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA056

line_X	station_Y	field_nT	corr_nT	signal	time
567850	6369915	59052.36	58040.75	99	133947
567850	6369910	59044.32	58032.73	99	133959
567850	6369905	59041.05	58029.46	99	134008
567850	6369900	59040.25	58028.62	99	134014
567850	6369895	59053.49	58041.85	99	134023
567850	6369890	59055.36	58043.65	99	134035
567850	6369885	59052.68	58040.96	99	134044
567850	6369880	59036.53	58024.82	99	134056
567850	6369875	59041.87	58030.13	99	134105
567850	6369870	59058.9	58047.18	99	134114
567850	6369865	59041.61	58029.83	99	134123
567850	6369860	59041.73	58029.87	99	134138
567850	6369855	59035.54	58023.7	99	134153
567850	6369850	59045.6	58033.79	99	134205
567850	6369845	59043.5	58031.68	99	134217
567850	6369840	59047.26	58035.47	99	134226
567850	6369835	59043.65	58031.85	99	134238
567850	6369830	59042.72	58030.92	99	134244
567850	6369825	59042.24	58030.42	99	134250
567800	6369850	59043.3	58031.83	99	134505
567800	6369855	59040.36	58028.85	99	134517
567800	6369860	59047.93	58036.29	99	134553
567800	6369865	59046.07	58034.31	99	134620
567800	6369870	59061.94	58050.23	99	134635
567800	6369875	59101.43	58089.85	99	134653
567800	6369880	59096.55	58085.05	99	134705
567800	6369885	59065.98	58054.5	99	134717
567800	6369890	59032.88	58021.37	99	134726
567800	6369895	59037.04	58025.46	99	134738
567800	6369900	59061.78	58050.14	99	134747
567800	6369905	59080.75	58069.05	99	134759
567800	6369910	59067.08	58055.27	99	134811
567800	6369915	59034.41	58022.62	99	134823
567800	6369920	59037.65	58025.86	99	134832
567800	6369925	59040.02	58028.2	99	134844
567800	6369930	59040.71	58028.89	99	134856
567800	6369935	59043.96	58032.07	99	134908
567800	6369940	59043.9	58031.91	99	134920
567800	6369945	59047.64	58035.59	99	134932
567800	6369950	59054.21	58042.11	99	134941
567800	6369955	59069.35	58057.26	99	134953
567800	6369960	59066.41	58054.34	99	135014
567800	6369965	59061.46	58049.36	99	135023
567800	6369970	59060.45	58048.37	99	135032
567800	6369975	59056.44	58044.39	99	135041
567800	6369980	59054.19	58042.2	99	135053
567800	6369985	59057.96	58046	99	135105
567800	6369990	59058.24	58046.31	99	135114
567800	6369995	59058.73	58046.84	99	135126
567800	6370000	59062.67	58050.77	99	135135
567800	6370005	59065.78	58053.93	99	135147

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA056

line_X	station_Y	field_nT	corr_nT	signal	time
567800	6370010	59066.41	58054.58	99	135159
567800	6370015	59067.79	58056.09	99	135214
567800	6370020	59070.43	58058.85	99	135226
567800	6370025	59070.65	58059.1	99	135235
567800	6370030	59071.77	58060.3	99	135247
567800	6370035	59075.28	58063.83	99	135259
567800	6370040	59071	58059.57	99	135311
567800	6370045	59071.23	58059.85	99	135329
567800	6370050	59061.45	58050.1	99	135341
567800	6370055	59059.18	58047.87	99	135353
567800	6370060	59066.33	58055.01	99	135405
567800	6370065	59052.98	58041.68	99	135429
567800	6370070	59052.18	58040.86	99	135438
567800	6370075	59054.21	58042.83	99	135453
567800	6370080	59060.25	58048.83	99	135502
567800	6370085	59067.75	58056.27	99	135514
567800	6370090	59071.34	58059.8	99	135523
567800	6370095	59071.77	58060.17	99	135535
567800	6370100	59070.92	58059.36	99	135544
567800	6370105	59072.62	58061.09	99	135556
567800	6370110	59074.54	58062.87	99	135608
567800	6370115	59074.24	58062.49	99	135617
567800	6370120	59073.87	58062.11	99	135623
567800	6370125	59072.79	58061.08	99	135629
567800	6370130	59072.26	58060.53	99	135638
567800	6370135	59070.84	58059.12	99	135647
567800	6370140	59070.88	58059.15	99	135656
567800	6370145	59071.05	58059.29	99	135705
567800	6370150	59070.52	58058.74	99	135714
567800	6370155	59069.54	58057.78	99	135729
567800	6370160	59070.4	58058.68	99	135741
567800	6370165	59073.76	58062.09	99	135753
567800	6370170	59078.24	58066.51	99	135808
567800	6370175	59078.89	58067.15	99	135820
567750	6370175	59079.36	58067.32	99	140102
567750	6370170	59081.18	58069.1	99	140114
567750	6370165	59080.12	58067.99	99	140123
567750	6370160	59079.35	58067.18	99	140132
567750	6370155	59078.36	58066.14	99	140144
567750	6370150	59077.22	58064.99	99	140153
567750	6370145	59075.5	58063.15	99	140205
567750	6370140	59075.08	58062.67	99	140217
567750	6370135	59074.06	58061.61	99	140226
567750	6370130	59073.64	58061.18	99	140235
567750	6370125	59072.39	58059.88	99	140247
567750	6370120	59071.06	58058.52	99	140256
567750	6370115	59073.19	58060.67	99	140305
567750	6370110	59072.39	58059.84	99	140314
567750	6370105	59069.48	58056.95	99	140323
567750	6370100	59068.89	58056.35	99	140332
567750	6370095	59065.05	58052.53	99	140344

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA056

line_X	station_Y	field_nT	corr_nT	signal	time
567750	6370090	59063.4	58050.83	99	140356
567750	6370085	59064.83	58052.3	99	140408
567750	6370080	59060.6	58048.09	99	140417
567750	6370075	59057.76	58045.3	99	140426
567750	6370070	59057.06	58044.63	99	140438
567750	6370065	59057.66	58045.24	99	140447
567750	6370060	59060.62	58048.22	99	140456
567750	6370055	59059.38	58047.03	99	140502
567750	6370050	59062.17	58049.8	99	140511
567750	6370045	59073.51	58061.12	99	140526
567750	6370040	59068.24	58055.81	99	140538
567750	6370035	59063.7	58051.21	99	140550
567750	6370030	59061.19	58048.62	99	140605
567750	6370025	59060.13	58047.54	99	140614
567750	6370020	59057.11	58044.51	99	140626
567750	6370015	59070.41	58057.74	99	140638
567750	6370010	59076.88	58064.2	99	140650
567750	6370005	59054.67	58041.92	99	140738
567750	6370000	59054.41	58041.4	99	140826
567750	6369995	59051.87	58038.76	99	140941
567750	6369990	59055.39	58042.3	99	141002
567750	6369985	59056.32	58043.27	99	141017
567750	6369980	59056.91	58043.95	99	141026
567750	6369975	59058.45	58045.56	99	141035
567750	6369970	59057.43	58044.67	99	141044
567750	6369965	59056.79	58044.08	99	141053
567750	6369960	59061.62	58048.93	99	141102
567750	6369955	59061.33	58048.67	99	141108
567750	6369950	59061.16	58048.5	99	141114
567750	6369945	59056.17	58043.57	99	141123
567750	6369940	59055.62	58043.13	99	141135
567750	6369935	59052.23	58039.79	99	141144
567750	6369930	59052.34	58039.94	99	141150
567750	6369925	59053.42	58041.03	99	141159
567750	6369920	59057.31	58044.93	99	141208
567750	6369915	59061.96	58049.63	99	141223
567750	6369910	59067.85	58055.57	99	141232
567750	6369905	59083.89	58071.6	99	141256
567750	6369900	59075.11	58062.8	99	141308
567750	6369895	59072.78	58060.4	99	141320
567750	6369890	59065.33	58052.95	99	141329
567750	6369885	59062.84	58050.44	99	141341
567750	6369880	59054.4	58041.89	99	141432
567750	6369875	59054.72	58042.18	99	141438
567750	6369870	59047.74	58035.16	99	141453
567750	6370000	59049.93	58038.21	99	142250
567755	6370000	59059.69	58047.86	99	142305
567760	6370000	59065.28	58053.26	99	142350
567765	6370000	59095.11	58082.98	99	142423
567770	6370000	59081.35	58069.18	99	142435
567775	6370000	59063.32	58051.17	99	142456

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA056

line_X	station_Y	field_nT	corr_nT	signal	time
567780	6370000	59062.53	58050.34	99	142511
567785	6370000	59063.23	58051.04	99	142526
567790	6370000	59053.49	58041.33	99	142547
567795	6370000	59058.31	58046.13	99	142556
567800	6370000	59063.83	58051.67	99	142602
567805	6370000	59069.26	58057.13	99	142614
567810	6370000	59058.33	58046.18	99	142629
567815	6370000	59059.85	58047.62	99	142641
567820	6370000	59074.15	58061.89	99	142653
567825	6370000	59057.13	58044.88	99	142708
567830	6370000	59045.09	58032.77	99	142720
567835	6370000	59046.07	58033.72	99	142729
567840	6370000	59047.27	58034.86	99	142741
567845	6370000	59066.62	58054.24	99	142753
567850	6370000	59084.32	58071.91	99	142805
567855	6370000	59092.71	58080.27	99	142817
567860	6370000	59080.55	58068.13	99	142829
567865	6370000	59090.99	58078.55	99	142838
567870	6370000	59102.35	58089.93	99	142850
567875	6370000	59124.22	58111.8	99	142908
567880	6370000	59131.9	58119.52	99	142923
567885	6370000	59144.42	58132.07	99	142938
567890	6370000	59148.02	58135.68	99	142953
567895	6370000	59145.18	58132.8	99	143002
567900	6370000	59127.69	58115.29	99	143011
567905	6370000	59106.4	58093.98	99	143020
567910	6370000	59110.08	58097.68	99	143032
567915	6370000	59117.78	58105.38	99	143041
567920	6370000	59106.27	58093.87	99	143050
567925	6370000	59108.99	58096.63	99	143102
567930	6370000	59111.74	58099.44	99	143114
567935	6370000	59114.51	58102.24	99	143123
567940	6370000	59097.58	58085.36	99	143135
567945	6370000	59091.13	58078.93	99	143147
567950	6370000	59082.91	58070.69	99	143156
567955	6370000	59088.52	58076.29	99	143208
567960	6370000	59076.19	58063.97	99	143217
567965	6370000	59057.42	58045.19	99	143226
567970	6370000	59055.8	58043.53	99	143238
567975	6370000	59063.87	58051.65	99	143250
567980	6370000	59070.17	58058.02	99	143302
567985	6370000	59074.1	58062.07	99	143317
567990	6370000	59073.73	58061.9	99	143347
567995	6370000	59084.54	58072.8	99	143359
568000	6370000	59078.9	58067.21	99	143411
568005	6370000	59067.04	58055.36	99	143423
568010	6370000	59069.55	58057.83	99	143435
568015	6370000	59057.28	58045.55	99	143444
568020	6370000	59070.14	58058.31	99	143456
568025	6370000	59076.42	58064.61	99	143505
568030	6370000	59057.41	58045.85	99	143529

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA056

line_X	station_Y	field_nT	corr_nT	signal	time
568035	6370000	59069.48	58057.91	99	143544
568040	6370000	59067.08	58055.45	99	143556
568045	6370000	59064.63	58052.98	99	143608
568050	6370000	59059.22	58047.56	99	143617
568055	6370000	59042.1	58030.44	99	143629
568060	6370000	59029.38	58017.51	99	143641
568065	6370000	59033.53	58021.6	99	143656
568070	6370000	59028.99	58017.14	99	143711
568075	6370000	59035	58023.14	99	143723
568080	6370000	59032.8	58020.94	99	143735
568085	6370000	59043.39	58031.53	99	143744
568090	6370000	59045.87	58033.87	99	143820
568095	6370000	59047.08	58035.05	99	143832
568100	6370000	59048.63	58036.59	99	143841

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA060

line_X	station_Y	Field_nT	Corr_nT	signal	time
582400	6364100	58775.87	58000.3	99	111430.3
582400	6364105	58779.54	58003.42	99	111442.5
582400	6364110	58780.68	58004.59	99	111455.7
582400	6364115	58778.45	58002.46	99	111512.7
582400	6364120	58780.37	58004.3	99	111527.1
582400	6364125	58783.78	58008.07	99	111536
582400	6364130	58785.06	58008.78	99	111546.5
582400	6364135	58779.02	58003.01	99	111555.5
582400	6364140	58775.23	57999.79	99	111606.8
582400	6364145	58778.17	58001.87	99	111620.4
582400	6364150	58779.18	58002.84	99	111632.1
582400	6364155	58777.18	58001.62	99	111643.6
582400	6364160	58779.19	58003.13	99	111655.3
582400	6364165	58777.05	58000.84	99	111706.8
582400	6364170	58774.43	57998.26	99	111735.9
582400	6364175	58775.03	57999.26	99	111751
582400	6364180	58774.88	57999.19	99	111806.8
582400	6364185	58777.47	58001.61	99	111818.5
582400	6364190	58783	58006.39	99	111830.7
582400	6364195	58781.17	58004.9	99	111843.1
582400	6364200	58778.43	58003.01	99	111853.8
582400	6364205	58770.99	57994.97	99	111905
582400	6364210	58772.06	57995.83	99	111914
582400	6364215	58772.17	57996.47	99	111926.8
582400	6364220	58772.1	57995.86	99	111937.9
582400	6364225	58771.48	57995.27	99	111947.9
582400	6364230	58770.01	57994.53	99	111958.1
582400	6364235	58772.14	57996.19	99	112008.5
582400	6364240	58771.56	57995.55	99	112019.9
582400	6364245	58770.94	57995.35	99	112030.1
582400	6364250	58773.39	57997.14	99	112041.9
582400	6364255	58769.27	57993.15	99	112050.9
582400	6364260	58772.82	57997.28	99	112103.3
582400	6364265	58775.23	57998.9	99	112112.6
582400	6364270	58779.85	58003.8	99	112258.2
582400	6364275	58772.98	57997.79	99	112309.9
582400	6364280	58767.79	57991.62	99	112320.3
582400	6364285	58767.54	57990.95	99	112329.2
582400	6364290	58769.92	57993.35	99	112337.6
582400	6364295	58771.68	57995.55	99	112356.3
582400	6364300	58770.2	57994	99	112405.9
582400	6364305	58768.57	57992.89	99	112416.8
582400	6364310	58768.05	57992.13	99	112428.3
582400	6364315	58769.58	57993.84	99	112439.2
582400	6364320	58770.06	57994.74	99	112446.5
582400	6364325	58770.7	57994.66	99	112503.1
582400	6364330	58771.19	57995.66	99	112514.6
582400	6364335	58769.83	57994.74	99	112523.9
582400	6364340	58768.12	57992.18	99	112534.5
582400	6364345	58767.44	57990.5	99	112546.2
582400	6364350	58769.95	57994.54	99	112557.5

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA060

line_X	station_Y	Field_nT	Corr_nT	signal	time
582400	6364355	58776.95	58001.46	99	112608.6
582400	6364360	58778.3	58002.78	99	112618.7
582400	6364365	58769.31	57993.02	99	112635.3
582400	6364370	58777.15	58000.85	99	112643.6
582400	6364375	58777.89	58002.21	99	112659.3
582400	6364380	58775.85	57999.52	99	112710.9
582400	6364385	58770.72	57994.48	99	112720.9
582400	6364390	58772.43	57996.78	99	112731.7
582400	6364395	58771.95	57996.17	99	112742.9
582400	6364400	58771.32	57995.64	99	112759.5
582400	6364405	58773.75	57997.36	99	112816.2
582400	6364410	58773.56	57998.71	99	112832.3
582400	6364415	58780.72	58004.66	99	112843.5
582400	6364420	58776.12	57999.46	99	112853.3
582400	6364425	58778.44	58002.75	99	112904.5
582400	6364430	58775.49	57999.66	99	112915.1
582400	6364435	58779.91	58003.63	99	112925.6
582400	6364440	58778.12	58001.95	99	112935.7
582400	6364445	58776.51	58000.32	99	112950.1
582400	6364450	58782.54	58007.04	99	113001.7
582400	6364455	58787.82	58011.43	99	113011.2
582400	6364460	58795.11	58018.47	99	113021.5
582400	6364465	58797.2	58021.39	99	113032.2
582400	6364470	58774.89	57999.48	99	113041.3
582400	6364475	58771.01	57994.97	99	113053.4
582400	6364480	58773.97	57998.01	99	113105.3
582400	6364485	58778.07	58001.66	99	113115.3
582400	6364490	58783.44	58007.38	99	113125.6
582400	6364495	58786.11	58010.5	99	113137.6
582400	6364500	58786.81	58010.04	99	113149.9
582350	6364500	58769.07	57993.17	99	113303.5
582350	6364495	58763.83	57987.81	99	113314.8
582350	6364490	58761.44	57984.47	99	113325.6
582350	6364485	58762.97	57987.25	99	113340.7
582350	6364480	58768.86	57993.68	99	113349.3
582350	6364475	58766.07	57990.14	99	113358.7
582350	6364470	58784.2	58007.65	99	113408.5
582350	6364465	58826.22	58049.88	99	113422.1
582350	6364460	58782.61	58006.42	99	113431
582350	6364455	58773.7	57997.55	99	113438.7
582350	6364450	58785.31	58009.56	99	113447.2
582350	6364445	58794.76	58018.27	99	113456.9
582350	6364440	58790.95	58014.52	99	113506.6
582350	6364435	58793.51	58017.7	99	113516.4
582350	6364430	58790.46	58013.78	99	113532.4
582350	6364425	58792.26	58016.27	99	113546.4
582350	6364420	58797.29	58021.05	99	113557.6
582350	6364415	58796.48	58019.86	99	113607.1
582350	6364410	58810.33	58033.5	99	113615.2
582350	6364405	58816.63	58040.37	99	113625.1
582350	6364400	58797.49	58021.1	99	113633.1

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA060

line_X	station_Y	Field_nT	Corr_nT	signal	time
582350	6364395	58785.82	58009.63	99	113641.8
582350	6364390	58775.75	57999.8	99	113650.9
582350	6364385	58774.5	57997.68	99	113700.8
582350	6364380	58803.02	58026.14	99	113710.7
582350	6364375	58804.93	58028.48	99	113719.5
582350	6364370	58788.22	58011.37	99	113731.5
582350	6364365	58774.81	57997.88	99	113741.2
582350	6364360	58771.6	57995.4	99	113754.6
582350	6364355	58774.92	57997.68	99	113809.1
582350	6364350	58770.54	57993.64	99	113821.4
582350	6364345	58773.24	57996.58	99	113831.9
582350	6364340	58772.13	57995.55	99	113842
582350	6364335	58769.89	57993.26	99	113852.2
582350	6364330	58771.33	57994.28	99	113903.1
582350	6364325	58767.85	57990.89	99	113916.4
582350	6364320	58766.38	57990.55	99	113928.3
582350	6364315	58764.23	57987.79	99	113938.4
582350	6364310	58769.86	57993.11	99	113950.3
582350	6364305	58770.06	57993.62	99	114006.6
582350	6364300	58769.65	57993.53	99	114025.1
582350	6364295	58771.57	57995.2	99	114038.9
582350	6364290	58770.57	57994.16	99	114050.5
582350	6364285	58771.27	57995.19	99	114100.4
582350	6364280	58770.97	57994.26	99	114113.2
582350	6364275	58772.06	57995.51	99	114121.9
582350	6364270	58775.13	57999.26	99	114130.3
582350	6364265	58780.4	58003.89	99	114140.4
582350	6364260	58780.32	58003.27	99	114151.4
582350	6364255	58770.68	57994.13	99	114201.4
582350	6364250	58769.12	57992.78	99	114216.1
582350	6364245	58771.28	57995.01	99	114228.4
582350	6364240	58776.34	57999.51	99	114246.9
582350	6364235	58777.06	58000.11	99	114300.8
582350	6364230	58773.49	57997.05	99	114315.7
582350	6364225	58771.6	57995.05	99	114327.5
582350	6364220	58780.97	58003.89	99	114351.4
582350	6364215	58778.82	58001.97	99	114409.5
582350	6364210	58781.18	58003.59	99	114424.8
582350	6364205	58779.14	58002.05	99	114436.6
582350	6364200	58778.68	58001.21	99	114447.2
582350	6364195	58778.24	58000.34	99	114458.6
582350	6364190	58776.09	57998.5	99	114512
582350	6364185	58774.56	57996.64	99	114522.8
582350	6364180	58772.7	57995.02	99	114531.6
582350	6364175	58769.35	57992.17	99	114541.4
582350	6364170	58765.63	57987.42	99	114552.2
582350	6364165	58777.65	57999.2	99	114601.7
582350	6364160	58799.73	58022.07	99	114611.4
582350	6364155	58794.38	58016.51	99	114622.3
582350	6364150	58789.54	58012.19	99	114631.4
582350	6364145	58792.31	58014.71	99	114645.9

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA060

line_X	station_Y	Field_nT	Corr_nT	signal	time
582350	6364140	58796.47	58018.06	99	114655.5
582350	6364135	58790.79	58013.9	99	114713.4
582350	6364130	58786.65	58008.98	99	114729
582350	6364125	58783.73	58006.31	99	114743.7
582350	6364120	58781.82	58004.33	99	114756
582350	6364115	58780.06	58002.63	99	114805.9
582350	6364110	58783.33	58006.52	99	114815.8
582350	6364105	58783.43	58005.98	99	114826
582350	6364100	58784.77	58006.88	99	114836.9
582300	6364100	58779.98	58002.87	99	114948.3
582300	6364105	58778.92	58001.76	99	115024.9
582300	6364110	58778.48	58000.83	99	115035.6
582300	6364115	58780.25	58002.64	99	115045
582300	6364120	58781.74	58004.62	99	115055.2
582300	6364125	58779.22	58001.41	99	115103.1
582300	6364130	58785.76	58008.01	99	115112.4
582300	6364135	58781.75	58004.78	99	115126.3
582300	6364140	58783.76	58006.56	99	115151.5
582300	6364145	58775.85	57998.32	99	115202.7
582300	6364150	58770.55	57992.78	99	115212.6
582300	6364155	58772.69	57995.74	99	115225.1
582300	6364160	58773.68	57996.41	99	115236.5
582300	6364165	58771.47	57994.2	99	115251.9
582300	6364170	58768.38	57990.49	99	115310.4
582300	6364175	58766.17	57989.91	99	115327.6
582300	6364180	58774.47	57997.74	99	115337.4
582300	6364185	58778.28	58000.45	99	115350.8
582300	6364190	58779.1	58001.78	99	115400.7
582300	6364195	58775.24	57998.01	99	115410.9
582300	6364200	58773.92	57997.11	99	115419.7
582300	6364205	58776.1	57999.69	99	115429.2
582300	6364210	58775.36	57997.62	99	115443.2
582300	6364215	58779.07	58001.3	99	115454.5
582300	6364220	58775.68	57998.75	99	115505.6
582300	6364225	58772.68	57995.34	99	115517.4
582300	6364230	58764.65	57987.51	99	115530.5
582300	6364235	58755.75	57978.19	99	115543.9
582300	6364240	58765.85	57988.15	99	115557.8
582300	6364245	58812.33	58034.89	99	115611
582300	6364250	58834.81	58057.23	99	115625.2
582300	6364255	58823.96	58047.29	99	115637.1
582300	6364260	58831.46	58053.72	99	115655.9
582300	6364265	58854.06	58076.94	99	115706.6
582300	6364270	58888.28	58110.68	99	115720.7
582300	6364275	58889.85	58112.31	99	115730.4
582300	6364280	58857.77	58079.43	99	120336
582300	6364285	58816.59	58038.67	99	120349.6
582300	6364290	58792.85	58015.54	99	120357.2
582300	6364295	58776.77	57999.09	99	120417.1
582300	6364300	58758.09	57980.59	99	120428.4
582300	6364305	58738.83	57960.82	99	120438.6

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA060

line_X	station_Y	Field_nT	Corr_nT	signal	time
582300	6364310	58721.88	57944.22	99	120449.6
582300	6364315	58778.12	58001.3	99	120501.6
582300	6364320	58827.77	58050.17	99	120511.8
582300	6364325	58849.86	58072.14	99	120524.3
582300	6364330	58830.33	58052.49	99	120534.4
582300	6364335	58790.99	58013.31	99	120544.1
582300	6364340	58768.17	57990.88	99	120553.8
582300	6364345	58762.84	57986.07	99	120602.9
582300	6364350	58770.53	57993.02	99	120612.9
582300	6364355	58772.07	57994.18	99	120622.2
582300	6364360	58775.8	57998.54	99	120635.2
582300	6364365	58779.22	58002.08	99	120645.1
582300	6364370	58778.85	58002	99	120652.3
582300	6364375	58779.14	58002.54	99	120700.9
582300	6364380	58780.96	58003.15	99	120709.7
582300	6364385	58783.57	58005.62	99	120718.3
582300	6364390	58783.38	58006.22	99	120727.7
582300	6364395	58784.17	58007.81	99	120736.4
582300	6364400	58782.18	58005.48	99	120746
582300	6364405	58780.72	58003.74	99	120755.8
582300	6364410	58781.63	58004.6	99	120806.5
582300	6364415	58782.89	58005.2	99	120814.8
582300	6364420	58780.87	58003.74	99	120824.2
582300	6364425	58776.7	58000.71	99	120834.6
582300	6364430	58774.25	57997.5	99	120843.9
582300	6364435	58784.41	58007.3	99	120853.6
582300	6364440	58805.72	58029.11	99	120902.1
582300	6364445	58820.73	58044.03	99	120910.1
582300	6364450	58812.57	58035.2	99	120918.5
582300	6364455	58813.05	58035.75	99	120928.6
582300	6364460	58844.03	58066.8	99	120944.5
582300	6364465	58803.54	58026.41	99	120954.6
582300	6364470	58793.21	58016.71	99	121007.4
582300	6364475	58795.4	58017.95	99	121017.4
582300	6364480	58795.8	58018.21	99	121026.7
582300	6364485	58805.22	58028.88	99	121040.7
582300	6364490	58804.52	58027.7	99	121051.2
582300	6364495	58794.49	58017.5	99	121103.7
582300	6364500	58793.31	58016.59	99	121112.9
582300	6364505	58788.42	58011.75	99	121221.3
582300	6364510	58792.77	58015.66	99	121230.6
582300	6364515	58790.17	58013.08	99	121241.3
582300	6364520	58786.11	58008.83	99	121254.8
582300	6364525	58779.68	58002.57	99	121308.8
582250	6364525	58827.29	58050.09	99	121525.1
582250	6364520	58800.95	58022.69	99	121539.1
582250	6364515	58778.9	58002.03	99	121555.7
582250	6364510	58778.05	58000.54	99	121615.5
582250	6364505	58776.1	57998.1	99	121630.6
582250	6364500	58793.28	58014.61	99	121645.1
582250	6364495	58790.63	58013.06	99	121655.9

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA060

line_X	station_Y	Field_nT	Corr_nT	signal	time
582250	6364490	58794.68	58017.28	99	121706.2
582250	6364485	58803.78	58026.37	99	121718.2
582250	6364480	58813.38	58035.58	99	121729.4
582250	6364475	58812.87	58034.31	99	121739.1
582250	6364470	58814.2	58036	99	121748.8
582250	6364465	58814.27	58037.38	99	121758.9
582250	6364460	58816.07	58038.72	99	121808.3
582250	6364455	58824.01	58046.38	99	121817.3
582250	6364450	58826.62	58049.39	99	121825.5
582250	6364445	58827.2	58049.07	99	121837.7
582250	6364440	58815.37	58037.38	99	121848.7
582250	6364435	58792.08	58015.14	99	121856.9
582250	6364430	58786.36	58009.16	99	121907.9
582250	6364425	58782.11	58004.6	99	121917
582250	6364420	58779.22	58015.85	99	121925.6
582250	6364415	58782.91	58005.11	99	121934.1
582250	6364410	58784.73	58006.83	99	121944.6
582250	6364405	58784.01	58006.53	99	121953.3
582250	6364400	58786.14	58009.11	99	122005.6
582250	6364395	58784.64	58007.45	99	122016.2
582250	6364390	58785.24	58007.99	99	122025
582250	6364385	58785.86	58008.5	99	122034.3
582250	6364380	58786.01	58008.08	99	122042.2
582250	6364375	58787.2	58009.31	99	122050.4
582250	6364370	58783.67	58006.28	99	122058.9
582250	6364365	58780.58	58002.48	99	122107.9
582250	6364360	58774.93	57996.91	99	122116.8
582250	6364355	58768.54	57990.62	99	122125.1
582250	6364350	58762.34	57984.78	99	122134.2
582250	6364345	58755.39	57976.82	99	122143.8
582250	6364340	58759.23	57980.46	99	122153.3
582250	6364335	58779.88	58001.97	99	122203.5
582250	6364330	58784.8	58006.56	99	122214.2
582250	6364325	58786.8	58008.67	99	122225.8
582250	6364320	58794.86	58017.23	99	122235.3
582250	6364315	58789.35	58010.95	99	122245.5
582250	6364310	58793.25	58014.68	99	122254.5
582250	6364305	58794.57	58016.5	99	122301.6
582250	6364300	58798.98	58020.67	99	122312.1
582250	6364295	58843.28	58064.98	99	122322.2
582250	6364290	58824.65	58046.63	99	122333.1
582250	6364285	58852.01	58073.3	99	122343.4
582250	6364280	58857.16	58078.34	99	122352.5
582250	6364275	58854.16	58076.24	99	122403.9
582250	6364270	58853.39	58074.64	99	122425.4
582250	6364265	58860.68	58082.21	99	122437.8
582250	6364260	58864.17	58085.55	99	122447.9
582250	6364255	58863.64	58085.47	99	122458.2
582250	6364250	58869.86	58092.12	99	122507.1
582250	6364245	58872.17	58093.52	99	122518.1
582250	6364240	58874.34	58095.58	99	122527.6

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA060

line_X	station_Y	Field_nT	Corr_nT	signal	time
582250	6364235	58853.09	58074.96	99	122538.1
582250	6364230	58849.61	58071.07	99	122547.9
582250	6364225	58842.59	58064.24	99	122559.9
582250	6364220	58820.54	58042.5	99	122614.5
582250	6364215	58793.07	58014.38	99	122624.8
582250	6364210	58789.61	58010.98	99	122633.4
582250	6364205	58787.93	58009.97	99	122643.4
582250	6364200	58785.68	58007.31	99	122659.3
582250	6364195	58786.17	58008.22	99	122719.4
582250	6364190	58781.86	58003.8	99	122740.8
582250	6364185	58770.38	57992.18	99	122750.3
582250	6364180	58770.65	57992.68	99	122801
582250	6364175	58773.3	57995.53	99	122809.8
582250	6364170	58773.75	57995.14	99	122819.1
582250	6364165	58778.93	58000.54	99	122834.7
582250	6364160	58780.89	58002.44	99	122849.1
582250	6364155	58775	57995.89	99	122901.2
582250	6364150	58772.4	57994.37	99	122912.1
582250	6364145	58779.35	58000.86	99	122932.2
582250	6364140	58780.55	58002.09	99	122945
582250	6364135	58782.96	58004.14	99	122954.7
582250	6364130	58785.09	58006.64	99	123004.4
582250	6364125	58786.31	58008.46	99	123013.8
582250	6364120	58788.57	58009.97	99	123023
582250	6364115	58791.17	58012.43	99	123032.2
582250	6364110	58791.92	58013.51	99	123046
582250	6364105	58788.36	58009.36	99	123101.9
582250	6364100	58784.14	58006.08	99	123113.3
582200	6364100	58791.06	58012.73	99	123348.2
582200	6364105	58785.22	58005.87	99	123404
582200	6364110	58783.23	58003.69	99	123412.9
582200	6364115	58785.92	58007.07	99	123421.5
582200	6364120	58796.36	58017.42	99	123430.7
582200	6364125	58812.73	58034.19	99	123442.4
582200	6364130	58828.07	58049.43	99	123453.9
582200	6364135	58820.7	58040.6	99	123506.2
582200	6364140	58812.08	58033.65	99	123526
582200	6364145	58811.41	58032.27	99	123543.1
582200	6364150	58802.76	58023.86	99	123557.1
582200	6364155	58799.78	58020.14	99	123607.8
582200	6364160	58798.95	58019.33	99	123616.2
582200	6364165	58809.72	58030.99	99	123626.4
582200	6364170	58808.23	58029.19	99	123633.7
582200	6364175	58797.64	58018.67	99	123642.5
582200	6364180	58789.36	58010.69	99	123651.5
582200	6364185	58782.92	58003.57	99	123704.2
582200	6364190	58780.83	58001.74	99	123715
582200	6364195	58763.87	57985.47	99	123725.4
582200	6364200	58781.99	58003.03	99	123739
582200	6364205	58808.33	58029.96	99	123751
582200	6364210	58845.19	58066.29	99	123809.5

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA060

line_X	station_Y	Field_nT	Corr_nT	signal	time
582200	6364215	58846.36	58067.49	99	123819.9
582200	6364220	58856.33	58077.95	99	123830.3
582200	6364225	58846.89	58067.87	99	123839.9
582200	6364230	58823.62	58044.81	99	123848.9
582200	6364235	58808.51	58030.47	99	123858.8
582200	6364240	58810.56	58031.63	99	123908.4
582200	6364245	58816.28	58037.1	99	123918.6
582200	6364250	58817.14	58038.94	99	123928.1
582200	6364255	58834.67	58056.31	99	123937.2
582200	6364260	58864.72	58085.95	99	123947.4
582200	6364265	58824.45	58045.56	99	123957.1
582200	6364270	58809.15	58029.72	99	124007.2
582200	6364275	58810.02	58031.18	99	124019
582200	6364280	58809.29	58030.99	99	124028.2
582200	6364285	58802.93	58023.71	99	124037.6
582200	6364290	58797.79	58018.31	99	124046.9
582200	6364295	58782.18	58003.24	99	124059.3
582200	6364300	58775.15	57995.65	99	124110.6
582200	6364305	58786.26	58006.71	99	124123.2
582200	6364310	58800.14	57912.72	99	124132.2
582200	6364315	58807.5	58028.25	99	124144.3
582200	6364320	58796.01	58017.53	99	124205.7
582200	6364325	58780.09	58000.87	99	124216.5
582200	6364330	58747.93	57968.97	99	124233.5
582200	6364335	58757.55	57978.16	99	124244.5
582200	6364340	58767.03	57987.94	99	124254
582200	6364345	58770.32	57991.62	99	124302.1
582200	6364350	58774.03	57994.51	99	124320.6
582200	6364355	58777.33	57998.22	99	124509.9
582200	6364360	58793.97	58014.72	99	124520
582200	6364365	58817.2	58037.67	99	124536.5
582200	6364370	58781.46	58001.69	99	124549.9
582200	6364375	58778.71	57999.99	99	124604.1
582200	6364380	58779.98	58000.44	99	124614.7
582200	6364385	58785.61	58005.8	99	124625.8
582200	6364390	58785.85	58006.27	99	124643
582200	6364395	58787.86	58008.29	99	124651.9
582200	6364400	58792.22	58013.11	99	124659.4
582200	6364405	58796.2	58017.2	99	124707.9
582200	6364410	58798.71	58019.53	99	124717.7
582200	6364415	58790.87	58012.09	99	124728.9
582200	6364420	58786.85	58007.62	99	124737.4
582200	6364425	58787.47	58007.98	99	124748.9
582200	6364430	58787.8	58009.71	99	124759.3
582200	6364435	58787.26	58009.04	99	124808
582200	6364440	58791.47	58012.01	99	124818.5
582200	6364445	58796.41	58016.67	99	124826.5
582200	6364450	58794.2	58015.2	99	124834.7
582200	6364455	58799.23	58020.06	99	124849.5
582200	6364460	58788.14	58009.51	99	124902.9
582200	6364465	58793.59	58014.74	99	124912.4

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA060

line_X	station_Y	Field_nT	Corr_nT	signal	time
582200	6364470	58805.52	58026.13	99	124923.6
582200	6364475	58800.11	58020.96	99	124933.5
582200	6364480	58784.35	58004.93	99	124943.2
582200	6364485	58782.46	58003.5	99	124953.9
582200	6364490	58783.83	58006.03	99	125005.1
582200	6364495	58786.41	58008	99	125013.8
582200	6364500	58795.32	58016.14	99	125023.9
582150	6364500	58795.68	58017.24	99	125614.6
582150	6364495	58796.31	58017.25	99	125628.7
582150	6364490	58797.24	58018.55	99	125641.9
582150	6364485	58795.95	58016.84	99	125649.6
582150	6364480	58795.01	58015.77	99	125658.7
582150	6364475	58795.84	58016.85	99	125711.1
582150	6364470	58794.83	58015.19	99	125730.8
582150	6364465	58795.47	58016.34	99	125746.3
582150	6364460	58795.33	58015.7	99	125805.4
582150	6364455	58795.3	58016.19	99	125815.9
582150	6364450	58796.35	58016.49	99	125825.7
582150	6364445	58794.79	58015.27	99	125839.8
582150	6364440	58795.25	58015.91	99	125851.8
582150	6364435	58794.88	58015.42	99	125903.1
582150	6364430	58793.85	58013.96	99	125923.4
582150	6364425	58795.11	58015	99	125935.1
582150	6364420	58797.04	58017.58	99	130000.7
582150	6364415	58797.59	58018.1	99	130017.6
582150	6364410	58796.47	58016.88	99	130031.5
582150	6364405	58796.79	58017.84	99	130044
582150	6364400	58796.95	58017.49	99	130053.4
582150	6364395	58797.03	58017.52	99	130101.9
582150	6364390	58797.03	58017.33	99	130110.2
582150	6364385	58796.78	58016.63	99	130123.8
582150	6364380	58794.82	58015.37	99	130134.1
582150	6364375	58795.19	58016.44	99	130145
582150	6364370	58794.25	58015.14	99	130154.2
582150	6364365	58792.83	58013.23	99	130203.9
582150	6364360	58790.4	58011.38	99	130215.1
582150	6364355	58785.19	58005.73	99	130226.1
582150	6364350	58779.42	57999.95	99	130238.3
582150	6364345	58779.39	58000.63	99	130248.2
582150	6364340	58797.77	58018.8	99	130300.3
582150	6364335	58810.08	58031.17	99	130311.3
582150	6364330	58790.74	58011.73	99	130328.2
582150	6364325	58779.35	58000.58	99	130342.8
582150	6364320	58775.62	57996.93	99	130353.2
582150	6364315	58803.17	58023.67	99	130403.3
582150	6364310	58789.66	58010.27	99	130416.4
582150	6364305	58798.59	58018.55	99	130428.2
582150	6364300	58810.05	58030.23	99	130438.4
582150	6364295	58811.62	58032.41	99	130447.7
582150	6364290	58807.27	58027.29	99	130457.4
582150	6364285	58819.69	58039.49	99	130507.6

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA060

line_X	station_Y	Field_nT	Corr_nT	signal	time
582150	6364280	58813.7	58034.08	99	130519.6
582150	6364275	58802.09	58021.9	99	130532.3
582150	6364270	58790.29	58010.06	99	130541.4
582150	6364265	58785.9	58006.32	99	130550.5
582150	6364260	58787.18	58007.06	99	130559.4
582150	6364255	58806.31	58025.7	99	130613.6
582150	6364250	58835.43	58055.41	99	130624.8
582150	6364245	58841.24	58061.11	99	130635.3
582150	6364240	58840.78	58060.94	99	130644.2
582150	6364235	58830.39	58050.94	99	130652.8
582150	6364230	58848.36	58068.07	99	130701.6
582150	6364225	58839.28	58058.88	99	130713.2
582150	6364220	58840.13	58060.31	99	130722.9
582150	6364215	58838.91	58058.5	99	130735.4
582150	6364210	58845.61	58065.75	99	130750.3
582150	6364205	58858.65	58078.32	99	130759.9
582150	6364200	58862.35	58082.19	99	130812.1
582150	6364195	58859.2	58079.41	99	130825.2
582150	6364190	58847.09	58066.49	99	130835.7
582150	6364185	58831.44	58051.34	99	130846.5
582150	6364180	58813.26	58033.31	99	130855.2
582150	6364175	58804.36	58023.73	99	130904.9
582150	6364170	58792.61	58011.97	99	130914.4
582150	6364165	58790.21	58009.98	99	130923.4
582150	6364160	58785.22	58004.46	99	130933.6
582150	6364155	58807.57	58027.18	99	130950.9
582150	6364150	58830.05	58049.17	99	131001.2
582150	6364145	58835.21	58054.19	99	131012.4
582150	6364140	58830.43	58049.75	99	131024.1
582150	6364135	58828.53	58047.14	99	131034.7
582150	6364130	58832.38	58051.33	99	131047.5
582150	6364125	58832.01	58051.02	99	131103.6
582150	6364120	58805.87	58025	99	131126.4
582150	6364115	58791.83	58010.5	99	131135.4
582150	6364110	58799.39	58018.28	99	131143.5
582150	6364105	58804.3	58023.94	99	131151.6
582150	6364100	58802.81	58022.53	99	131159.1
582100	6364100	58811.02	58030.45	99	131702.2
582100	6364105	58805.11	58024.54	99	131715.1
582100	6364110	58790.85	58011.13	99	131727.6
582100	6364115	58792.4	58011.87	99	131740.4
582100	6364120	58794.28	58013.5	99	131749.6
582100	6364125	58796.6	58016.33	99	131759.3
582100	6364130	58795.61	58015.2	99	131810.2
582100	6364135	58797.67	58018.68	99	131823.9
582100	6364140	58796.55	58016.96	99	131836.9
582100	6364145	58798.05	58017.83	99	131847.1
582100	6364150	58812.48	58032.57	99	131858.4
582100	6364155	58795.96	58015.83	99	131911.5
582100	6364160	58788.63	58008.98	99	131922.6
582100	6364165	58814.38	58034.97	99	131933.5

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA060

line_X	station_Y	Field_nT	Corr_nT	signal	time
582100	6364170	58817.93	58037.84	99	131942.8
582100	6364175	58807.56	58027.36	99	131952.6
582100	6364180	58804.91	58025.07	99	132002.6
582100	6364185	58799.17	58018.79	99	132014.4
582100	6364190	58804.13	58024	99	132022.8
582100	6364195	58810.88	58031.49	99	132030.7
582100	6364200	58815.99	58036.06	99	132040.9
582100	6364205	58809.45	58029.45	99	132053.9
582100	6364210	58825.06	58045.24	99	132103.3
582100	6364215	58824.27	58044.08	99	132112.4
582100	6364220	58817.53	58038.07	99	132126.3
582100	6364225	58811.43	58031.51	99	132136.3
582100	6364230	58783.18	58003.04	99	132147.8
582100	6364235	58792.06	58012.48	99	132157.9
582100	6364240	58794.24	58013.86	99	132208.5
582100	6364245	58800.85	58020.63	99	132219.4
582100	6364250	58806.23	58026.91	99	132229.3
582100	6364255	58813.37	58033.21	99	132245.2
582100	6364260	58818.41	58038.43	99	132253.9
582100	6364265	58809.58	58030.32	99	132303.3
582100	6364270	58794.97	58015.4	99	132313.9
582100	6364275	58784.98	58005.93	99	132325.7
582100	6364280	58798.94	58019.53	99	132335.8
582100	6364285	58807.97	58028.16	99	132349
582100	6364290	58792.06	58013.34	99	132359.6
582100	6364295	58785.63	58006.94	99	132409.6
582100	6364300	58786.22	58007.19	99	132417.8
582100	6364305	58786.68	58007.97	99	132430.9
582100	6364310	58794.64	58015.45	99	132441.6
582100	6364315	58786.25	58007	99	132453.6
582100	6364320	58791.45	58012.94	99	132505.7
582100	6364325	58793.77	58015.03	99	132515.8
582100	6364330	58796.04	58017.53	99	132528.4
582100	6364335	58796.7	58017.31	99	132541.7
582100	6364340	58800.68	58021.26	99	132552.5
582100	6364345	58801.85	58023.19	99	132601.9
582100	6364350	58800.12	58021.17	99	132610.8
582100	6364355	58800.48	58021.44	99	132621.1
582100	6364360	58800.77	58022.03	99	132629.8
582100	6364365	58802.09	58022.91	99	132638.8
582100	6364370	58801.43	58021.7	99	132648.5
582100	6364375	58802.41	58023.31	99	132700.9
582100	6364380	58802.75	58023.51	99	132713.9
582100	6364385	58802.43	58023.03	99	132723.5
582100	6364390	58801.05	58021.7	99	132733.4
582100	6364395	58802.33	58021.94	99	132744.2
582100	6364400	58803.02	58022.49	99	132753.6
582100	6364405	58803.21	58023.47	99	132802.9
582100	6364410	58802.84	58022.93	99	132812.8
582100	6364415	58802.4	58022.62	99	132821.6
582100	6364420	58802.54	58022.92	99	132831.1

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA060

line_X	station_Y	Field_nT	Corr_nT	signal	time
582100	6364425	58804.89	58024.41	99	132839.8
582100	6364430	58806.62	58025.76	99	132849
582100	6364435	58803.5	58023.38	99	132858.3
582100	6364440	58802.87	58022.87	99	132910.2
582100	6364445	58806.06	58025.66	99	132924.1
582100	6364450	58807.9	58027.64	99	132933.3
582100	6364455	58802.2	58021.18	99	132942.6
582100	6364460	58802.36	58022.24	99	132959.1
582100	6364465	58804.78	58023.95	99	133012.4
582100	6364470	58805.17	58024.12	99	133028.6
582100	6364475	58805.62	58024.2	99	133042.7
582100	6364480	58804.09	58022.91	99	133051.4
582100	6364485	58802.64	58022.23	99	133059.4
582100	6364490	58802.9	58022.55	99	133108.1
582100	6364495	58805.25	58024.11	99	133117.9
582100	6364500	58803.3	58021.91	99	133126.5
582050	6364500	58809.62	58028.84	99	133242.7
582050	6364495	58810.68	58029.67	99	133254.8
582050	6364490	58811.12	58030.64	99	133305.3
582050	6364485	58808.12	58027.15	99	133318.2
582050	6364480	58808.65	58027.94	99	133330.1
582050	6364475	58808.87	58028.12	99	133343.1
582050	6364470	58808.03	58027.09	99	133354.1
582050	6364465	58808.26	58027.91	99	133404.4
582050	6364460	58808.47	58027.6	99	133414.3
582050	6364455	58808.7	58027.91	99	133424.5
582050	6364450	58809.16	58028.96	99	133432.2
582050	6364445	58808.82	58027.97	99	133444.4
582050	6364440	58808.64	58027.75	99	133454.6
582050	6364435	58811.77	58031.51	99	133506.1
582050	6364430	58810.12	58029.34	99	133516.1
582050	6364425	58812.48	58032.08	99	133531.4
582050	6364420	58811.24	58030.33	99	133546.2
582050	6364415	58811.03	58030.23	99	133557.2
582050	6364410	58809.07	58029	99	133609.3
582050	6364405	58808.54	58027.98	99	133618.9
582050	6364400	58811.33	58030.89	99	133629.9
582050	6364395	58809.2	58028.97	99	133639.5
582050	6364390	58809.33	58028.29	99	133650
582050	6364385	58807.83	58027.46	99	133702.1
582050	6364380	58809.02	58028.43	99	133713.1
582050	6364375	58809.57	58028.95	99	133722.1
582050	6364370	58806.92	58026.95	99	133732.3
582050	6364365	58809.47	58028.47	99	133744.5
582050	6364360	58808.08	58026.58	99	133755.4
582050	6364355	58809.01	58028.1	99	133805.5
582050	6364350	58812.57	58031.44	99	133814.9
582050	6364345	58810.82	58030.02	99	133824.8
582050	6364340	58810.86	58030.69	99	133833.9
582050	6364335	58812.29	58031.28	99	133846.3
582050	6364330	58811.92	58030.56	99	133855.5

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA060

line_X	station_Y	Field_nT	Corr_nT	signal	time
582050	6364325	58810.26	58029.42	99	133903.2
582050	6364320	58812.02	58030.95	99	133913.1
582050	6364315	58812.99	58031.81	99	133925.4
582050	6364310	58809.8	58029.16	99	133933.8
582050	6364305	58809.49	58028.66	99	133942.1
582050	6364300	58812.47	58031.21	99	133955.2
582050	6364295	58809.04	58028.1	99	134007.3
582050	6364290	58807.24	58025.78	99	134017.6
582050	6364285	58805.72	58024.57	99	134027.3
582050	6364280	58807.66	58027.17	99	134034.1
582050	6364275	58806.93	58025.78	99	134049
582050	6364270	58808.3	58027.58	99	134105
582050	6364265	58810.99	58029.84	99	134129.6
582050	6364260	58809.25	58028.62	99	134141.3
582050	6364255	58808.79	58027.74	99	134153.4
582050	6364250	58808.75	58028.28	99	134205.6
582050	6364245	58808.08	58026.67	99	134218.8
582050	6364240	58808.38	58027.08	99	134231.1
582050	6364235	58806.53	58025.96	99	134241.8
582050	6364230	58807.39	58026.42	99	134253.4
582050	6364225	58805.79	58025	99	134304.2
582050	6364220	58806.98	58025.79	99	134316.4
582050	6364215	58807.58	58026.25	99	134326.6
582050	6364210	58807.48	58026.79	99	134336.2
582050	6364205	58807.62	58026.39	99	134346.9
582050	6364200	58807.19	58025.96	99	134358.4
582050	6364195	58807.49	58026.94	99	134407.2
582050	6364190	58808.45	58027.59	99	134420.7
582050	6364185	58807.1	58026.16	99	134430.5
582050	6364180	58806.95	58026.34	99	134442.4
582050	6364175	58806.07	58024.91	99	134452.4
582050	6364170	58806.68	58025.91	99	134503.2
582050	6364165	58805.79	58025.26	99	134515.1
582050	6364160	58805.98	58024.97	99	134527.2
582050	6364155	58809.4	58028.81	99	134536.9
582050	6364150	58807.94	58026.88	99	134546.1
582050	6364145	58807.07	58025.9	99	134555.9
582050	6364140	58806.28	58026.06	99	134607.3
582050	6364135	58804.78	58024.17	99	134617.8
582050	6364130	58808.64	58027.83	99	134627.1
582050	6364125	58808.64	58028.14	99	134638.9
582050	6364120	58813.64	58032.52	99	134648.4
582050	6364115	58810.13	58029.05	99	134658.8
582050	6364110	58806.73	58026.38	99	134709.2
582050	6364105	58805.84	58025.23	99	134720.8
582050	6364100	58806.52	58025.84	99	134730.7
582050	6364300	58811.29	58030.51	99	135339.9
582055	6364300	58807.54	58026.02	99	135350
582060	6364300	58806.04	58024.26	99	135402.2
582065	6364300	58805.15	58023.98	99	135417.2
582070	6364300	58804.3	58022.95	99	135436.7

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA060

line_X	station_Y	Field_nT	Corr_nT	signal	time
582075	6364300	58804.28	58023.1	99	135445.6
582080	6364300	58804.46	58022.48	99	135459.4
582085	6364300	58803.92	58022.34	99	135509.9
582090	6364300	58802.18	58020.72	99	135536.3
582095	6364300	58791.88	58010.13	99	135557.1
582100	6364300	58787.54	58006.06	99	135611.6
582105	6364300	58795.82	58013.77	99	135624.4
582110	6364300	58810.65	58029.45	99	135638.2
582115	6364300	58800.07	58018.73	99	135647.9
582120	6364300	58791.59	58009.8	99	135658.9
582125	6364300	58776.95	57995.6	99	135707.7
582130	6364300	58777.82	57996.3	99	135717.8
582135	6364300	58780.73	57998.7	99	135727.7
582140	6364300	58794.8	58012.76	99	135737.4
582145	6364300	58805.14	58023.76	99	135747.6
582150	6364300	58813.6	58031.54	99	135759.2
582155	6364300	58815.98	58034.02	99	135809.2
582160	6364300	58831.96	58050.41	99	135818.9
582165	6364300	58814.01	58032.14	99	135831.9
582170	6364300	58801.13	58019.84	99	135840.2
582175	6364300	58806.81	58025.81	99	135850
582180	6364300	58824.85	58043.25	99	135900.9
582185	6364300	58828.23	58046.86	99	135910.3
582190	6364300	58807.26	58025.63	99	135925.7
582195	6364300	58774.2	57992.86	99	135936.1
582200	6364300	58777.28	57996.69	99	135945.9
582205	6364300	58777.96	57997.06	99	135954.8
582210	6364300	58786.75	58006.16	99	140005.2
582215	6364300	58826.65	58046.7	99	140015.5
582220	6364300	58860.61	58079.82	99	140024.2
582225	6364300	58883.88	58102.85	99	140033.2
582230	6364300	58883.33	58102.77	99	140045.7
582235	6364300	58874.94	58093.7	99	140056.9
582240	6364300	58862.79	58081.54	99	140105.5
582245	6364300	58850.54	58070.04	99	140114.3
582250	6364300	58800.64	58019.64	99	140123.7
582255	6364300	58783.66	58002.64	99	140139.8
582260	6364300	58789.55	58008.35	99	140151.6
582265	6364300	58780.89	57999.6	99	140205.9
582270	6364300	58753.86	57973.23	99	140214.7
582275	6364300	58722.8	57941.68	99	140226.6
582280	6364300	58738.38	57957.25	99	140237.1
582285	6364300	58754.23	57973.72	99	140247.1
582290	6364300	58738.25	57957.23	99	140256.6
582295	6364300	58749.55	57969.11	99	140311.4
582300	6364300	58758.13	57977.51	99	140321.3
582305	6364300	58769.47	57988.04	99	140338.3
582310	6364300	58785.46	58004.71	99	140351.6
582315	6364300	58776.37	57995.24	99	140401.3
582320	6364300	58768.11	57987.56	99	140415.7
582325	6364300	58762.13	57980.97	99	140426.2

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA060

line_X	station_Y	Field_nT	Corr_nT	signal	time
582330	6364300	58754.41	57973.32	99	140437.8
582335	6364300	58762.28	57982.06	99	140451.5
582340	6364300	58769.2	57988.87	99	140507.7
582345	6364300	58774.18	57993.59	99	140527.1
582350	6364300	58774.23	57993.59	99	140537.1
582355	6364300	58775.08	57995.06	99	140548.2
582360	6364300	58781.76	58001.18	99	140557.4
582365	6364300	58775.16	57994.51	99	140618.9
582370	6364300	58777.06	57995.61	99	140631.7
582375	6364300	58777.33	57996.26	99	140642.1
582380	6364300	58780.94	58000.44	99	140653.5
582385	6364300	58779	57998.08	99	140704.3
582390	6364300	58779.33	57998.25	99	140727.2
582395	6364300	58776.87	57995.83	99	140737.5
582400	6364300	58773.73	57993.3	99	140757.6

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556400	6362750	59471.17	58007.75	99	110702	57957.18
556400	6362755	59473.75	58010.21	99	110723	57959.64
556400	6362760	59474.75	58011	99	110741	57960.43
556400	6362765	59474.68	58011.1	99	110750	57960.53
556400	6362770	59475.17	58011.82	99	110802	57961.25
556400	6362775	59472.16	58008.81	99	110814	57958.24
556400	6362780	59473.06	58009.57	99	110829	57959
556400	6362785	59474.52	58011.06	99	110841	57960.49
556400	6362790	59478.93	58015.8	99	110856	57965.23
556400	6362795	59479.42	58016.48	99	110905	57965.91
556400	6362800	59478.46	58015.63	99	110914	57965.06
556400	6362805	59477	58013.99	99	110923	57963.42
556400	6362810	59476.57	58013.38	99	110932	57962.81
556400	6362815	59477.22	58014.15	99	110944	57963.58
556400	6362820	59477.17	58014.29	99	110953	57963.72
556400	6362825	59479.32	58016.55	99	111002	57965.98
556400	6362830	59479.43	58016.48	99	111035	57965.91
556400	6362835	59482.11	58019.18	99	111047	57968.61
556400	6362840	59482.66	58019.76	99	111059	57969.19
556400	6362845	59483.32	58020.47	99	111108	57969.9
556400	6362850	59485.34	58022.57	99	111117	57972
556400	6362855	59482.84	58020.01	99	111132	57969.44
556400	6362860	59482.47	58019.4	99	111144	57968.83
556400	6362865	59480.6	58017.52	99	111156	57966.95
556400	6362870	59480.36	58017.32	99	111205	57966.75
556400	6362875	59476.56	58013.69	99	111214	57963.12
556400	6362880	59475.29	58012.6	99	111226	57962.03
556400	6362885	59474.3	58011.64	99	111235	57961.07
556400	6362890	59472.23	58009.55	99	111244	57958.98
556400	6362895	59471.54	58008.86	99	111253	57958.29
556400	6362900	59472.11	58009.61	99	111305	57959.04
556400	6362905	59473.66	58011.13	99	111317	57960.56
556400	6362910	59472.55	58009.99	99	111326	57959.42
556400	6362915	59476.73	58014.16	99	111338	57963.59
556400	6362920	59475.71	58013.26	99	111350	57962.69
556400	6362925	59474.88	58012.68	99	111402	57962.11
556400	6362930	59473.53	58011.38	99	111414	57960.81
556400	6362935	59476.12	58014.05	99	111426	57963.48
556400	6362940	59475.86	58013.84	99	111435	57963.27
556400	6362945	59475.67	58013.8	99	111444	57963.23
556400	6362950	59476.24	58014.36	99	111453	57963.79
556400	6362955	59477.99	58016.19	99	111502	57965.62
556400	6362960	59477.64	58015.82	99	111514	57965.25
556400	6362965	59478.67	58016.84	99	111526	57966.27
556400	6362970	59479.03	58017.14	99	111535	57966.57
556400	6362975	59478.5	58016.72	99	111544	57966.15
556400	6362980	59478	58016.34	99	111553	57965.77
556400	6362985	59478.02	58016.1	99	111611	57965.53
556400	6362990	59478.51	58016.53	99	111623	57965.96
556400	6362995	59477.29	58015.53	99	111632	57964.96
556400	6363000	59473.91	58012.41	99	111641	57961.84

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556400	6363005	59473.45	58011.81	99	111653	57961.24
556400	6363010	59472.29	58010.45	99	111702	57959.88
556400	6363015	59473.05	58010.93	99	111714	57960.36
556400	6363020	59473.53	58011.51	99	111723	57960.94
556400	6363025	59472.33	58010.55	99	111738	57959.98
556400	6363030	59474.93	58013.03	99	111750	57962.46
556400	6363035	59474.57	58012.42	99	111759	57961.85
556400	6363040	59473.57	58011.3	99	111808	57960.73
556400	6363045	59471.31	58009.04	99	111817	57958.47
556400	6363050	59472.11	58010.05	99	111829	57959.48
556400	6363055	59472.75	58010.93	99	111838	57960.36
556400	6363060	59472.43	58010.49	99	111847	57959.92
556400	6363065	59471.65	58009.39	99	111859	57958.82
556400	6363070	59472.35	58009.81	99	111908	57959.24
556400	6363075	59472.02	58009.49	99	111920	57958.92
556400	6363080	59469.75	58007.64	99	111932	57957.07
556400	6363085	59471.49	58009.59	99	111944	57959.02
556400	6363090	59474.31	58012.11	99	111956	57961.54
556400	6363095	59474.25	58011.78	99	112011	57961.21
556400	6363100	59472.69	58010.57	99	112023	57960
556400	6363105	59473.48	58011.73	99	112032	57961.16
556400	6363110	59471.27	58009.77	99	112044	57959.2
556400	6363115	59470.07	58008.24	99	112056	57957.67
556400	6363120	59471.66	58009.25	99	112111	57958.68
556400	6363125	59476.18	58013.87	99	112120	57963.3
556400	6363130	59474.36	58012.4	99	112129	57961.83
556400	6363135	59471.75	58010.11	99	112141	57959.54
556400	6363140	59471.75	58010.06	99	112153	57959.49
556400	6363145	59471.9	58010.06	99	112208	57959.49
556400	6363150	59474.01	58011.95	99	112217	57961.38
556350	6363150	59479.38	58017.36	99	112320	57966.79
556350	6363145	59469.21	58007.71	99	112338	57957.14
556350	6363140	59469.26	58008.14	99	112350	57957.57
556350	6363135	59470.87	58009.53	99	112402	57958.96
556350	6363130	59470.38	58008.68	99	112414	57958.11
556350	6363125	59469.43	58007.63	99	112423	57957.06
556350	6363120	59470.48	58008.72	99	112432	57958.15
556350	6363115	59470.36	58009.03	99	112447	57958.46
556350	6363110	59470.86	58009.53	99	112502	57958.96
556350	6363105	59469.76	58008.24	99	112514	57957.67
556350	6363100	59470.9	58009.32	99	112523	57958.75
556350	6363095	59471.47	58009.76	99	112532	57959.19
556350	6363090	59472	58010.34	99	112544	57959.77
556350	6363085	59472.54	58011.14	99	112553	57960.57
556350	6363080	59468.86	58007.52	99	112605	57956.95
556350	6363075	59470.46	58008.87	99	112617	57958.3
556350	6363070	59469.02	58007.12	99	112629	57956.55
556350	6363065	59470.36	58008.38	99	112638	57957.81
556350	6363060	59470.83	58009.12	99	112650	57958.55
556350	6363055	59471.19	58009.77	99	112659	57959.2
556350	6363050	59470.52	58009.17	99	112708	57958.6

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556350	6363045	59476.32	58014.7	99	112720	57964.13
556350	6363040	59471.79	58009.8	99	112732	57959.23
556350	6363035	59471.62	58009.6	99	112744	57959.03
556350	6363030	59472.35	58010.63	99	112753	57960.06
556350	6363025	59472.45	58011.04	99	112802	57960.47
556350	6363020	59470.6	58009.12	99	112811	57958.55
556350	6363015	59470.99	58009.27	99	112820	57958.7
556350	6363010	59470.54	58008.54	99	112835	57957.97
556350	6363005	59472.23	58010.3	99	112850	57959.73
556350	6363000	59472.82	58011.33	99	112902	57960.76
556350	6362995	59472.82	58011.53	99	112914	57960.96
556350	6362990	59472.71	58011.27	99	112926	57960.7
556350	6362985	59476.59	58015.07	99	112935	57964.5
556350	6362980	59475.29	58013.53	99	112950	57962.96
556350	6362975	59475.93	58014.24	99	112959	57963.67
556350	6362970	59474.76	58013.38	99	113011	57962.81
556350	6362965	59474.49	58013.32	99	113023	57962.75
556350	6362960	59473.92	58012.53	99	113035	57961.96
556350	6362955	59472.48	58010.9	99	113047	57960.33
556350	6362950	59472.85	58011.34	99	113059	57960.77
556350	6362945	59474.63	58013.34	99	113111	57962.77
556350	6362940	59472.98	58011.78	99	113126	57961.21
556350	6362935	59472.98	58011.63	99	113141	57961.06
556350	6362930	59472.79	58011.5	99	113150	57960.93
556350	6362925	59472.01	58010.75	99	113159	57960.18
556350	6362920	59471.29	58010.07	99	113211	57959.5
556350	6362915	59472.1	58011.04	99	113223	57960.47
556350	6362910	59472.56	58011.56	99	113232	57960.99
556350	6362905	59471.94	58010.88	99	113241	57960.31
556350	6362900	59473.32	58012.23	99	113250	57961.66
556350	6362895	59475.03	58014.01	99	113302	57963.44
556350	6362890	59472.29	58011.31	99	113317	57960.74
556350	6362885	59475	58013.93	99	113332	57963.36
556350	6362880	59472.69	58011.81	99	113344	57961.24
556350	6362875	59471.6	58010.77	99	113356	57960.2
556350	6362870	59473.06	58012.13	99	113408	57961.56
556350	6362865	59472.62	58011.74	99	113423	57961.17
556350	6362860	59473.45	58012.51	99	113435	57961.94
556350	6362855	59473.8	58012.69	99	113447	57962.12
556350	6362850	59473.32	58012.16	99	113456	57961.59
556350	6362845	59472.1	58011.11	99	113508	57960.54
556350	6362840	59472.99	58012.14	99	113523	57961.57
556350	6362835	59472.2	58011.12	99	113535	57960.55
556350	6362830	59471.98	58010.91	99	113547	57960.34
556350	6362825	59473	58012.04	99	113556	57961.47
556350	6362820	59474.27	58013.34	99	113605	57962.77
556350	6362815	59472.7	58011.74	99	113614	57961.17
556350	6362810	59471.6	58010.59	99	113623	57960.02
556350	6362805	59474.13	58013.11	99	113632	57962.54
556350	6362800	59472.02	58010.99	99	113641	57960.42
556350	6362795	59472.58	58011.66	99	113656	57961.09

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556350	6362790	59472.54	58011.79	99	113708	57961.22
556350	6362785	59472.91	58012.12	99	113717	57961.55
556350	6362780	59471.19	58010.35	99	113729	57959.78
556350	6362775	59474.35	58013.73	99	113744	57963.16
556350	6362770	59470.21	58009.68	99	113756	57959.11
556350	6362765	59468.12	58007.64	99	113808	57957.07
556350	6362760	59473.26	58012.7	99	113820	57962.13
556350	6362755	59470.93	58010.28	99	113829	57959.71
556350	6362750	59470.9	58010.28	99	113838	57959.71
556300	6362750	59467.94	58007.37	99	114205	57956.8
556300	6362755	59469.76	58008.95	99	114217	57958.38
556300	6362760	59472.13	58011.22	99	114229	57960.65
556300	6362765	59471.76	58011.13	99	114250	57960.56
556300	6362770	59470.67	58010.07	99	114259	57959.5
556300	6362775	59472.57	58011.88	99	114314	57961.31
556300	6362780	59472.62	58011.87	99	114329	57961.3
556300	6362785	59476.48	58015.72	99	114344	57965.15
556300	6362790	59474.38	58013.85	99	114405	57963.28
556300	6362795	59476.53	58015.92	99	114414	57965.35
556300	6362800	59474.75	58014.06	99	114426	57963.49
556300	6362805	59474.16	58013.45	99	114438	57962.88
556300	6362810	59472.75	58012.1	99	114453	57961.53
556300	6362815	59475.17	58014.42	99	114502	57963.85
556300	6362820	59475.54	58014.63	99	114511	57964.06
556300	6362825	59474.71	58013.64	99	114523	57963.07
556300	6362830	59475.3	58014.41	99	114541	57963.84
556300	6362835	59474.99	58014.14	99	114550	57963.57
556300	6362840	59477.07	58016.14	99	114602	57965.57
556300	6362845	59476.1	58015.01	99	114614	57964.44
556300	6362850	59475.91	58014.78	99	114623	57964.21
556300	6362855	59475.32	58014.25	99	114641	57963.68
556300	6362860	59475.46	58014.43	99	114650	57963.86
556300	6362865	59475.33	58014.28	99	114659	57963.71
556300	6362870	59477.43	58016.39	99	114711	57965.82
556300	6362875	59473.9	58012.87	99	114720	57962.3
556300	6362880	59473.65	58012.61	99	114732	57962.04
556300	6362885	59474.34	58013.39	99	114741	57962.82
556300	6362890	59474.18	58013.45	99	114753	57962.88
556300	6362895	59472.97	58012.29	99	114802	57961.72
556300	6362900	59473.76	58013.07	99	114811	57962.5
556300	6362905	59472.55	58011.82	99	114820	57961.25
556300	6362910	59474.19	58013.53	99	114829	57962.96
556300	6362915	59473.39	58012.79	99	114838	57962.22
556300	6362920	59472.48	58011.87	99	114847	57961.3
556300	6362925	59473.82	58013.21	99	114856	57962.64
556300	6362930	59473.31	58012.72	99	114908	57962.15
556300	6362935	59472.89	58012.35	99	114917	57961.78
556300	6362940	59474.48	58013.9	99	114926	57963.33
556300	6362945	59473.98	58013.37	99	114935	57962.8
556300	6362950	59475.1	58014.61	99	114950	57964.04
556300	6362955	59476.67	58016.19	99	114959	57965.62

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556300	6362960	59474.56	58014.03	99	115008	57963.46
556300	6362965	59475.75	58014.95	99	115017	57964.38
556300	6362970	59474.53	58013.79	99	115026	57963.22
556300	6362975	59473.77	58013.28	99	115038	57962.71
556300	6362980	59476.04	58015.57	99	115047	57965
556300	6362985	59476.69	58016.11	99	115056	57965.54
556300	6362990	59475.6	58014.89	99	115105	57964.32
556300	6362995	59477.09	58016.18	99	115120	57965.61
556300	6363000	59475.84	58015	99	115129	57964.43
556300	6363005	59477.2	58016.69	99	115138	57966.12
556300	6363010	59476.16	58015.73	99	115150	57965.16
556300	6363015	59475.58	58015.17	99	115159	57964.6
556300	6363020	59476.47	58015.93	99	115208	57965.36
556300	6363025	59477.44	58016.62	99	115217	57966.05
556300	6363030	59476.28	58015.43	99	115226	57964.86
556300	6363035	59474.36	58013.75	99	115235	57963.18
556300	6363040	59474.25	58013.85	99	115244	57963.28
556300	6363045	59474.96	58014.69	99	115253	57964.12
556300	6363050	59472.53	58012.21	99	115305	57961.64
556300	6363055	59472.46	58011.8	99	115317	57961.23
556300	6363060	59471.28	58010.39	99	115335	57959.82
556300	6363065	59470.92	58010.54	99	115350	57959.97
556300	6363070	59468.91	58008.76	99	115359	57958.19
556300	6363075	59469.66	58009.23	99	115411	57958.66
556300	6363080	59470.3	58009.67	99	115420	57959.1
556300	6363085	59469.53	58008.76	99	115429	57958.19
556300	6363090	59467.6	58006.89	99	115438	57956.32
556300	6363095	59468.35	58007.83	99	115447	57957.26
556300	6363100	59465.94	58005.71	99	115459	57955.14
556300	6363105	59466.33	58006.02	99	115517	57955.45
556300	6363110	59467.14	58006.57	99	115529	57956
556300	6363115	59466.76	58005.99	99	115541	57955.42
556300	6363120	59465.5	58005.09	99	115556	57954.52
556300	6363125	59466.68	58006.53	99	115605	57955.96
556300	6363130	59465.3	58005.24	99	115614	57954.67
556300	6363135	59464.43	58004.35	99	115623	57953.78
556300	6363140	59466.04	58005.77	99	115635	57955.2
556300	6363145	59465.22	58004.77	99	115647	57954.2
556300	6363150	59464.66	58004.37	99	115659	57953.8
556250	6363150	59505.56	58044.12	99	115956	57993.55
556250	6363145	59501.93	58040.62	99	120008	57990.05
556250	6363140	59497.79	58036.61	99	120020	57986.04
556250	6363135	59493.84	58032.52	99	120035	57981.95
556250	6363130	59492.33	58030.77	99	120047	57980.2
556250	6363125	59488.07	58026.51	99	120059	57975.94
556250	6363120	59487.53	58026.12	99	120111	57975.55
556250	6363115	59486.4	58025.2	99	120126	57974.63
556250	6363110	59488.34	58027.08	99	120138	57976.51
556250	6363105	59488.5	58027.1	99	120144	57976.53
556250	6363100	59489.84	58028.19	99	120156	57977.62
556250	6363095	59491.75	58030.28	99	120208	57979.71

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556250	6363090	59493.23	58032.08	99	120220	57981.51
556250	6363085	59492.98	58031.57	99	120238	57981
556250	6363080	59491.69	58030.25	99	120305	57979.68
556250	6363075	59491.03	58029.93	99	120314	57979.36
556250	6363070	59490.14	58028.68	99	120341	57978.11
556250	6363065	59489.36	58028.42	99	120402	57977.85
556250	6363060	59489.06	58028.46	99	120414	57977.89
556250	6363055	59487.9	58027.18	99	120426	57976.61
556250	6363050	59487.82	58026.95	99	120435	57976.38
556250	6363045	59489.24	58028.46	99	120450	57977.89
556250	6363040	59488.44	58027.9	99	120502	57977.33
556250	6363035	59489.15	58028.73	99	120514	57978.16
556250	6363030	59489.23	58028.9	99	120529	57978.33
556250	6363025	59492.68	58032.18	99	120608	57981.61
556250	6363020	59493.92	58033.8	99	120626	57983.23
556250	6363015	59495.57	58035.48	99	120644	57984.91
556250	6363010	59497.07	58036.8	99	120659	57986.23
556250	6363005	59498.07	58037.79	99	120711	57987.22
556250	6363000	59499.22	58039.01	99	120723	57988.44
556250	6362995	59499.53	58039.34	99	120735	57988.77
556250	6362990	59498.65	58038.29	99	120747	57987.72
556250	6362985	59503.65	58043.26	99	120756	57992.69
556250	6362980	59502.91	58042.62	99	120811	57992.05
556250	6362975	59502.09	58041.81	99	120820	57991.24
556250	6362970	59501.28	58040.89	99	120832	57990.32
556250	6362965	59499	58038.51	99	120841	57987.94
556250	6362960	59496.91	58036.26	99	120853	57985.69
556250	6362955	59494.75	58033.89	99	120902	57983.32
556250	6362950	59495.32	58034.39	99	120911	57983.82
556250	6362945	59493.07	58032.22	99	120920	57981.65
556250	6362940	59492.48	58031.81	99	120929	57981.24
556250	6362935	59488.67	58028.07	99	120938	57977.5
556250	6362930	59485.8	58024.98	99	120953	57974.41
556250	6362925	59483.45	58022.65	99	121002	57972.08
556250	6362920	59482.64	58021.84	99	121014	57971.27
556250	6362915	59481.81	58021.16	99	121026	57970.59
556250	6362910	59480.44	58019.9	99	121035	57969.33
556250	6362905	59479.78	58019.34	99	121050	57968.77
556250	6362900	59477.57	58017.13	99	121059	57966.56
556250	6362895	59476.3	58015.91	99	121108	57965.34
556250	6362890	59477.82	58017.5	99	121117	57966.93
556250	6362885	59476.91	58016.48	99	121129	57965.91
556250	6362880	59477.93	58017.47	99	121138	57966.9
556250	6362875	59478.61	58018.14	99	121147	57967.57
556250	6362870	59478.74	58018.4	99	121159	57967.83
556250	6362865	59477.91	58017.71	99	121208	57967.14
556250	6362860	59475.74	58015.61	99	121217	57965.04
556250	6362855	59475.14	58014.97	99	121226	57964.4
556250	6362850	59476.17	58015.88	99	121235	57965.31
556250	6362845	59479.12	58018.82	99	121247	57968.25
556250	6362840	59476.32	58016.05	99	121259	57965.48

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556250	6362835	59474.14	58013.9	99	121308	57963.33
556250	6362830	59475.64	58015.47	99	121317	57964.9
556250	6362825	59472.95	58012.65	99	121329	57962.08
556250	6362820	59473.04	58012.75	99	121341	57962.18
556250	6362815	59472.13	58012.08	99	121350	57961.51
556250	6362810	59471.37	58011.49	99	121402	57960.92
556250	6362805	59475.11	58015.24	99	121414	57964.67
556250	6362800	59471.33	58011.42	99	121423	57960.85
556250	6362795	59473.53	58013.53	99	121432	57962.96
556250	6362790	59471.66	58011.71	99	121444	57961.14
556250	6362785	59471.05	58011.38	99	121459	57960.81
556250	6362780	59470.73	58011	99	121511	57960.43
556250	6362775	59473.28	58013.33	99	121520	57962.76
556250	6362770	59469.82	58009.79	99	121538	57959.22
556250	6362765	59471.22	58011.19	99	121614	57960.62
556250	6362760	59469.94	58009.84	99	121626	57959.27
556250	6362755	59469.14	58008.99	99	121635	57958.42
556250	6362750	59470.79	58010.63	99	121650	57960.06
556200	6362750	59471.45	58011.42	99	121859	57960.85
556200	6362755	59469.7	58009.78	99	121914	57959.21
556200	6362760	59470.89	58010.91	99	121926	57960.34
556200	6362765	59470.47	58010.17	99	121941	57959.6
556200	6362770	59471.28	58011.01	99	121953	57960.44
556200	6362775	59470.6	58010.45	99	122005	57959.88
556200	6362780	59472.11	58011.91	99	122017	57961.34
556200	6362785	59470.81	58010.38	99	122029	57959.81
556200	6362790	59471.92	58011.36	99	122038	57960.79
556200	6362795	59471.6	58011.09	99	122047	57960.52
556200	6362800	59472.06	58011.57	99	122102	57961
556200	6362805	59472.01	58011.62	99	122114	57961.05
556200	6362810	59472.76	58012.46	99	122123	57961.89
556200	6362815	59471.88	58011.51	99	122135	57960.94
556200	6362820	59471.72	58011.39	99	122153	57960.82
556200	6362825	59472.54	58012.21	99	122205	57961.64
556200	6362830	59475.53	58015.19	99	122214	57964.62
556200	6362835	59474.63	58014.33	99	122226	57963.76
556200	6362840	59474.69	58014.36	99	122238	57963.79
556200	6362845	59474.23	58013.92	99	122244	57963.35
556200	6362850	59475.15	58014.7	99	122253	57964.13
556200	6362855	59477.16	58016.59	99	122302	57966.02
556200	6362860	59475.22	58014.9	99	122332	57964.33
556200	6362865	59476.82	58016.58	99	122341	57966.01
556200	6362870	59477.92	58017.46	99	122356	57966.89
556200	6362875	59479.88	58019.24	99	122408	57968.67
556200	6362880	59482.83	58022.12	99	122420	57971.55
556200	6362885	59485.85	58025.5	99	122432	57974.93
556200	6362890	59489.95	58029.85	99	122444	57979.28
556200	6362895	59490.42	58030.27	99	122450	57979.7
556200	6362900	59492.02	58031.72	99	122456	57981.15
556200	6362905	59496.19	58035.51	99	122508	57984.94
556200	6362910	59499.53	58038.81	99	122517	57988.24

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556200	6362915	59504.42	58043.87	99	122526	57993.3
556200	6362920	59506.85	58046.48	99	122535	57995.91
556200	6362925	59510.35	58050.18	99	122547	57999.61
556200	6362930	59516.29	58055.98	99	122559	58005.41
556200	6362935	59514.68	58054.27	99	122608	58003.7
556200	6362940	59519.12	58058.7	99	122620	58008.13
556200	6362945	59518.46	58058.05	99	122635	58007.48
556200	6362950	59518.16	58057.79	99	122644	58007.22
556200	6362955	59518.11	58057.86	99	122656	58007.29
556200	6362960	59517.23	58056.97	99	122708	58006.4
556200	6362965	59514.51	58054.14	99	122717	58003.57
556200	6362970	59511.07	58050.75	99	122729	58000.18
556200	6362975	59509.62	58049.24	99	122741	57998.67
556200	6362980	59505.49	58045.33	99	122753	57994.76
556200	6362985	59499.74	58039.77	99	122802	57989.2
556200	6362990	59494.06	58034.14	99	122811	57983.57
556200	6362995	59491.13	58031.11	99	122820	57980.54
556200	6363000	59488.88	58028.33	99	122835	57977.76
556200	6363005	59488.32	58027.8	99	122850	57977.23
556200	6363010	59493.7	58033.58	99	122905	57983.01
556200	6363015	59484.09	58023.62	99	122923	57973.05
556200	6363020	59483.55	58022.77	99	122935	57972.2
556200	6363025	59480.55	58019.63	99	122953	57969.06
556200	6363030	59476.39	58015.83	99	123008	57965.26
556200	6363035	59474.02	58013.44	99	123026	57962.87
556200	6363040	59472.79	58012.02	99	123035	57961.45
556200	6363045	59471.25	58010.36	99	123044	57959.79
556200	6363050	59470.49	58009.57	99	123053	57959
556200	6363055	59470.47	58009.58	99	123102	57959.01
556200	6363060	59469.26	58008.51	99	123120	57957.94
556200	6363065	59469.58	58008.67	99	123132	57958.1
556200	6363070	59470.23	58009.23	99	123144	57958.66
556200	6363075	59470.1	58009.16	99	123159	57958.59
556200	6363080	59473.08	58012.3	99	123214	57961.73
556200	6363085	59473.34	58012.51	99	123223	57961.94
556200	6363090	59475.83	58014.86	99	123235	57964.29
556200	6363095	59477.79	58016.85	99	123244	57966.28
556200	6363100	59480.36	58019.49	99	123253	57968.92
556200	6363105	59481.76	58020.94	99	123305	57970.37
556200	6363110	59487.3	58026.52	99	123317	57975.95
556200	6363115	59488.86	58027.94	99	123329	57977.37
556200	6363120	59490.95	58030.07	99	123341	57979.5
556200	6363125	59492.37	58031.44	99	123356	57980.87
556200	6363130	59495.51	58034.68	99	123408	57984.11
556200	6363135	59495.95	58035.1	99	123423	57984.53
556200	6363140	59497.09	58036.19	99	123435	57985.62
556200	6363145	59497.29	58036.45	99	123444	57985.88
556200	6363150	59498.3	58037.56	99	123453	57986.99
556150	6363150	59495.62	58034.25	99	123956	57983.68
556150	6363145	59490.13	58028.86	99	124008	57978.29
556150	6363140	59487.07	58025.72	99	124020	57975.15

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556150	6363135	59484.67	58023.17	99	124032	57972.6
556150	6363130	59480.08	58018.57	99	124047	57968
556150	6363125	59479.06	58017.63	99	124059	57967.06
556150	6363120	59475.2	58013.68	99	124114	57963.11
556150	6363115	59473.35	58011.68	99	124126	57961.11
556150	6363110	59471.68	58009.98	99	124138	57959.41
556150	6363105	59470.23	58008.65	99	124153	57958.08
556150	6363100	59468.99	58007.35	99	124205	57956.78
556150	6363095	59468.46	58006.69	99	124217	57956.12
556150	6363090	59469.67	58007.75	99	124232	57957.18
556150	6363085	59470.21	58008.27	99	124244	57957.7
556150	6363080	59470.82	58009.06	99	124256	57958.49
556150	6363075	59469.92	58008.15	99	124308	57957.58
556150	6363070	59469.73	58007.74	99	124320	57957.17
556150	6363065	59471.82	58009.9	99	124332	57959.33
556150	6363060	59470.59	58008.77	99	124341	57958.2
556150	6363055	59469.89	58007.98	99	124353	57957.41
556150	6363050	59470.38	58008.47	99	124411	57957.9
556150	6363045	59468.96	58007.11	99	124426	57956.54
556150	6363040	59467.83	58006	99	124441	57955.43
556150	6363035	59466.92	58005.18	99	124453	57954.61
556150	6363030	59468.19	58006.44	99	124505	57955.87
556150	6363025	59467.47	58005.97	99	124532	57955.4
556150	6363020	59468.62	58007.27	99	124544	57956.7
556150	6363015	59470.55	58009.16	99	124559	57958.59
556150	6363010	59472.95	58011.59	99	124611	57961.02
556150	6363005	59474.14	58012.68	99	124623	57962.11
556150	6363000	59472.31	58010.87	99	124632	57960.3
556150	6362995	59474.37	58013.06	99	124644	57962.49
556150	6362990	59475.13	58013.87	99	124656	57963.3
556150	6362985	59477.95	58016.52	99	124705	57965.95
556150	6362980	59476.05	58014.58	99	124720	57964.01
556150	6362975	59479.33	58017.88	99	124729	57967.31
556150	6362970	59483.15	58021.81	99	124741	57971.24
556150	6362965	59481.51	58020.13	99	124753	57969.56
556150	6362960	59485.51	58024.09	99	124802	57973.52
556150	6362955	59484.3	58022.96	99	124811	57972.39
556150	6362950	59487.09	58025.83	99	124820	57975.26
556150	6362945	59487.99	58026.78	99	124838	57976.21
556150	6362940	59490.43	58029.24	99	124853	57978.67
556150	6362935	59488.99	58027.94	99	124911	57977.37
556150	6362930	59488.7	58027.63	99	124920	57977.06
556150	6362925	59489.59	58028.44	99	124932	57977.87
556150	6362920	59487.72	58026.6	99	124944	57976.03
556150	6362915	59489.39	58028.33	99	124959	57977.76
556150	6362910	59489.45	58028.29	99	125017	57977.72
556150	6362905	59488.97	58027.66	99	125029	57977.09
556150	6362900	59486.1	58024.83	99	125053	57974.26
556150	6362895	59482.98	58021.65	99	125111	57971.08
556150	6362890	59480.04	58018.64	99	125120	57968.07
556150	6362885	59477.02	58015.53	99	125132	57964.96

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556150	6362880	59479.68	58018.2	99	125144	57967.63
556150	6362875	59478.24	58016.76	99	125156	57966.19
556150	6362870	59476.29	58014.8	99	125208	57964.23
556150	6362865	59477.55	58016.16	99	125217	57965.59
556150	6362860	59478.49	58017.02	99	125226	57966.45
556150	6362855	59474.35	58012.88	99	125235	57962.31
556150	6362850	59474.92	58013.46	99	125247	57962.89
556150	6362845	59474.58	58013.16	99	125256	57962.59
556150	6362840	59474.98	58013.57	99	125305	57963
556150	6362835	59476.23	58014.83	99	125317	57964.26
556150	6362830	59474.03	58012.57	99	125329	57962
556150	6362825	59472.87	58011.29	99	125344	57960.72
556150	6362820	59470.35	58008.68	99	125402	57958.11
556150	6362815	59473.52	58011.81	99	125417	57961.24
556150	6362810	59471.12	58009.38	99	125426	57958.81
556150	6362805	59473.66	58011.88	99	125435	57961.31
556150	6362800	59471.35	58009.45	99	125447	57958.88
556150	6362795	59471.8	58009.76	99	125459	57959.19
556150	6362790	59472.26	58010.13	99	125511	57959.56
556150	6362785	59473.73	58011.48	99	125520	57960.91
556150	6362780	59473.62	58011.21	99	125532	57960.64
556150	6362775	59478.56	58016.03	99	125544	57965.46
556150	6362770	59475.71	58013.01	99	125556	57962.44
556150	6362765	59472.92	58010.11	99	125608	57959.54
556150	6362760	59473.19	58010.23	99	125620	57959.66
556150	6362755	59468.8	58005.72	99	125632	57955.15
556150	6362750	59472.73	58009.52	99	125644	57958.95
556100	6362750	59472.29	58008.57	99	125853	57958
556100	6362755	59473.09	58009.41	99	125905	57958.84
556100	6362760	59472.04	58008.35	99	125917	57957.78
556100	6362765	59473.76	58010.15	99	125941	57959.58
556100	6362770	59473.5	58009.95	99	125950	57959.38
556100	6362775	59471.26	58007.84	99	130005	57957.27
556100	6362780	59472.14	58008.93	99	130059	57958.36
556100	6362785	59471.09	58007.83	99	130111	57957.26
556100	6362790	59472.55	58009.16	99	130126	57958.59
556100	6362795	59472.33	58008.88	99	130138	57958.31
556100	6362800	59473.71	58010.26	99	130150	57959.69
556100	6362805	59475.09	58011.62	99	130159	57961.05
556100	6362810	59472.33	58008.84	99	130211	57958.27
556100	6362815	59473.45	58009.91	99	130223	57959.34
556100	6362820	59471.71	58008.13	99	130244	57957.56
556100	6362825	59474.1	58010.58	99	130302	57960.01
556100	6362830	59474.59	58011.11	99	130317	57960.54
556100	6362835	59474.55	58011.05	99	130335	57960.48
556100	6362840	59477.29	58013.75	99	130344	57963.18
556100	6362845	59473.78	58010.2	99	130402	57959.63
556100	6362850	59473.62	58009.96	99	130414	57959.39
556100	6362855	59473.01	58009.37	99	130426	57958.8
556100	6362860	59474.75	58011.04	99	130438	57960.47
556100	6362865	59475.85	58012.05	99	130450	57961.48

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556100	6362870	59475.77	58011.9	99	130502	57961.33
556100	6362875	59475.67	58011.76	99	130511	57961.19
556100	6362880	59478.15	58014.15	99	130547	57963.58
556100	6362885	59476.83	58012.81	99	130556	57962.24
556100	6362890	59477.62	58013.59	99	130608	57963.02
556100	6362895	59476.4	58012.35	99	130620	57961.78
556100	6362900	59476.6	58012.56	99	130629	57961.99
556100	6362905	59477.15	58013.19	99	130644	57962.62
556100	6362910	59476.97	58013.07	99	130656	57962.5
556100	6362915	59478.67	58014.81	99	130708	57964.24
556100	6362920	59479.28	58015.43	99	130720	57964.86
556100	6362925	59479.12	58015.31	99	130732	57964.74
556100	6362930	59480.24	58016.47	99	130744	57965.9
556100	6362935	59477.76	58014.01	99	130756	57963.44
556100	6362940	59475.91	58012.15	99	130808	57961.58
556100	6362945	59478	58014.19	99	130826	57963.62
556100	6362950	59476.6	58012.75	99	130838	57962.18
556100	6362955	59477.11	58013.26	99	130856	57962.69
556100	6362960	59474.88	58011.07	99	130911	57960.5
556100	6362965	59474.82	58011	99	130923	57960.43
556100	6362970	59473.7	58009.88	99	130932	57959.31
556100	6362975	59476.04	58012.21	99	130941	57961.64
556100	6362980	59475.18	58011.26	99	130953	57960.69
556100	6362985	59476.18	58012.24	99	131008	57961.67
556100	6362990	59480.16	58016.25	99	131017	57965.68
556100	6362995	59474.53	58010.63	99	131032	57960.06
556100	6363000	59475.93	58011.99	99	131041	57961.42
556100	6363005	59476.09	58012.06	99	131056	57961.49
556100	6363010	59475.5	58011.41	99	131108	57960.84
556100	6363015	59475.33	58011.23	99	131120	57960.66
556100	6363020	59476.47	58012.33	99	131135	57961.76
556100	6363025	59474.28	58010.1	99	131147	57959.53
556100	6363030	59473.24	58009.03	99	131159	57958.46
556100	6363035	59473.59	58009.33	99	131208	57958.76
556100	6363040	59473.51	58009.23	99	131220	57958.66
556100	6363045	59472.44	58008.17	99	131229	57957.6
556100	6363050	59474.72	58010.48	99	131241	57959.91
556100	6363055	59469.33	58005.1	99	131250	57954.53
556100	6363060	59471.05	58006.83	99	131259	57956.26
556100	6363065	59470.39	58006.19	99	131311	57955.62
556100	6363070	59469.93	58005.66	99	131323	57955.09
556100	6363075	59469.33	58005.06	99	131332	57954.49
556100	6363080	59470.09	58005.8	99	131344	57955.23
556100	6363085	59470.46	58006.2	99	131353	57955.63
556100	6363090	59470.52	58006.25	99	131402	57955.68
556100	6363095	59468.98	58004.65	99	131411	57954.08
556100	6363100	59468.21	58003.84	99	131420	57953.27
556100	6363105	59470.22	58005.82	99	131432	57955.25
556100	6363110	59471.06	58006.61	99	131444	57956.04
556100	6363115	59470.43	58005.97	99	131453	57955.4
556100	6363120	59470.93	58006.46	99	131505	57955.89

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556100	6363125	59471.96	58007.42	99	131517	57956.85
556100	6363130	59471.8	58007.19	99	131529	57956.62
556100	6363135	59471.25	58006.57	99	131541	57956
556100	6363140	59471.17	58006.45	99	131550	57955.88
556100	6363145	59473.36	58008.61	99	131559	57958.04
556100	6363150	59471.78	58007.03	99	131608	57956.46
556050	6363150	59471.15	58006.29	99	131811	57955.72
556050	6363145	59470.19	58005.38	99	131826	57954.81
556050	6363140	59472.09	58007.33	99	131844	57956.76
556050	6363135	59469.87	58005.14	99	131859	57954.57
556050	6363130	59470.72	58005.96	99	131914	57955.39
556050	6363125	59469.79	58005.04	99	131929	57954.47
556050	6363120	59469.9	58005.18	99	131941	57954.61
556050	6363115	59469.34	58004.6	99	131959	57954.03
556050	6363110	59469.42	58004.68	99	132011	57954.11
556050	6363105	59469.53	58004.76	99	132023	57954.19
556050	6363100	59470.21	58005.39	99	132035	57954.82
556050	6363095	59470.11	58005.25	99	132047	57954.68
556050	6363090	59472.12	58007.27	99	132059	57956.7
556050	6363085	59470.92	58006.06	99	132108	57955.49
556050	6363080	59471.96	58007.07	99	132117	57956.5
556050	6363075	59471.98	58007.07	99	132126	57956.5
556050	6363070	59470.93	58006.02	99	132135	57955.45
556050	6363065	59470.58	58005.71	99	132147	57955.14
556050	6363060	59471.38	58006.51	99	132156	57955.94
556050	6363055	59472.02	58007.19	99	132208	57956.62
556050	6363050	59472.23	58007.39	99	132217	57956.82
556050	6363045	59472.85	58008	99	132229	57957.43
556050	6363040	59473.73	58008.76	99	132241	57958.19
556050	6363035	59474.78	58009.83	99	132253	57959.26
556050	6363030	59478.82	58013.9	99	132305	57963.33
556050	6363025	59479.18	58014.34	99	132314	57963.77
556050	6363020	59482.84	58018.05	99	132326	57967.48
556050	6363015	59481.39	58016.67	99	132335	57966.1
556050	6363010	59481.58	58016.89	99	132347	57966.32
556050	6363005	59481.42	58016.74	99	132359	57966.17
556050	6363000	59481.8	58017.12	99	132408	57966.55
556050	6362995	59482.44	58017.76	99	132417	57967.19
556050	6362990	59478.46	58013.78	99	132426	57963.21
556050	6362985	59477.9	58013.13	99	132435	57962.56
556050	6362980	59478.73	58013.9	99	132441	57963.33
556050	6362975	59480.7	58015.73	99	132450	57965.16
556050	6362970	59478.26	58013.24	99	132459	57962.67
556050	6362965	59480.2	58015.08	99	132508	57964.51
556050	6362960	59477.81	58012.72	99	132517	57962.15
556050	6362955	59478.53	58013.48	99	132529	57962.91
556050	6362950	59479.81	58014.67	99	132541	57964.1
556050	6362950	59479.29	58013.86	99	132732	57963.29
556055	6362950	59480.8	58015.36	99	132747	57964.79
556060	6362950	59480.06	58014.59	99	132759	57964.02
556065	6362950	59479.07	58013.56	99	132811	57962.99

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556070	6362950	59481.97	58016.49	99	132826	57965.92
556075	6362950	59480.32	58014.89	99	132853	57964.32
556080	6362950	59479.4	58013.96	99	132914	57963.39
556085	6362950	59478.74	58013.29	99	132923	57962.72
556090	6362950	59478.37	58012.93	99	132932	57962.36
556095	6362950	59477.07	58011.63	99	132941	57961.06
556100	6362950	59478.13	58012.69	99	132953	57962.12
556105	6362950	59475.87	58010.48	99	133005	57959.91
556110	6362950	59475.86	58010.52	99	133017	57959.95
556115	6362950	59478.4	58013.09	99	133029	57962.52
556120	6362950	59477.84	58012.53	99	133041	57961.96
556125	6362950	59479.01	58013.67	99	133053	57963.1
556130	6362950	59481.74	58016.38	99	133105	57965.81
556135	6362950	59484.01	58018.69	99	133114	57968.12
556140	6362950	59483.72	58018.39	99	133126	57967.82
556145	6362950	59488.93	58023.58	99	133135	57973.01
556150	6362950	59490.34	58024.96	99	133144	57974.39
556155	6362950	59494.39	58028.99	99	133153	57978.42
556160	6362950	59501.28	58035.94	99	133202	57985.37
556165	6362950	59499.31	58033.97	99	133214	57983.4
556170	6362950	59503.04	58037.65	99	133229	57987.08
556175	6362950	59506.3	58040.9	99	133238	57990.33
556180	6362950	59512.58	58047.14	99	133247	57996.57
556185	6362950	59514	58048.53	99	133302	57997.96
556190	6362950	59519.02	58053.55	99	133314	58002.98
556195	6362950	59521.28	58055.8	99	133326	58005.23
556200	6362950	59522.88	58057.4	99	133338	58006.83
556205	6362950	59523.33	58057.86	99	133350	58007.29
556210	6362950	59523.73	58058.18	99	133359	58007.61
556215	6362950	59525.59	58059.99	99	133408	58009.42
556220	6362950	59522.98	58057.35	99	133417	58006.78
556225	6362950	59521.32	58055.62	99	133429	58005.05
556230	6362950	59516.52	58050.8	99	133441	58000.23
556235	6362950	59512.81	58047.07	99	133450	57996.5
556240	6362950	59509.01	58043.21	99	133502	57992.64
556245	6362950	59503.87	58038.04	99	133511	57987.47
556250	6362950	59500.73	58034.86	99	133523	57984.29
556255	6362950	59495.74	58029.84	99	133538	57979.27
556260	6362950	59491.27	58025.36	99	133550	57974.79
556265	6362950	59488.4	58022.49	99	133559	57971.92
556270	6362950	59485.77	58019.84	99	133608	57969.27
556275	6362950	59484.97	58019.07	99	133620	57968.5
556280	6362950	59483.23	58017.36	99	133629	57966.79
556285	6362950	59482.24	58016.38	99	133641	57965.81
556290	6362950	59480.63	58014.75	99	133653	57964.18
556295	6362950	59480.65	58014.81	99	133702	57964.24
556300	6362950	59479.8	58013.99	99	133714	57963.42
556305	6362950	59479.25	58013.39	99	133723	57962.82
556310	6362950	59478.74	58012.91	99	133732	57962.34
556315	6362950	59478.76	58012.89	99	133741	57962.32
556320	6362950	59475.67	58009.78	99	133753	57959.21

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556325	6362950	59477.54	58011.6	99	133805	57961.03
556330	6362950	59475.79	58009.79	99	133817	57959.22
556335	6362950	59477.48	58011.42	99	133835	57960.85
556340	6362950	59477.42	58011.29	99	133844	57960.72
556345	6362950	59477.45	58011.24	99	133856	57960.67
556350	6362950	59477.57	58011.28	99	133905	57960.71
556355	6362950	59476.61	58010.24	99	133917	57959.67
556360	6362950	59478.21	58011.78	99	133929	57961.21
556365	6362950	59477.37	58010.88	99	133941	57960.31
556370	6362950	59478.46	58011.92	99	133953	57961.35
556375	6362950	59479.56	58013.02	99	134002	57962.45
556380	6362950	59478.29	58011.67	99	134017	57961.1
556385	6362950	59477.51	58010.84	99	134029	57960.27
556390	6362950	59478.15	58011.47	99	134038	57960.9
556395	6362950	59479.72	58013.01	99	134050	57962.44
556400	6362950	59480.37	58013.63	99	134102	57963.06
556400	6363155	59475.15	57959.4	99	112711	57959.4
556400	6363160	59479.31	57963.54	99	112723	57963.54
556400	6363165	59476.4	57960.69	99	112732	57960.69
556400	6363170	59474.68	57959.04	99	112741	57959.04
556400	6363175	59472.69	57957.13	99	112753	57957.13
556400	6363180	59473.74	57958.3	99	112802	57958.3
556400	6363185	59474.14	57958.71	99	112811	57958.71
556400	6363190	59482.11	57966.74	99	112823	57966.74
556400	6363195	59475.63	57960.36	99	112835	57960.36
556400	6363200	59476.04	57960.86	99	112847	57960.86
556400	6363205	59474.6	57959.47	99	112859	57959.47
556400	6363210	59473.67	57958.58	99	112911	57958.58
556400	6363215	59474.77	57959.66	99	112920	57959.66
556400	6363220	59474.11	57958.99	99	112929	57958.99
556400	6363225	59475.22	57960.11	99	112938	57960.11
556400	6363230	59478.19	57963.07	99	112947	57963.07
556400	6363235	59477.3	57962.24	99	112959	57962.24
556400	6363240	59478.06	57963.05	99	113008	57963.05
556400	6363245	59475.12	57960.15	99	113020	57960.15
556400	6363250	59475.02	57960	99	113032	57960
556400	6363255	59475.37	57960.3	99	113041	57960.3
556400	6363260	59474.65	57959.58	99	113056	57959.58
556400	6363265	59475.42	57960.41	99	113108	57960.41
556400	6363270	59474.94	57959.9	99	113123	57959.9
556400	6363275	59474.87	57959.79	99	113135	57959.79
556400	6363280	59474.47	57959.4	99	113147	57959.4
556400	6363285	59475.19	57960.16	99	113156	57960.16
556400	6363290	59476.18	57961.24	99	113205	57961.24
556400	6363295	59475.67	57960.79	99	113214	57960.79
556400	6363300	59476.01	57961.15	99	113226	57961.15
556350	6363300	59475.89	57961.16	99	113323	57961.16
556350	6363295	59475.66	57960.92	99	113335	57960.92
556350	6363290	59475.49	57960.76	99	113347	57960.76
556350	6363285	59473.38	57958.7	99	113359	57958.7
556350	6363280	59473.58	57958.97	99	113408	57958.97

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556350	6363275	59471.77	57957.19	99	113420	57957.19
556350	6363270	59471.17	57956.58	99	113432	57956.58
556350	6363265	59471.41	57956.8	99	113447	57956.8
556350	6363260	59475.02	57960.4	99	113456	57960.4
556350	6363255	59473.31	57958.74	99	113514	57958.74
556350	6363250	59474.66	57960.11	99	113523	57960.11
556350	6363245	59474.1	57959.62	99	113538	57959.62
556350	6363240	59471.64	57957.15	99	113553	57957.15
556350	6363235	59474.41	57959.88	99	113602	57959.88
556350	6363230	59477.4	57962.79	99	113614	57962.79
556350	6363225	59475.16	57960.52	99	113623	57960.52
556350	6363220	59474.44	57959.75	99	113635	57959.75
556350	6363215	59474.73	57960.04	99	113644	57960.04
556350	6363210	59474.04	57959.37	99	113656	57959.37
556350	6363205	59474.11	57959.47	99	113705	57959.47
556350	6363200	59472.86	57958.21	99	113717	57958.21
556350	6363195	59474.37	57959.73	99	113726	57959.73
556350	6363190	59475.49	57960.82	99	113735	57960.82
556350	6363185	59474.43	57959.72	99	113747	57959.72
556350	6363180	59472.88	57958.12	99	113756	57958.12
556350	6363175	59472.35	57957.59	99	113808	57957.59
556350	6363170	59474.25	57959.56	99	113817	57959.56
556350	6363165	59472.87	57958.17	99	113829	57958.17
556350	6363160	59474.72	57960.04	99	113838	57960.04
556350	6363155	59474.02	57959.32	99	113847	57959.32
556300	6363155	59468.95	57954.4	99	114002	57954.4
556300	6363160	59466.8	57952.24	99	114017	57952.24
556300	6363165	59468.42	57953.87	99	114032	57953.87
556300	6363170	59468.37	57953.86	99	114041	57953.86
556300	6363175	59467.23	57952.76	99	114053	57952.76
556300	6363180	59468.02	57953.69	99	114147	57953.69
556300	6363185	59468.92	57954.65	99	114202	57954.65
556300	6363190	59467.67	57953.43	99	114214	57953.43
556300	6363195	59469.89	57955.58	99	114223	57955.58
556300	6363200	59469.42	57955.13	99	114235	57955.13
556300	6363205	59470.52	57956.32	99	114247	57956.32
556300	6363210	59469.23	57955.13	99	114259	57955.13
556300	6363215	59471.05	57956.97	99	114320	57956.97
556300	6363220	59470.82	57956.73	99	114329	57956.73
556300	6363225	59469.34	57955.28	99	114341	57955.28
556300	6363230	59470.81	57956.7	99	114350	57956.7
556300	6363235	59472.7	57958.63	99	114359	57958.63
556300	6363240	59471.45	57957.35	99	114411	57957.35
556300	6363245	59470.8	57956.68	99	114420	57956.68
556300	6363250	59471.23	57957.19	99	114432	57957.19
556300	6363255	59472.15	57958.16	99	114447	57958.16
556300	6363260	59472.66	57958.76	99	114456	57958.76
556300	6363265	59469.67	57955.86	99	114505	57955.86
556300	6363270	59469.74	57956.01	99	114517	57956.01
556300	6363275	59472.65	57958.92	99	114529	57958.92
556300	6363280	59472.13	57958.47	99	114544	57958.47

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556300	6363285	59473.86	57960.25	99	114556	57960.25
556300	6363290	59472.48	57958.92	99	114608	57958.92
556300	6363295	59471.58	57957.99	99	114617	57957.99
556300	6363300	59472.5	57958.95	99	114626	57958.95
556250	6363300	59471.34	57957.97	99	114859	57957.97
556250	6363295	59471.31	57957.97	99	114911	57957.97
556250	6363290	59476.86	57963.48	99	114923	57963.48
556250	6363285	59469.49	57956.05	99	114938	57956.05
556250	6363280	59467.65	57954.25	99	114950	57954.25
556250	6363275	59469.43	57956.05	99	114959	57956.05
556250	6363270	59467.91	57954.57	99	115008	57954.57
556250	6363265	59468.61	57955.27	99	115020	57955.27
556250	6363260	59467.77	57954.42	99	115029	57954.42
556250	6363255	59469.5	57956.17	99	115038	57956.17
556250	6363250	59467.53	57954.16	99	115047	57954.16
556250	6363245	59466.96	57953.56	99	115059	57953.56
556250	6363240	59466.72	57953.31	99	115111	57953.31
556250	6363235	59466.18	57952.74	99	115120	57952.74
556250	6363230	59465.18	57951.75	99	115132	57951.75
556250	6363225	59464.28	57950.84	99	115141	57950.84
556250	6363220	59464.04	57950.54	99	115153	57950.54
556250	6363215	59462.89	57949.34	99	115205	57949.34
556250	6363210	59461.96	57948.44	99	115217	57948.44
556250	6363205	59459.87	57946.43	99	115226	57946.43
556250	6363200	59463.43	57950.05	99	115238	57950.05
556250	6363195	59460.82	57947.47	99	115250	57947.47
556250	6363190	59460.32	57946.97	99	115302	57946.97
556250	6363185	59465.51	57952.22	99	115314	57952.22
556250	6363180	59459.14	57945.82	99	115323	57945.82
556250	6363175	59471.11	57957.83	99	115338	57957.83
556250	6363170	59482.89	57969.68	99	115353	57969.68
556250	6363165	59495.44	57982.36	99	115405	57982.36
556250	6363160	59499.58	57986.56	99	115417	57986.56
556250	6363155	59504.71	57991.72	99	115429	57991.72
556200	6363155	59497.67	57984.86	99	115544	57984.86
556200	6363160	59500.71	57987.86	99	115556	57987.86
556200	6363165	59497.95	57985.12	99	115608	57985.12
556200	6363170	59498.05	57985.23	99	115620	57985.23
556200	6363175	59496.87	57984.09	99	115629	57984.09
556200	6363180	59488.67	57975.93	99	115641	57975.93
556200	6363185	59477.29	57964.56	99	115653	57964.56
556200	6363190	59465.65	57952.88	99	115714	57952.88
556200	6363195	59460.37	57947.57	99	115726	57947.57
556200	6363200	59454.58	57941.85	99	115741	57941.85
556200	6363205	59457.09	57944.35	99	115811	57944.35
556200	6363210	59458.72	57945.94	99	115826	57945.94
556200	6363215	59460.18	57947.38	99	115838	57947.38
556200	6363220	59459.05	57946.28	99	115847	57946.28
556200	6363225	59458.99	57946.25	99	115856	57946.25
556200	6363230	59461.96	57949.29	99	115908	57949.29
556200	6363235	59462.65	57949.91	99	115917	57949.91

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556200	6363240	59462.86	57950.11	99	115926	57950.11
556200	6363245	59462.51	57949.76	99	115935	57949.76
556200	6363250	59460.17	57947.47	99	115944	57947.47
556200	6363255	59460.86	57948.2	99	115953	57948.2
556200	6363260	59461.46	57948.82	99	120002	57948.82
556200	6363265	59461.16	57948.54	99	120014	57948.54
556200	6363270	59462.37	57949.8	99	120023	57949.8
556200	6363275	59462.55	57949.99	99	120032	57949.99
556200	6363280	59461.72	57949.21	99	120041	57949.21
556200	6363285	59464.75	57952.22	99	120050	57952.22
556200	6363290	59464.21	57951.64	99	120102	57951.64
556200	6363295	59465.74	57953.16	99	120114	57953.16
556200	6363300	59469.55	57957.02	99	120132	57957.02
556150	6363300	59462.95	57950.4	99	120429	57950.4
556150	6363295	59462.64	57950.05	99	120447	57950.05
556150	6363290	59462.14	57949.58	99	120505	57949.58
556150	6363285	59463.56	57951.02	99	120520	57951.02
556150	6363280	59460.76	57948.27	99	120529	57948.27
556150	6363275	59465.2	57952.66	99	120544	57952.66
556150	6363270	59465.21	57952.67	99	120553	57952.67
556150	6363265	59469.25	57956.68	99	120605	57956.68
556150	6363260	59472.03	57959.44	99	120614	57959.44
556150	6363255	59476.4	57963.87	99	120620	57963.87
556150	6363250	59481.39	57968.83	99	120632	57968.83
556150	6363245	59499.46	57986.88	99	120644	57986.88
556150	6363240	59511.25	57998.65	99	120656	57998.65
556150	6363235	59514.61	58002.03	99	120708	58002.03
556150	6363230	59514.89	58002.25	99	120717	58002.25
556150	6363225	59508.61	57996	99	120732	57996
556150	6363220	59500.83	57988.2	99	120744	57988.2
556150	6363215	59492.38	57979.78	99	120756	57979.78
556150	6363210	59482.43	57969.83	99	120808	57969.83
556150	6363205	59476.15	57963.54	99	120823	57963.54
556150	6363200	59474.9	57962.3	99	120835	57962.3
556150	6363195	59478.72	57966.17	99	120847	57966.17
556150	6363190	59485.11	57972.61	99	120902	57972.61
556150	6363185	59492.84	57980.37	99	120914	57980.37
556150	6363180	59496.18	57983.81	99	120926	57983.81
556150	6363175	59502.57	57990.26	99	120935	57990.26
556150	6363170	59510.06	57997.87	99	120947	57997.87
556150	6363165	59512.24	58000.14	99	120956	58000.14
556150	6363160	59502.77	57990.73	99	121005	57990.73
556150	6363155	59500.8	57988.77	99	121017	57988.77
556100	6363155	59469.62	57958.1	99	121126	57958.1
556100	6363160	59469.91	57958.38	99	121141	57958.38
556100	6363165	59469.58	57958.03	99	121150	57958.03
556100	6363170	59471.42	57959.87	99	121159	57959.87
556100	6363175	59472.24	57960.71	99	121214	57960.71
556100	6363180	59474.78	57963.04	99	121311	57963.04
556100	6363185	59478.36	57966.59	99	121329	57966.59
556100	6363190	59480.2	57968.56	99	121341	57968.56

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556100	6363195	59482.91	57971.31	99	121356	57971.31
556100	6363200	59486.88	57975.28	99	121408	57975.28
556100	6363205	59492.51	57980.85	99	121420	57980.85
556100	6363210	59492.79	57981.09	99	121432	57981.09
556100	6363215	59487.55	57975.82	99	121447	57975.82
556100	6363220	59481.31	57969.64	99	121459	57969.64
556100	6363225	59477.65	57966.02	99	121511	57966.02
556100	6363230	59470.99	57959.35	99	121523	57959.35
556100	6363235	59464.49	57952.76	99	121532	57952.76
556100	6363240	59460.92	57949.22	99	121553	57949.22
556100	6363245	59459.69	57947.97	99	121602	57947.97
556100	6363250	59458.31	57946.61	99	121611	57946.61
556100	6363255	59457.65	57945.95	99	121626	57945.95
556100	6363260	59456.46	57944.77	99	121635	57944.77
556100	6363265	59458.67	57946.97	99	121644	57946.97
556100	6363270	59455.94	57944.35	99	121656	57944.35
556100	6363275	59459.13	57947.57	99	121708	57947.57
556100	6363280	59461.05	57949.42	99	121723	57949.42
556100	6363285	59461.81	57950.13	99	121732	57950.13
556100	6363290	59463.77	57952.13	99	121744	57952.13
556100	6363295	59458.35	57946.75	99	121756	57946.75
556100	6363300	59464.4	57952.7	99	121811	57952.7
556050	6363300	59463.55	57952.03	99	122053	57952.03
556050	6363295	59465.53	57954	99	122111	57954
556050	6363290	59467.43	57955.94	99	122123	57955.94
556050	6363285	59470.78	57959.14	99	122144	57959.14
556050	6363280	59468.54	57956.87	99	122159	57956.87
556050	6363275	59467.23	57955.64	99	122211	57955.64
556050	6363270	59465.25	57953.73	99	122226	57953.73
556050	6363265	59466.96	57955.42	99	122238	57955.42
556050	6363260	59466.99	57955.41	99	122247	57955.41
556050	6363255	59468.48	57956.87	99	122256	57956.87
556050	6363250	59469.17	57957.59	99	122311	57957.59
556050	6363245	59475.13	57963.59	99	122320	57963.59
556050	6363240	59481.61	57970.08	99	122332	57970.08
556050	6363235	59488.51	57976.89	99	122344	57976.89
556050	6363230	59491.98	57980.33	99	122356	57980.33
556050	6363225	59499.41	57987.74	99	122408	57987.74
556050	6363220	59503.82	57992.15	99	122432	57992.15
556050	6363215	59499.67	57987.9	99	122444	57987.9
556050	6363210	59493.13	57981.15	99	122502	57981.15
556050	6363205	59487.99	57975.98	99	122514	57975.98
556050	6363200	59483.13	57971.12	99	122523	57971.12
556050	6363195	59476.15	57964.13	99	122535	57964.13
556050	6363190	59472.04	57960	99	122550	57960
556050	6363185	59470.11	57958.04	99	122559	57958.04
556050	6363180	59470.37	57958.33	99	122608	57958.33
556050	6363175	59469.92	57957.92	99	122617	57957.92
556050	6363170	59468.41	57956.49	99	122629	57956.49
556050	6363165	59469.86	57957.97	99	122641	57957.97
556050	6363160	59467.13	57955.21	99	122650	57955.21

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA062

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
556050	6363155	59467.55	57955.61	99	122659	57955.61
556000	6363150	59466.02	57954.57	99	122844	57954.57
556000	6363155	59466.48	57955.09	99	122859	57955.09
556000	6363160	59466.78	57955.34	99	122908	57955.34
556000	6363165	59466.48	57955.05	99	122923	57955.05
556000	6363170	59466.38	57954.98	99	122935	57954.98
556000	6363175	59466.99	57955.57	99	122947	57955.57
556000	6363180	59466.48	57954.81	99	123108	57954.81
556000	6363185	59466.82	57955.14	99	123117	57955.14
556000	6363190	59466.6	57954.93	99	123126	57954.93
556000	6363195	59465.41	57953.74	99	123135	57953.74
556000	6363200	59465.33	57953.64	99	123144	57953.64
556000	6363205	59465.16	57953.48	99	123156	57953.48
556000	6363210	59466.14	57954.5	99	123208	57954.5
556000	6363215	59465.84	57954.25	99	123220	57954.25
556000	6363220	59465.89	57954.3	99	123232	57954.3
556000	6363225	59466.42	57954.86	99	123244	57954.86
556000	6363230	59466.91	57955.33	99	123256	57955.33
556000	6363235	59468.29	57956.69	99	123305	57956.69
556000	6363240	59469.25	57957.64	99	123314	57957.64
556000	6363245	59469.27	57957.69	99	123326	57957.69
556000	6363250	59472.43	57960.88	99	123341	57960.88
556000	6363255	59474.77	57963.25	99	123353	57963.25
556000	6363260	59477.56	57965.98	99	123408	57965.98
556000	6363265	59480.94	57969.33	99	123420	57969.33
556000	6363270	59482.44	57970.78	99	123432	57970.78
556000	6363275	59484.79	57973.14	99	123450	57973.14
556000	6363280	59487.24	57975.58	99	123502	57975.58
556000	6363285	59488.04	57976.37	99	123511	57976.37
556000	6363290	59486.74	57975.06	99	123520	57975.06
556000	6363295	59484.11	57972.39	99	123532	57972.39
556000	6363300	59480.56	57968.77	99	123541	57968.77

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
556250	6362100	59447.69	58006.26	99	112838	58006.26
556250	6362095	59446.82	58004.73	99	112856	58004.73
556250	6362090	59448	58005.39	99	112908	58005.39
556250	6362085	59447.79	58004.77	99	112920	58004.77
556250	6362080	59448.95	58005.67	99	112935	58005.67
556250	6362075	59447.38	58003.94	99	112947	58003.94
556250	6362070	59447.1	58003.61	99	113002	58003.61
556250	6362065	59447.45	58003.96	99	113023	58003.96
556250	6362060	59448.91	58005.39	99	113035	58005.39
556250	6362055	59448.54	58005.14	99	113050	58005.14
556250	6362050	59446.84	58003.67	99	113105	58003.67
556250	6362045	59446.57	58003.49	99	113114	58003.49
556250	6362040	59444.52	58001.55	99	113132	58001.55
556250	6362035	59445.19	58002.15	99	113147	58002.15
556250	6362030	59444.16	58001.04	99	113202	58001.04
556250	6362025	59444.46	58001.1	99	113217	58001.1
556250	6362020	59440.38	57996.62	99	113235	57996.62
556250	6362015	59439.31	57995.35	99	113247	57995.35
556250	6362010	59443.84	57999.61	99	113256	57999.61
556250	6362005	59443.95	57999.6	99	113305	57999.6
556250	6362000	59444.28	58000.09	99	113317	58000.09
556250	6361995	59441.22	57997.21	99	113329	57997.21
556250	6361990	59442.98	57999.27	99	113341	57999.27
556250	6361985	59443.96	58000.49	99	113350	58000.49
556250	6361980	59443.56	58000.31	99	113356	58000.31
556250	6361975	59449.84	58006.74	99	113405	58006.74
556250	6361970	59442.22	57999.33	99	113420	57999.33
556250	6361965	59444.93	58002.32	99	113432	58002.32
556250	6361960	59442.18	57999.58	99	113444	57999.58
556250	6361955	59440.49	57997.91	99	113453	57997.91
556250	6361950	59439.99	57997.36	99	113502	57997.36
556250	6361945	59439.61	57996.88	99	113511	57996.88
556250	6361940	59440.23	57997.28	99	113523	57997.28
556250	6361935	59439.5	57996.4	99	113532	57996.4
556250	6361930	59440.36	57997.07	99	113544	57997.07
556250	6361925	59440.09	57996.72	99	113553	57996.72
556250	6361920	59439.89	57996.77	99	113617	57996.77
556250	6361915	59438.77	57996.13	99	113635	57996.13
556250	6361910	59438.55	57996.16	99	113647	57996.16
556250	6361905	59439.3	57997.38	99	113705	57997.38
556250	6361900	59438.29	57996.58	99	113717	57996.58
556250	6361895	59436.79	57995.41	99	113735	57995.41
556250	6361890	59435.58	57994.82	99	113753	57994.82
556250	6361885	59435.92	57995.71	99	113805	57995.71
556250	6361880	59435.63	57996.18	99	113823	57996.18
556250	6361875	59433.88	57994.81	99	113835	57994.81
556250	6361870	59434	57995.01	99	113847	57995.01
556250	6361865	59432.79	57993.84	99	113902	57993.84
556250	6361860	59439.45	58000.32	99	113914	58000.32
556250	6361855	59433.01	57993.6	99	113926	57993.6
556250	6361850	59429.57	57989.91	99	113938	57989.91

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
556250	6361845	59432.91	57992.95	99	114011	57992.95
556250	6361840	59434.11	57994.25	99	114023	57994.25
556250	6361835	59437.43	57997.5	99	114032	57997.5
556250	6361830	59434.05	57994.06	99	114050	57994.06
556250	6361825	59432.11	57992.15	99	114105	57992.15
556250	6361820	59432.99	57993.16	99	114126	57993.16
556250	6361815	59433.08	57993.09	99	114144	57993.09
556250	6361810	59431.65	57991.49	99	114159	57991.49
556250	6361805	59432.73	57992.43	99	114214	57992.43
556250	6361800	59433.05	57992.57	99	114223	57992.57
556250	6361795	59434.12	57993.53	99	114235	57993.53
556250	6361790	59432.76	57992.04	99	114247	57992.04
556250	6361785	59432.34	57991.48	99	114259	57991.48
556250	6361780	59433.5	57992.57	99	114335	57992.57
556250	6361775	59433.14	57992.33	99	114344	57992.33
556250	6361770	59431.02	57990.44	99	114353	57990.44
556250	6361765	59432.59	57992.21	99	114405	57992.21
556250	6361760	59431.52	57991.32	99	114414	57991.32
556250	6361755	59430.12	57990.22	99	114429	57990.22
556250	6361750	59429.87	57990.19	99	114438	57990.19
556250	6361745	59430.17	57990.57	99	114447	57990.57
556250	6361740	59429.14	57989.57	99	114502	57989.57
556250	6361735	59427.8	57987.9	99	114517	57987.9
556250	6361730	59428.82	57988.72	99	114526	57988.72
556250	6361725	59430.59	57990.01	99	114538	57990.01
556250	6361720	59428.75	57987.58	99	114550	57987.58
556250	6361715	59429.72	57987.71	99	114605	57987.71
556250	6361710	59427.77	57985.35	99	114614	57985.35
556250	6361705	59429.98	57987.18	99	114629	57987.18
556250	6361700	59431.34	57988.52	99	114641	57988.52
556200	6361700	59429.83	57987.6	99	114823	57987.6
556200	6361705	59431.51	57989.57	99	114835	57989.57
556200	6361710	59430.38	57988.6	99	114853	57988.6
556200	6361715	59432.73	57990.86	99	114902	57990.86
556200	6361720	59431.78	57989.73	99	114911	57989.73
556200	6361725	59432.56	57990.03	99	114923	57990.03
556200	6361730	59432.39	57988.69	99	114944	57988.69
556200	6361735	59436.63	57992.19	99	114959	57992.19
556200	6361740	59437.53	57992.74	99	115011	57992.74
556200	6361745	59435.66	57990.66	99	115023	57990.66
556200	6361750	59434.74	57989.78	99	115035	57989.78
556200	6361755	59435.44	57990.6	99	115047	57990.6
556200	6361760	59434.25	57989.4	99	115059	57989.4
556200	6361765	59435.75	57991.27	99	115111	57991.27
556200	6361770	59435.98	57991.56	99	115123	57991.56
556200	6361775	59435.86	57991.43	99	115135	57991.43
556200	6361780	59436.34	57991.67	99	115153	57991.67
556200	6361785	59435.87	57991.12	99	115202	57991.12
556200	6361790	59437.16	57992.14	99	115220	57992.14
556200	6361795	59436.07	57990.77	99	115235	57990.77
556200	6361800	59439.69	57994.28	99	115247	57994.28

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
556200	6361805	59440.4	57995.15	99	115302	57995.15
556200	6361810	59440.15	57995.04	99	115317	57995.04
556200	6361815	59437.98	57992.95	99	115344	57992.95
556200	6361820	59437.7	57992.45	99	115359	57992.45
556200	6361825	59438.09	57992.66	99	115408	57992.66
556200	6361830	59437.03	57991.47	99	115417	57991.47
556200	6361835	59438.59	57992.9	99	115429	57992.9
556200	6361840	59437.06	57991.29	99	115441	57991.29
556200	6361845	59437.4	57991.47	99	115453	57991.47
556200	6361850	59438	57991.92	99	115508	57991.92
556200	6361855	59440.65	57994.58	99	115529	57994.58
556200	6361860	59438.43	57992.44	99	115544	57992.44
556200	6361865	59438.24	57992.36	99	115556	57992.36
556200	6361870	59439.01	57993.22	99	115611	57993.22
556200	6361875	59440.55	57994.81	99	115623	57994.81
556200	6361880	59439.21	57993.53	99	115635	57993.53
556200	6361885	59440.3	57994.7	99	115659	57994.7
556200	6361890	59439.89	57994.52	99	115732	57994.52
556200	6361895	59438.83	57993.55	99	115747	57993.55
556200	6361900	59439.99	57994.91	99	115802	57994.91
556200	6361905	59440.47	57996.08	99	115838	57996.08
556200	6361910	59438.35	57994.41	99	115908	57994.41
556200	6361915	59436.29	57992.5	99	115923	57992.5
556200	6361920	59439.35	57995.55	99	115941	57995.55
556200	6361925	59440.62	57996.76	99	120002	57996.76
556200	6361930	59439.25	57995.28	99	120020	57995.28
556200	6361935	59440.22	57996.15	99	120035	57996.15
556200	6361940	59441.73	57997.57	99	120047	57997.57
556200	6361945	59440.09	57995.95	99	120108	57995.95
556200	6361950	59440.9	57996.72	99	120117	57996.72
556200	6361955	59440.8	57996.61	99	120129	57996.61
556200	6361960	59441.16	57997.02	99	120147	57997.02
556200	6361965	59442.01	57997.84	99	120159	57997.84
556200	6361970	59440.02	57995.87	99	120214	57995.87
556200	6361975	59440.02	57995.82	99	120232	57995.82
556200	6361980	59440.48	57996.07	99	120244	57996.07
556200	6361985	59441.84	57997.1	99	120256	57997.1
556200	6361990	59443.22	57998.11	99	120308	57998.11
556200	6361995	59447.56	58001.82	99	120326	58001.82
556200	6362000	59445.83	57999.83	99	120335	57999.83
556200	6362005	59443.98	57997.86	99	120350	57997.86
556200	6362010	59445.05	57999.06	99	120405	57999.06
556200	6362015	59444.83	57999.02	99	120414	57999.02
556200	6362020	59444.78	57999.22	99	120423	57999.22
556200	6362025	59445.69	58000.42	99	120432	58000.42
556200	6362030	59444.3	57999.65	99	120447	57999.65
556200	6362035	59444.04	57999.58	99	120459	57999.58
556200	6362040	59443.71	57999.44	99	120514	57999.44
556200	6362045	59444.1	57999.71	99	120532	57999.71
556200	6362050	59444.86	58000.35	99	120541	58000.35
556200	6362055	59446.62	58001.85	99	120553	58001.85

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
556200	6362060	59447.76	58002.41	99	120608	58002.41
556200	6362065	59447.93	58001.65	99	120626	58001.65
556200	6362070	59449.21	58002.33	99	120638	58002.33
556200	6362075	59450.47	58003.11	99	120650	58003.11
556200	6362080	59450.7	58003.06	99	120702	58003.06
556200	6362085	59452.56	58004.79	99	120714	58004.79
556200	6362090	59453.23	58005.48	99	120723	58005.48
556200	6362095	59452.33	58004.64	99	120732	58004.64
556200	6362100	59451.7	58004.06	99	120744	58004.06
556150	6362100	59452.4	58002.81	99	120944	58002.81
556150	6362095	59450.33	58000.37	99	120959	58000.37
556150	6362090	59451.01	58000.9	99	121014	58000.9
556150	6362085	59450.21	58000.08	99	121032	58000.08
556150	6362080	59451.24	58001.16	99	121047	58001.16
556150	6362075	59449.8	57999.84	99	121059	57999.84
556150	6362070	59448.47	57998.71	99	121117	57998.71
556150	6362065	59447.71	57998.16	99	121129	57998.16
556150	6362060	59447.6	57998.25	99	121144	57998.25
556150	6362055	59445.94	57996.92	99	121159	57996.92
556150	6362050	59445.74	57996.78	99	121214	57996.78
556150	6362045	59446.49	57998.09	99	121256	57998.09
556150	6362040	59442.74	57994.68	99	121317	57994.68
556150	6362035	59441.95	57994.29	99	121332	57994.29
556150	6362030	59441.01	57993.59	99	121344	57993.59
556150	6362025	59439.15	57992.1	99	121356	57992.1
556150	6362020	59443.46	57996.82	99	121414	57996.82
556150	6362015	59446.29	57999.86	99	121426	57999.86
556150	6362010	59437.04	57990.87	99	121435	57990.87
556150	6362005	59446.18	58000.1	99	121450	58000.1
556150	6362000	59445.78	57999.68	99	121508	57999.68
556150	6361995	59441.31	57994.82	99	121523	57994.82
556150	6361990	59443.04	57996.32	99	121535	57996.32
556150	6361985	59442.86	57995.91	99	121547	57995.91
556150	6361980	59440.95	57993.99	99	121602	57993.99
556150	6361975	59446.3	57999.38	99	121614	57999.38
556150	6361970	59442.96	57996.21	99	121638	57996.21
556150	6361965	59443.69	57996.99	99	121653	57996.99
556150	6361960	59449.01	58002.2	99	121708	58002.2
556150	6361955	59449.46	58002.6	99	121717	58002.6
556150	6361950	59450.83	58003.81	99	121741	58003.81
556150	6361945	59450.54	58003.41	99	121753	58003.41
556150	6361940	59454.22	58006.95	99	121808	58006.95
556150	6361935	59454.57	58007	99	121820	58007
556150	6361930	59455.84	58008.21	99	121832	58008.21
556150	6361925	59455.28	58007.59	99	121841	58007.59
556150	6361920	59455.29	58007.49	99	121853	58007.49
556150	6361915	59454.88	58007.09	99	121902	58007.09
556150	6361910	59456.43	58008.61	99	121914	58008.61
556150	6361905	59457.36	58009.55	99	121926	58009.55
556150	6361900	59456.05	58008.14	99	121938	58008.14
556150	6361895	59457.51	58009.43	99	121950	58009.43

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
556150	6361890	59457.89	58009.89	99	122002	58009.89
556150	6361885	59460.31	58012.3	99	122014	58012.3
556150	6361880	59462.1	58014.13	99	122023	58014.13
556150	6361875	59465.31	58017.33	99	122032	58017.33
556150	6361870	59469.25	58021.14	99	122047	58021.14
556150	6361865	59470.47	58022.34	99	122059	58022.34
556150	6361860	59475.94	58027.65	99	122111	58027.65
556150	6361855	59476.05	58027.8	99	122123	58027.8
556150	6361850	59485.24	58037.1	99	122138	58037.1
556150	6361845	59483.47	58035.43	99	122150	58035.43
556150	6361840	59477.1	58029.07	99	122202	58029.07
556150	6361835	59470.66	58022.76	99	122217	58022.76
556150	6361830	59467.47	58019.43	99	122226	58019.43
556150	6361825	59463.05	58015.04	99	122238	58015.04
556150	6361820	59463.07	58015	99	122250	58015
556150	6361815	59455.65	58007.55	99	122308	58007.55
556150	6361810	59450.85	58002.73	99	122323	58002.73
556150	6361805	59448.07	57999.89	99	122341	57999.89
556150	6361800	59444.31	57996.44	99	122423	57996.44
556150	6361795	59444.07	57995.17	99	122556	57995.17
556150	6361790	59443.17	57995.06	99	122623	57995.06
556150	6361785	59441.79	57994.2	99	122638	57994.2
556150	6361780	59439.23	57991.91	99	122650	57991.91
556150	6361775	59440.52	57993.24	99	122659	57993.24
556150	6361770	59439.69	57992.35	99	122717	57992.35
556150	6361765	59440.68	57993.12	99	122729	57993.12
556150	6361760	59438.95	57991.17	99	122741	57991.17
556150	6361755	59438.98	57991.06	99	122753	57991.06
556150	6361750	59438.69	57990.72	99	122802	57990.72
556150	6361745	59438.96	57990.9	99	122820	57990.9
556150	6361740	59439.64	57991.28	99	122832	57991.28
556150	6361735	59439.4	57991.07	99	122844	57991.07
556150	6361730	59438.08	57989.83	99	122853	57989.83
556150	6361725	59438.16	57989.94	99	122911	57989.94
556150	6361720	59439.61	57991.44	99	122923	57991.44
556150	6361715	59438.87	57990.61	99	122935	57990.61
556150	6361710	59439.62	57991.25	99	122947	57991.25
556150	6361705	59437.75	57989.29	99	122959	57989.29
556150	6361700	59437.18	57988.79	99	123011	57988.79
556100	6361700	59456.58	58009.3	99	123150	58009.3
556100	6361705	59435.9	57988.95	99	123214	57988.95
556100	6361710	59434.78	57987.65	99	123232	57987.65
556100	6361715	59439.39	57992.04	99	123244	57992.04
556100	6361720	59437.59	57990.01	99	123253	57990.01
556100	6361725	59441.86	57994.1	99	123302	57994.1
556100	6361730	59437.41	57989.35	99	123314	57989.35
556100	6361735	59439.62	57991.34	99	123323	57991.34
556100	6361740	59437.77	57989.14	99	123332	57989.14
556100	6361745	59440.5	57991.67	99	123344	57991.67
556100	6361750	59445.94	57997.03	99	123353	57997.03
556100	6361755	59441.01	57992.06	99	123405	57992.06

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
556100	6361760	59439.21	57990.41	99	123417	57990.41
556100	6361765	59439.48	57991.22	99	123450	57991.22
556100	6361770	59440.54	57992.55	99	123502	57992.55
556100	6361775	59441.03	57993.08	99	123514	57993.08
556100	6361780	59441.77	57993.83	99	123529	57993.83
556100	6361785	59442.87	57994.93	99	123541	57994.93
556100	6361790	59444.69	57996.69	99	123556	57996.69
556100	6361795	59447.57	57999.51	99	123611	57999.51
556100	6361800	59450.21	58002.08	99	123620	58002.08
556100	6361805	59452.9	58004.54	99	123632	58004.54
556100	6361810	59466.27	58017.68	99	123644	58017.68
556100	6361815	59461.23	58012.29	99	123659	58012.29
556100	6361820	59463.98	58014.68	99	123711	58014.68
556100	6361825	59470.65	58021.06	99	123723	58021.06
556100	6361830	59476.67	58026.62	99	123738	58026.62
556100	6361835	59484.15	58033.85	99	123747	58033.85
556100	6361840	59487.48	58036.85	99	123756	58036.85
556100	6361845	59492.65	58041.66	99	123811	58041.66
556100	6361850	59499.49	58048.39	99	123820	58048.39
556100	6361855	59502.84	58051.66	99	123835	58051.66
556100	6361860	59509.58	58058.47	99	123847	58058.47
556100	6361865	59515.34	58064.22	99	123859	58064.22
556100	6361870	59513.6	58062.65	99	123911	58062.65
556100	6361875	59511.37	58060.56	99	123926	58060.56
556100	6361880	59509.4	58058.83	99	123941	58058.83
556100	6361885	59508.39	58057.87	99	123950	58057.87
556100	6361890	59501.99	58051.62	99	124005	58051.62
556100	6361895	59499.63	58049.32	99	124014	58049.32
556100	6361900	59495.93	58045.68	99	124023	58045.68
556100	6361905	59488.25	58038.17	99	124035	58038.17
556100	6361910	59485.36	58035.51	99	124050	58035.51
556100	6361915	59483.47	58033.82	99	124105	58033.82
556100	6361920	59482.58	58032.81	99	124120	58032.81
556100	6361925	59483.62	58033.78	99	124132	58033.78
556100	6361930	59481.94	58031.65	99	124150	58031.65
556100	6361935	59479.77	58029.08	99	124208	58029.08
556100	6361940	59476.43	58025.39	99	124223	58025.39
556100	6361945	59475.46	58024.37	99	124232	58024.37
556100	6361950	59476.03	58024.8	99	124244	58024.8
556100	6361955	59473.58	58022.23	99	124256	58022.23
556100	6361960	59476.03	58024.66	99	124308	58024.66
556100	6361965	59480.76	58029.42	99	124320	58029.42
556100	6361970	59487.41	58035.97	99	124329	58035.97
556100	6361975	59491.21	58039.76	99	124338	58039.76
556100	6361980	59495.25	58043.89	99	124350	58043.89
556100	6361985	59496.51	58045.26	99	124405	58045.26
556100	6361990	59506.07	58054.91	99	124420	58054.91
556100	6361995	59505.73	58054.52	99	124438	58054.52
556100	6362000	59505.26	58054.31	99	124514	58054.31
556100	6362005	59504.18	58053.25	99	124526	58053.25
556100	6362010	59500.72	58049.73	99	124550	58049.73

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
556100	6362015	59495.83	58044.69	99	124605	58044.69
556100	6362020	59485.82	58034.67	99	124626	58034.67
556100	6362025	59477.76	58026.69	99	124641	58026.69
556100	6362030	59464.75	58014.11	99	124723	58014.11
556100	6362035	59452.86	58002.41	99	124738	58002.41
556100	6362040	59447.95	57997.58	99	124753	57997.58
556100	6362045	59448.11	57997.53	99	124805	57997.53
556100	6362050	59447.17	57996.22	99	124823	57996.22
556100	6362055	59450.87	57999.81	99	124832	57999.81
556100	6362060	59453.16	58001.8	99	124844	58001.8
556100	6362065	59455.02	58003.61	99	124853	58003.61
556100	6362070	59457.12	58005.7	99	124902	58005.7
556100	6362075	59458.66	58007.24	99	124911	58007.24
556100	6362080	59460.24	58008.89	99	124923	58008.89
556100	6362085	59462.5	58011.24	99	124932	58011.24
556100	6362090	59461.9	58010.69	99	124941	58010.69
556100	6362095	59465.28	58014.06	99	124956	58014.06
556100	6362100	59462.87	58011.93	99	125014	58011.93
556050	6362100	59474.3	58023.91	99	125117	58023.91
556050	6362095	59474.81	58024.44	99	125132	58024.44
556050	6362090	59474.94	58024.43	99	125144	58024.43
556050	6362085	59476.29	58025.49	99	125202	58025.49
556050	6362080	59481.49	58030.62	99	125211	58030.62
556050	6362075	59482.35	58031.24	99	125223	58031.24
556050	6362070	59483.48	58032.42	99	125235	58032.42
556050	6362065	59486.6	58035.41	99	125247	58035.41
556050	6362060	59490.76	58039.41	99	125259	58039.41
556050	6362055	59497.1	58045.57	99	125311	58045.57
556050	6362050	59502.85	58051.3	99	125323	58051.3
556050	6362045	59503.49	58051.51	99	125347	58051.51
556050	6362040	59503.99	58051.77	99	125402	58051.77
556050	6362035	59502.54	58050.14	99	125414	58050.14
556050	6362030	59500.69	58047.98	99	125432	58047.98
556050	6362025	59501.46	58048.72	99	125441	58048.72
556050	6362020	59501.14	58048.39	99	125459	58048.39
556050	6362015	59499.19	58046.54	99	125514	58046.54
556050	6362010	59498.98	58046.22	99	125532	58046.22
556050	6362005	59494.58	58041.72	99	125602	58041.72
556050	6362000	59497.82	58044.84	99	125614	58044.84
556050	6361995	59493.99	58040.99	99	125635	58040.99
556050	6361990	59492.78	58039.84	99	125650	58039.84
556050	6361985	59486.71	58033.6	99	125708	58033.6
556050	6361980	59482	58028.76	99	125723	58028.76
556050	6361975	59478.08	58024.68	99	125735	58024.68
556050	6361970	59476.21	58022.69	99	125747	58022.69
556050	6361965	59471.38	58017.89	99	125759	58017.89
556050	6361960	59467.12	58013.65	99	125811	58013.65
556050	6361955	59467.25	58013.82	99	125826	58013.82
556050	6361950	59466.21	58012.82	99	125838	58012.82
556050	6361945	59465.11	58011.82	99	125847	58011.82
556050	6361940	59463.04	58009.8	99	125856	58009.8

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
556050	6361935	59462.55	58009.39	99	125905	58009.39
556050	6361930	59461.19	58007.98	99	125917	58007.98
556050	6361925	59460.57	58007.31	99	125929	58007.31
556050	6361920	59459.91	58006.4	99	125941	58006.4
556050	6361915	59464.13	58010.29	99	125953	58010.29
556050	6361910	59462.04	58008.03	99	130005	58008.03
556050	6361905	59463.06	58008.75	99	130017	58008.75
556050	6361900	59461.65	58007.15	99	130026	58007.15
556050	6361895	59463.42	58008.73	99	130038	58008.73
556050	6361890	59463.51	58008.72	99	130047	58008.72
556050	6361885	59466.72	58011.8	99	130059	58011.8
556050	6361880	59468.27	58013.23	99	130108	58013.23
556050	6361875	59467.69	58012.62	99	130117	58012.62
556050	6361870	59469.53	58014.43	99	130126	58014.43
556050	6361865	59474.72	58019.51	99	130138	58019.51
556050	6361860	59476.42	58021.12	99	130147	58021.12
556050	6361855	59477.48	58021.98	99	130159	58021.98
556050	6361850	59476.63	58021.05	99	130208	58021.05
556050	6361845	59470.49	58014.78	99	130220	58014.78
556050	6361840	59468.13	58012.4	99	130229	58012.4
556050	6361835	59463.78	58008.04	99	130241	58008.04
556050	6361830	59458.77	58003.14	99	130253	58003.14
556050	6361825	59454.16	57998.65	99	130305	57998.65
556050	6361820	59452.6	57997.24	99	130314	57997.24
556050	6361815	59460.48	58005.27	99	130326	58005.27
556050	6361810	59455.74	58000.78	99	130338	58000.78
556050	6361805	59455.6	58000.79	99	130350	58000.79
556050	6361800	59455.25	58000.43	99	130405	58000.43
556050	6361795	59451.75	57996.92	99	130420	57996.92
556050	6361790	59450.35	57995.38	99	130432	57995.38
556050	6361785	59449.59	57994.42	99	130444	57994.42
556050	6361780	59447.94	57992.72	99	130456	57992.72
556050	6361775	59450.07	57994.83	99	130511	57994.83
556050	6361770	59446.92	57991.65	99	130526	57991.65
556050	6361765	59450.65	57995.34	99	130541	57995.34
556050	6361760	59448.5	57993.27	99	130553	57993.27
556050	6361755	59447.84	57992.59	99	130608	57992.59
556050	6361750	59445.54	57990.23	99	130623	57990.23
556050	6361745	59447.04	57991.71	99	130635	57991.71
556050	6361740	59445	57989.66	99	130650	57989.66
556050	6361735	59445.67	57990.14	99	130702	57990.14
556050	6361730	59445.78	57989.98	99	130714	57989.98
556050	6361725	59453.44	57997.26	99	130729	57997.26
556050	6361720	59472.86	58016.42	99	130741	58016.42
556050	6361715	59460.27	58003.55	99	130750	58003.55
556050	6361710	59461.69	58004.84	99	130759	58004.84
556050	6361705	59477.85	58020.9	99	130805	58020.9
556050	6361700	59486.45	58029.41	99	130814	58029.41
556000	6361700	59443.22	57986.02	99	131138	57986.02
556000	6361705	59445.26	57987.83	99	131159	57987.83
556000	6361710	59451.23	57993.81	99	131211	57993.81

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
556000	6361715	59474.04	58016.49	99	131220	58016.49
556000	6361720	59455.91	57998.24	99	131235	57998.24
556000	6361725	59443.13	57985.49	99	131256	57985.49
556000	6361730	59447.88	57990.28	99	131305	57990.28
556000	6361735	59447.03	57989.41	99	131320	57989.41
556000	6361740	59453.12	57995.35	99	131332	57995.35
556000	6361745	59450.84	57993.04	99	131347	57993.04
556000	6361750	59453.78	57995.88	99	131359	57995.88
556000	6361755	59452.46	57994.43	99	131414	57994.43
556000	6361760	59452.14	57993.77	99	131426	57993.77
556000	6361765	59453.61	57995.07	99	131435	57995.07
556000	6361770	59454.18	57995.36	99	131444	57995.36
556000	6361775	59452.51	57993.31	99	131453	57993.31
556000	6361780	59455.61	57995.92	99	131508	57995.92
556000	6361785	59455.67	57995.65	99	131520	57995.65
556000	6361790	59456.37	57995.98	99	131532	57995.98
556000	6361795	59457.7	57996.96	99	131544	57996.96
556000	6361800	59459.08	57998.04	99	131556	57998.04
556000	6361805	59459.98	57998.49	99	131608	57998.49
556000	6361810	59458.07	57996.26	99	131617	57996.26
556000	6361815	59461.73	57999.6	99	131629	57999.6
556000	6361820	59462.93	58000.53	99	131638	58000.53
556000	6361825	59463.13	58000.57	99	131647	58000.57
556000	6361830	59462.66	57999.97	99	131705	57999.97
556000	6361835	59462.21	57999.57	99	131726	57999.57
556000	6361840	59463.8	58001.18	99	131738	58001.18
556000	6361845	59461.02	57998.5	99	131750	57998.5
556000	6361850	59463.23	58000.69	99	131802	58000.69
556000	6361855	59468.82	58006.11	99	131817	58006.11
556000	6361860	59458.36	57995.76	99	131832	57995.76
556000	6361865	59459.27	57996.7	99	131844	57996.7
556000	6361870	59460.5	57998.02	99	131856	57998.02
556000	6361875	59463.91	58001.45	99	131908	58001.45
556000	6361880	59467.5	58004.98	99	131920	58004.98
556000	6361885	59467.11	58004.61	99	131932	58004.61
556000	6361890	59465.04	58002.53	99	131944	58002.53
556000	6361895	59463.41	58000.9	99	131959	58000.9
556000	6361900	59461.14	57998.53	99	132017	57998.53
556000	6361905	59464.66	58002.11	99	132032	58002.11
556000	6361910	59464.66	58002.17	99	132047	58002.17
556000	6361915	59462.99	58000.61	99	132105	58000.61
556000	6361920	59463.92	58001.57	99	132114	58001.57
556000	6361925	59463.88	58001.24	99	132126	58001.24
556000	6361930	59464.39	58001.46	99	132138	58001.46
556000	6361935	59465.54	58002.32	99	132147	58002.32
556000	6361940	59466.88	58003.25	99	132159	58003.25
556000	6361945	59466	58002.05	99	132211	58002.05
556000	6361950	59463.25	57999.14	99	132223	57999.14
556000	6361955	59463.9	57999.74	99	132235	57999.74
556000	6361960	59463.48	57999.26	99	132244	57999.26
556000	6361965	59462.69	57998.53	99	132256	57998.53

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
556000	6361970	59464.35	58000.24	99	132305	58000.24
556000	6361975	59462.72	57998.8	99	132320	57998.8
556000	6361980	59464.47	58000.6	99	132332	58000.6
556000	6361985	59465.14	58001.41	99	132347	58001.41
556000	6361990	59466.68	58003.22	99	132359	58003.22
556000	6361995	59466.76	58003.6	99	132411	58003.6
556000	6362000	59468.04	58005.21	99	132423	58005.21
556000	6362005	59466.8	58004.26	99	132435	58004.26
556000	6362010	59467.53	58005.29	99	132444	58005.29
556000	6362015	59467.22	58005.25	99	132456	58005.25
556000	6362020	59466.75	58005.02	99	132505	58005.02
556000	6362025	59465.98	58004.44	99	132514	58004.44
556000	6362030	59468	58006.76	99	132529	58006.76
556000	6362035	59468.23	58007.08	99	132541	58007.08
556000	6362040	59469.13	58008.09	99	132556	58008.09
556000	6362045	59468.93	58007.96	99	132608	58007.96
556000	6362050	59470.16	58009.23	99	132617	58009.23
556000	6362055	59471.33	58010.53	99	132632	58010.53
556000	6362060	59471.54	58010.73	99	132644	58010.73
556000	6362065	59473.87	58012.94	99	132659	58012.94
556000	6362070	59473.8	58012.67	99	132726	58012.67
556000	6362075	59474.47	58013.19	99	132738	58013.19
556000	6362080	59475.96	58014.56	99	132750	58014.56
556000	6362085	59475.48	58013.99	99	132802	58013.99
556000	6362090	59475.38	58013.76	99	132817	58013.76
556000	6362095	59476.2	58014.52	99	132829	58014.52
556000	6362100	59477.32	58015.64	99	132838	58015.64
555950	6362100	59474.37	58012.99	99	133005	58012.99
555950	6362095	59473.82	58012.48	99	133023	58012.48
555950	6362090	59472.23	58010.94	99	133038	58010.94
555950	6362085	59471.21	58010.05	99	133053	58010.05
555950	6362080	59470.85	58009.65	99	133105	58009.65
555950	6362075	59469.81	58008.53	99	133117	58008.53
555950	6362070	59469.7	58008.37	99	133138	58008.37
555950	6362065	59469.87	58008.5	99	133150	58008.5
555950	6362060	59467.62	58006.25	99	133205	58006.25
555950	6362055	59467.1	58005.72	99	133217	58005.72
555950	6362050	59466.67	58005.09	99	133232	58005.09
555950	6362045	59465.87	58004.16	99	133244	58004.16
555950	6362040	59465.33	58003.53	99	133256	58003.53
555950	6362035	59465.56	58003.6	99	133305	58003.6
555950	6362030	59466.58	58004.59	99	133314	58004.59
555950	6362025	59468	58006.03	99	133323	58006.03
555950	6362020	59467.26	58005.31	99	133338	58005.31
555950	6362015	59468.84	58006.92	99	133350	58006.92
555950	6362010	59467.94	58006.1	99	133402	58006.1
555950	6362005	59468.08	58006.37	99	133417	58006.37
555950	6362000	59467.61	58005.97	99	133429	58005.97
555950	6361995	59468.37	58006.76	99	133444	58006.76
555950	6361990	59466.13	58004.43	99	133459	58004.43
555950	6361985	59464.67	58002.95	99	133514	58002.95

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
555950	6361980	59465.79	58003.79	99	133532	58003.79
555950	6361975	59464.84	58002.77	99	133544	58002.77
555950	6361970	59463.49	58001.26	99	133559	58001.26
555950	6361965	59463.61	58001.2	99	133614	58001.2
555950	6361960	59462.59	58000.21	99	133626	58000.21
555950	6361955	59463.76	58001.28	99	133635	58001.28
555950	6361950	59463.19	58000.56	99	133653	58000.56
555950	6361945	59464.9	58002.19	99	133702	58002.19
555950	6361940	59462.88	57999.73	99	133720	57999.73
555950	6361935	59463.85	58000.42	99	133732	58000.42
555950	6361930	59462.73	57999.09	99	133741	57999.09
555950	6361925	59464.18	58000.38	99	133750	58000.38
555950	6361920	59463.8	57999.65	99	133802	57999.65
555950	6361915	59464.91	58000.63	99	133811	58000.63
555950	6361910	59466.34	58001.86	99	133820	58001.86
555950	6361905	59464.78	58000.07	99	133832	58000.07
555950	6361900	59463.4	57998.43	99	133844	57998.43
555950	6361895	59464.64	57999.52	99	133856	57999.52
555950	6361890	59464.58	57999.38	99	133908	57999.38
555950	6361885	59464.53	57999.28	99	133920	57999.28
555950	6361880	59460.7	57995.4	99	133929	57995.4
555950	6361875	59464.94	57999.61	99	133938	57999.61
555950	6361870	59462.76	57997.27	99	133950	57997.27
555950	6361865	59465.84	58000.19	99	133959	58000.19
555950	6361860	59466.82	58000.94	99	134011	58000.94
555950	6361855	59472.35	58006.11	99	134023	58006.11
555950	6361850	59466.75	58000.1	99	134038	58000.1
555950	6361845	59467	57999.83	99	134053	57999.83
555950	6361840	59471.15	58003.08	99	134111	58003.08
555950	6361835	59469.69	58000.96	99	134123	58000.96
555950	6361830	59467.38	57998.12	99	134135	57998.12
555950	6361825	59470.47	58000.84	99	134150	58000.84
555950	6361820	59473.06	58003.22	99	134202	58003.22
555950	6361815	59471.76	58001.6	99	134214	58001.6
555950	6361810	59471.39	58000.88	99	134226	58000.88
555950	6361805	59470.74	57999.7	99	134238	57999.7
555950	6361800	59472.14	58000.26	99	134256	58000.26
555950	6361795	59472.62	58000.25	99	134311	58000.25
555950	6361790	59469.63	57997.14	99	134323	57997.14
555950	6361785	59469.64	57997.18	99	134335	57997.18
555950	6361780	59468.34	57995.8	99	134347	57995.8
555950	6361775	59468.37	57995.95	99	134356	57995.95
555950	6361770	59467.72	57995.28	99	134408	57995.28
555950	6361765	59467.37	57994.85	99	134420	57994.85
555950	6361760	59467.45	57994.8	99	134432	57994.8
555950	6361755	59466.54	57993.86	99	134444	57993.86
555950	6361750	59465.49	57992.47	99	134505	57992.47
555950	6361745	59462.15	57988.99	99	134529	57988.99
555950	6361740	59473.85	58000.77	99	134544	58000.77
555950	6361735	59482.97	58009.91	99	134556	58009.91
555950	6361730	59468.98	57996.06	99	134605	57996.06

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
555950	6361725	59465.75	57992.95	99	134614	57992.95
555950	6361720	59463.96	57991.23	99	134626	57991.23
555950	6361715	59462.71	57990.14	99	134635	57990.14
555950	6361710	59460.65	57988.14	99	134644	57988.14
555950	6361705	59462.91	57990.13	99	134702	57990.13
555950	6361700	59465.5	57992.27	99	134717	57992.27
555900	6361700	59463.83	57989	99	134850	57989
555900	6361705	59465.87	57991.29	99	134902	57991.29
555900	6361710	59466.52	57992.53	99	134923	57992.53
555900	6361715	59465.43	57991.77	99	134932	57991.77
555900	6361720	59465.56	57992.26	99	134944	57992.26
555900	6361725	59466.09	57993.18	99	134953	57993.18
555900	6361730	59465.15	57992.65	99	135005	57992.65
555900	6361735	59467.71	57995.36	99	135014	57995.36
555900	6361740	59468	57995.84	99	135026	57995.84
555900	6361745	59470.16	57998.09	99	135035	57998.09
555900	6361750	59470.87	57998.95	99	135044	57998.95
555900	6361755	59461.34	57989.5	99	135056	57989.5
555900	6361760	59464.14	57992.29	99	135108	57992.29
555900	6361765	59464.76	57992.99	99	135120	57992.99
555900	6361770	59468.97	57997.35	99	135132	57997.35
555900	6361775	59469.24	57997.74	99	135141	57997.74
555900	6361780	59471.01	57999.47	99	135153	57999.47
555900	6361785	59471.74	58000.14	99	135205	58000.14
555900	6361790	59473.92	58002.04	99	135220	58002.04
555900	6361795	59475.27	58003.18	99	135229	58003.18
555900	6361800	59475.35	58003.08	99	135238	58003.08
555900	6361805	59476.67	58004.26	99	135259	58004.26
555900	6361810	59476.3	58003.89	99	135308	58003.89
555900	6361815	59478.93	58006.31	99	135323	58006.31
555900	6361820	59480.08	58007.11	99	135338	58007.11
555900	6361825	59482.6	58009.25	99	135353	58009.25
555900	6361830	59480.4	58006.81	99	135435	58006.81
555900	6361835	59478.58	58005.02	99	135450	58005.02
555900	6361840	59478.11	58004.21	99	135511	58004.21
555900	6361845	59482.45	58007.92	99	135526	58007.92
555900	6361850	59480.94	58005.86	99	135538	58005.86
555900	6361855	59477.67	58001.94	99	135553	58001.94
555900	6361860	59476.86	58000.65	99	135608	58000.65
555900	6361865	59477.15	58000.72	99	135623	58000.72
555900	6361870	59477.72	58001.17	99	135641	58001.17
555900	6361875	59483.1	58006.44	99	135656	58006.44
555900	6361880	59484.01	58007.14	99	135714	58007.14
555900	6361885	59480.45	58003.37	99	135723	58003.37
555900	6361890	59484.61	58007.03	99	135744	58007.03
555900	6361895	59484.08	58006.34	99	135753	58006.34
555900	6361900	59479.69	58001.89	99	135802	58001.89
555900	6361900	59477.28	58001.11	99	135938	58001.11
555905	6361900	59478.88	58002.55	99	135950	58002.55
555910	6361900	59479.61	58003.03	99	135959	58003.03
555915	6361900	59490.21	58013.25	99	140014	58013.25

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
555920	6361900	59479.53	58001.96	99	140041	58001.96
555925	6361900	59481.23	58003.46	99	140053	58003.46
555930	6361900	59481.34	58003.3	99	140105	58003.3
555935	6361900	59480.59	58002.27	99	140117	58002.27
555940	6361900	59475.84	57997.34	99	140129	57997.34
555945	6361900	59476.99	57998.27	99	140141	57998.27
555950	6361900	59475.12	57996.4	99	140150	57996.4
555955	6361900	59477.22	57998.66	99	140205	57998.66
555960	6361900	59478.63	58000.28	99	140214	58000.28
555965	6361900	59479.51	58001.21	99	140226	58001.21
555970	6361900	59478.57	58000.33	99	140235	58000.33
555975	6361900	59478.86	58000.57	99	140244	58000.57
555980	6361900	59480.07	58001.74	99	140253	58001.74
555985	6361900	59482.66	58004.16	99	140302	58004.16
555990	6361900	59482.54	58003.68	99	140314	58003.68
555995	6361900	59480.64	58001.34	99	140323	58001.34
556000	6361900	59478.87	57999.06	99	140332	57999.06
556005	6361900	59480.95	58000.5	99	140341	58000.5
556010	6361900	59483	58001.69	99	140353	58001.69
556015	6361900	59484.63	58002.56	99	140405	58002.56
556020	6361900	59485.5	58003.11	99	140417	58003.11
556025	6361900	59483.81	58001.39	99	140429	58001.39
556030	6361900	59483.58	58001.19	99	140438	58001.19
556035	6361900	59484.64	58002.4	99	140450	58002.4
556040	6361900	59486.32	58004.35	99	140502	58004.35
556045	6361900	59488.24	58006.42	99	140508	58006.42
556050	6361900	59488.68	58007.25	99	140517	58007.25
556055	6361900	59491.06	58010.35	99	140529	58010.35
556060	6361900	59496.4	58016.69	99	140544	58016.69
556065	6361900	59504.61	58025.3	99	140553	58025.3
556070	6361900	59507.86	58029.02	99	140605	58029.02
556075	6361900	59511.32	58032.84	99	140614	58032.84
556080	6361900	59517.35	58039.34	99	140623	58039.34
556085	6361900	59521.84	58044.43	99	140635	58044.43
556090	6361900	59525.37	58048.48	99	140647	58048.48
556095	6361900	59523.66	58046.93	99	140659	58046.93
556100	6361900	59521.95	58045.17	99	140708	58045.17
556105	6361900	59517.49	58040.52	99	140720	58040.52
556110	6361900	59511.84	58034.81	99	140729	58034.81
556115	6361900	59504.72	58027.75	99	140741	58027.75
556120	6361900	59498.92	58021.97	99	140753	58021.97
556125	6361900	59495.88	58018.84	99	140805	58018.84
556130	6361900	59493.69	58016.54	99	140817	58016.54
556135	6361900	59490.72	58013.46	99	140829	58013.46
556140	6361900	59489.86	58012.34	99	140838	58012.34
556145	6361900	59488.84	58010.98	99	140850	58010.98
556150	6361900	59487.61	58009.06	99	140905	58009.06
556155	6361900	59485.87	58006.72	99	140917	58006.72
556160	6361900	59485.06	58005.23	99	140929	58005.23
556165	6361900	59481.75	58001.33	99	140938	58001.33
556170	6361900	59480.44	57999.19	99	140950	57999.19

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
556175	6361900	59479.93	57997.87	99	141002	57997.87
556180	6361900	59479.43	57996.81	99	141011	57996.81
556185	6361900	59478.46	57995.32	99	141023	57995.32
556190	6361900	59478.75	57995.35	99	141032	57995.35
556195	6361900	59476.98	57993.02	99	141044	57993.02
556200	6361900	59478.44	57994.04	99	141053	57994.04
556205	6361900	59480.53	57995.53	99	141105	57995.53
556210	6361900	59479.43	57993.57	99	141123	57993.57
556215	6361900	59478.5	57991.95	99	141150	57991.95
556220	6361900	59479.59	57994.55	99	141226	57994.55
556225	6361900	59478.67	57994.17	99	141244	57994.17
556230	6361900	59477.75	57994	99	141314	57994
556235	6361900	59477.18	57993.97	99	141335	57993.97
556240	6361900	59478.07	57995.08	99	141356	57995.08
556245	6361900	59477.9	57994.79	99	141423	57994.79
556250	6361900	59479.87	57996.83	99	141435	57996.83
556250	6362250	59467.91	58008.93	99	114353	58013.07
556250	6362245	59468.8	58009.83	99	114338	58013.97
556250	6362240	59469.21	58010.36	99	114329	58014.5
556250	6362235	59468.3	58009.58	99	114317	58013.72
556250	6362230	59468.86	58010.19	99	114308	58014.33
556250	6362225	59466.98	58008.37	99	114256	58012.51
556250	6362220	59466.29	58007.76	99	114241	58011.9
556250	6362215	59466.88	58008.39	99	114229	58012.53
556250	6362210	59465.07	58006.63	99	114217	58010.77
556250	6362205	59466.39	58007.9	99	114205	58012.04
556250	6362200	59465.75	58007.09	99	114150	58011.23
556250	6362195	59465.32	58006.54	99	114138	58010.68
556250	6362190	59464.93	58006.13	99	114126	58010.27
556250	6362185	59464.93	58006.06	99	114117	58010.2
556250	6362180	59464.77	58005.88	99	114102	58010.02
556250	6362175	59463.28	58004.54	99	114044	58008.68
556250	6362170	59462.45	58003.86	99	114032	58008
556250	6362165	59462.37	58003.94	99	114017	58008.08
556250	6362160	59462.75	58004.55	99	114005	58008.69
556250	6362155	59462.08	58003.98	99	113953	58008.12
556250	6362150	59461.79	58003.69	99	113944	58007.83
556250	6362145	59461.49	58003.53	99	113932	58007.67
556250	6362140	59460.61	58002.72	99	113920	58006.86
556250	6362135	59460.68	58002.7	99	113905	58006.84
556250	6362130	59460.38	58002.29	99	113850	58006.43
556250	6362125	59460.18	58001.87	99	113841	58006.01
556250	6362120	59460.35	58001.83	99	113832	58005.97
556250	6362115	59461.08	58002.3	99	113823	58006.44
556250	6362110	59460.49	58001.53	99	113814	58005.67
556250	6362105	59460.39	58001.23	99	113802	58005.37
556200	6362250	59469.08	58010.54	99	114535	58014.68
556200	6362245	59468.03	58009.28	99	114602	58013.42
556200	6362240	59466.27	58007.37	99	114614	58011.51
556200	6362235	59466.16	58007.21	99	114626	58011.35
556200	6362230	59466.08	58007.1	99	114641	58011.24

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
556200	6362225	59465.88	58006.83	99	114653	58010.97
556200	6362220	59466.46	58007.31	99	114705	58011.45
556200	6362215	59464.6	58005.44	99	114717	58009.58
556200	6362210	59465.83	58006.76	99	114726	58010.9
556200	6362205	59465.33	58006.22	99	114738	58010.36
556200	6362200	59464.04	58004.92	99	114747	58009.06
556200	6362195	59463.32	58004.3	99	114759	58008.44
556200	6362190	59465.67	58006.65	99	114814	58010.79
556200	6362185	59462.81	58003.73	99	114826	58007.87
556200	6362180	59462.87	58003.74	99	114838	58007.88
556200	6362175	59462.47	58003.41	99	114847	58007.55
556200	6362170	59461.87	58002.68	99	114859	58006.82
556200	6362165	59463.34	58004.07	99	114911	58008.21
556200	6362160	59461.79	58002.51	99	114926	58006.65
556200	6362155	59461.19	58001.75	99	114941	58005.89
556200	6362150	59462.73	58003.26	99	114950	58007.4
556200	6362145	59461.36	58001.9	99	115005	58006.04
556200	6362140	59460.27	58000.88	99	115017	58005.02
556200	6362135	59461.04	58001.7	99	115029	58005.84
556200	6362130	59461.49	58002.04	99	115050	58006.18
556200	6362125	59461.7	58002.39	99	115102	58006.53
556200	6362120	59460.01	58000.69	99	115114	58004.83
556200	6362115	59459.91	58000.61	99	115126	58004.75
556200	6362110	59460.15	58000.82	99	115135	58004.96
556200	6362105	59459.12	57999.87	99	115147	58004.01
556150	6362105	59457.11	57998.49	99	115302	58002.63
556150	6362110	59458.07	57999.65	99	115320	58003.79
556150	6362115	59458.95	58000.45	99	115335	58004.59
556150	6362120	59459.45	58000.92	99	115359	58005.06
556150	6362125	59458.55	57999.95	99	115502	58004.09
556150	6362130	59458.78	58000.08	99	115514	58004.22
556150	6362135	59458.79	58000.14	99	115529	58004.28
556150	6362140	59458.78	58000.05	99	115541	58004.19
556150	6362145	59459.99	58001.2	99	115605	58005.34
556150	6362150	59459.2	58000.48	99	115620	58004.62
556150	6362155	59458.17	57999.56	99	115629	58003.7
556150	6362160	59460	58001.33	99	115638	58005.47
556150	6362165	59460.2	58001.56	99	115650	58005.7
556150	6362170	59460.08	58001.55	99	115659	58005.69
556150	6362175	59460.68	58002.27	99	115711	58006.41
556150	6362180	59461.2	58002.83	99	115726	58006.97
556150	6362185	59460.61	58002.24	99	115738	58006.38
556150	6362190	59461.71	58003.5	99	115750	58007.64
556150	6362195	59461.93	58003.68	99	115759	58007.82
556150	6362200	59461.89	58003.64	99	115808	58007.78
556150	6362205	59462.39	58004.13	99	115817	58008.27
556150	6362210	59461.92	58003.73	99	115829	58007.87
556150	6362215	59462.48	58004.44	99	115838	58008.58
556150	6362220	59462.11	58004.02	99	115850	58008.16
556150	6362225	59462.97	58004.99	99	115902	58009.13
556150	6362230	59463.12	58005.25	99	115914	58009.39

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
556150	6362235	59463.51	58005.73	99	115926	58009.87
556150	6362240	59463.27	58005.61	99	115938	58009.75
556150	6362245	59463.43	58005.92	99	115956	58010.06
556150	6362250	59461.65	58004.23	99	120008	58008.37
556100	6362250	59462.53	58005.35	99	120159	58009.49
556100	6362245	59462.76	58005.56	99	120214	58009.7
556100	6362240	59462.71	58005.41	99	120226	58009.55
556100	6362235	59460.43	58003.14	99	120238	58007.28
556100	6362230	59461.81	58004.57	99	120247	58008.71
556100	6362225	59460.74	58003.52	99	120256	58007.66
556100	6362220	59458.5	58001.41	99	120311	58005.55
556100	6362215	59458.71	58001.72	99	120323	58005.86
556100	6362210	59458.87	58002	99	120335	58006.14
556100	6362205	59458.06	58001.23	99	120344	58005.37
556100	6362200	59458.14	58001.27	99	120359	58005.41
556100	6362195	59459.17	58002.17	99	120408	58006.31
556100	6362190	59458.31	58001.33	99	120420	58005.47
556100	6362185	59458.01	58000.98	99	120435	58005.12
556100	6362180	59458.17	58000.94	99	120450	58005.08
556100	6362175	59457.25	58000.06	99	120502	58004.2
556100	6362170	59452.2	57994.92	99	120514	57999.06
556100	6362165	59457.27	57999.95	99	120526	58004.09
556100	6362160	59458.02	58000.65	99	120535	58004.79
556100	6362155	59457.89	58000.5	99	120556	58004.64
556100	6362150	59456.98	57999.69	99	120614	58003.83
556100	6362145	59458.06	58000.75	99	120629	58004.89
556100	6362140	59459.58	58002.21	99	120644	58006.35
556100	6362135	59460.75	58003.34	99	120656	58007.48
556100	6362130	59460.94	58003.42	99	120711	58007.56
556100	6362125	59461.54	58003.93	99	120723	58008.07
556100	6362120	59462.75	58004.94	99	120735	58009.08
556100	6362115	59463.8	58005.69	99	120759	58009.83
556100	6362110	59465.83	58007.68	99	120805	58011.82
556100	6362105	59466.32	58008.15	99	120814	58012.29
556050	6362105	59476.34	58019.04	99	121117	58023.18
556050	6362110	59475.87	58018.43	99	121135	58022.57
556050	6362115	59476.37	58018.78	99	121150	58022.92
556050	6362120	59474.36	58016.52	99	121208	58020.66
556050	6362125	59476.31	58018.22	99	121229	58022.36
556050	6362130	59474.65	58016.4	99	121241	58020.54
556050	6362135	59473.73	58015.34	99	121250	58019.48
556050	6362140	59474.64	58016.16	99	121302	58020.3
556050	6362145	59473.73	58015.2	99	121320	58019.34
556050	6362150	59472.58	58014.06	99	121332	58018.2
556050	6362155	59471.99	58013.57	99	121344	58017.71
556050	6362160	59471.93	58013.57	99	121356	58017.71
556050	6362165	59471.81	58013.58	99	121411	58017.72
556050	6362170	59470.28	58012.26	99	121426	58016.4
556050	6362175	59470.49	58012.64	99	121441	58016.78
556050	6362180	59469.82	58012.14	99	121459	58016.28
556050	6362185	59470.35	58012.78	99	121511	58016.92

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
556050	6362190	59473.18	58015.62	99	121526	58019.76
556050	6362195	59472.35	58014.81	99	121538	58018.95
556050	6362200	59471.93	58014.45	99	121547	58018.59
556050	6362205	59472.5	58015.1	99	121602	58019.24
556050	6362210	59472.93	58015.54	99	121614	58019.68
556050	6362215	59472.57	58015.2	99	121626	58019.34
556050	6362220	59472.57	58015.27	99	121641	58019.41
556050	6362225	59473.5	58016.14	99	121653	58020.28
556050	6362230	59469.78	58012.36	99	121705	58016.5
556050	6362235	59466.98	58009.5	99	121717	58013.64
556050	6362240	59465.1	58007.4	99	121729	58011.54
556050	6362245	59465.34	58007.58	99	121747	58011.72
556050	6362250	59463.29	58005.58	99	121805	58009.72
556000	6362250	59468.85	58009.06	99	122117	58013.2
556000	6362245	59471.69	58011.79	99	122138	58015.93
556000	6362240	59472.57	58012.69	99	122150	58016.83
556000	6362235	59471.32	58011.51	99	122205	58015.65
556000	6362230	59470.82	58011.28	99	122223	58015.42
556000	6362225	59473.1	58013.88	99	122235	58018.02
556000	6362220	59471.78	58012.72	99	122259	58016.86
556000	6362215	59472.9	58014.02	99	122326	58018.16
556000	6362210	59474.56	58015.66	99	122341	58019.8
556000	6362205	59475.4	58016.52	99	122402	58020.66
556000	6362200	59475.14	58016.35	99	122417	58020.49
556000	6362195	59474.74	58015.91	99	122438	58020.05
556000	6362190	59475.89	58017.11	99	122450	58021.25
556000	6362185	59476.12	58017.42	99	122502	58021.56
556000	6362180	59476.35	58017.8	99	122517	58021.94
556000	6362175	59477.06	58018.58	99	122526	58022.72
556000	6362170	59477.56	58019.28	99	122544	58023.42
556000	6362165	59476.47	58018.41	99	122559	58022.55
556000	6362160	59476.55	58018.65	99	122611	58022.79
556000	6362155	59476.76	58018.9	99	122623	58023.04
556000	6362150	59474.5	58016.7	99	122632	58020.84
556000	6362145	59474.95	58017.16	99	122644	58021.3
556000	6362140	59472.65	58014.76	99	122653	58018.9
556000	6362135	59473.53	58015.45	99	122705	58019.59
556000	6362130	59470.56	58012.34	99	122717	58016.48
556000	6362125	59469.63	58011.38	99	122726	58015.52
556000	6362120	59469.97	58011.49	99	122738	58015.63
556000	6362115	59468.94	58010.13	99	122750	58014.27
556000	6362110	59468.96	58010.06	99	122805	58014.2
556000	6362105	59468.95	58009.93	99	122817	58014.07
555950	6362105	59468.32	58009.92	99	123041	58014.06
555950	6362110	59469.94	58011.23	99	123114	58015.37
555950	6362115	59471.04	58011.97	99	123129	58016.11
555950	6362120	59470.7	58010.59	99	123202	58014.73
555950	6362125	59470.1	58009.43	99	123223	58013.57
555950	6362130	59471.22	58010.32	99	123244	58014.46
555950	6362135	59471.63	58010.46	99	123305	58014.6
555950	6362140	59470.48	58009.13	99	123329	58013.27

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
555950	6362145	59470.8	58009.43	99	123341	58013.57
555950	6362150	59471.37	58010.12	99	123356	58014.26
555950	6362155	59472.78	58011.71	99	123405	58015.85
555950	6362160	59473.07	58012.25	99	123417	58016.39
555950	6362165	59470.48	58009.95	99	123429	58014.09
555950	6362170	59470.72	58010.43	99	123441	58014.57
555950	6362175	59471.45	58011.35	99	123456	58015.49
555950	6362180	59470.19	58010.19	99	123508	58014.33
555950	6362185	59469.16	58009.2	99	123523	58013.34
555950	6362190	59470.26	58010.39	99	123535	58014.53
555950	6362195	59469.11	58009.35	99	123550	58013.49
555950	6362200	59470.78	58011.08	99	123605	58015.22
555950	6362205	59470.76	58011.14	99	123626	58015.28
555950	6362210	59470.54	58011.01	99	123641	58015.15
555950	6362215	59470.57	58011.16	99	123659	58015.3
555950	6362220	59471	58011.56	99	123717	58015.7
555950	6362225	59471.17	58011.69	99	123729	58015.83
555950	6362230	59474	58014.44	99	123741	58018.58
555950	6362235	59473.01	58013.15	99	123759	58017.29
555950	6362240	59472.28	58012.27	99	123811	58016.41
555950	6362245	59472.48	58012.25	99	123823	58016.39
555950	6362250	59472.59	58012.09	99	123835	58016.23
555900	6362250	59471.97	58010.5	99	124029	58014.64
555900	6362245	59471.04	58010.01	99	124044	58014.15
555900	6362240	59469.87	58009.13	99	124056	58013.27
555900	6362235	59468.76	58008.15	99	124108	58012.29
555900	6362230	59469.82	58009.38	99	124123	58013.52
555900	6362225	59469.03	58009	99	124141	58013.14
555900	6362220	59468.58	58008.98	99	124159	58013.12
555900	6362215	59467.48	58008.12	99	124211	58012.26
555900	6362210	59467.77	58008.58	99	124220	58012.72
555900	6362205	59468.21	58009.05	99	124232	58013.19
555900	6362200	59466.81	58007.77	99	124241	58011.91
555900	6362195	59467.02	58008.03	99	124250	58012.17
555900	6362190	59467.79	58008.67	99	124259	58012.81
555900	6362185	59467.78	58008.46	99	124308	58012.6
555900	6362180	59469.25	58009.66	99	124320	58013.8
555900	6362175	59471.61	58011.89	99	124332	58016.03
555900	6362170	59467.71	58007.81	99	124341	58011.95
555900	6362165	59468.01	58007.98	99	124353	58012.12
555900	6362160	59467.34	58007.4	99	124402	58011.54
555900	6362155	59468.52	58008.63	99	124411	58012.77
555900	6362150	59467.69	58007.77	99	124420	58011.91
555900	6362145	59468.44	58008.46	99	124429	58012.6
555900	6362140	59469.54	58009.6	99	124444	58013.74
555900	6362135	59467.42	58007.51	99	124456	58011.65
555900	6362130	59468.1	58008.15	99	124505	58012.29
555900	6362125	59469.37	58009.47	99	124514	58013.61
555900	6362120	59469.84	58009.92	99	124526	58014.06
555900	6362115	59470.68	58010.81	99	124541	58014.95
555900	6362110	59471.57	58011.61	99	124550	58015.75

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA063

line	station	magraw	magcor	signal	time	magaver
555900	6362105	59469.95	58009.84	99	124559	58013.98
555900	6362100	59470.59	58010.38	99	124611	58014.52
555900	6362095	59468.13	58007.89	99	124626	58012.03
555900	6362090	59468.19	58007.95	99	124638	58012.09
555900	6362085	59466.84	58006.84	99	124656	58010.98
555900	6362080	59468.05	58008.14	99	124705	58012.28
555900	6362075	59466.12	58006.35	99	124714	58010.49
555900	6362070	59464.35	58004.72	99	124723	58008.86
555900	6362065	59464.46	58005.04	99	124732	58009.18
555900	6362060	59464.21	58004.92	99	124741	58009.06
555900	6362055	59462.55	58003.56	99	124756	58007.7
555900	6362050	59461.86	58002.91	99	124808	58007.05
555900	6362045	59461.45	58002.43	99	124823	58006.57
555900	6362040	59459.37	58000.06	99	124844	58004.2
555900	6362035	59463.09	58003.42	99	124859	58007.56
555900	6362030	59461.55	58001.56	99	124911	58005.7
555900	6362025	59461.77	58001.47	99	124923	58005.61
555900	6362020	59459.62	57998.91	99	124938	58003.05
555900	6362015	59459.48	57998.49	99	124950	58002.63
555900	6362010	59458.91	57997.66	99	125002	58001.8
555900	6362005	59460.08	57998.64	99	125014	58002.78
555900	6362000	59459.79	57998.15	99	125023	58002.29
555900	6361995	59462.49	58000.66	99	125032	58004.8
555900	6361990	59460.22	57998.06	99	125044	58002.2
555900	6361985	59459.29	57996.96	99	125053	58001.1
555900	6361980	59459.4	57996.9	99	125102	58001.04
555900	6361975	59458.92	57996.11	99	125111	58000.25
555900	6361970	59460.58	57997.51	99	125123	58001.65
555900	6361965	59467.52	58004.33	99	125135	58008.47
555900	6361960	59460.28	57997.11	99	125144	58001.25
555900	6361955	59457.99	57994.74	99	125156	57998.88
555900	6361950	59461.01	57997.88	99	125208	58002.02
555900	6361945	59458.81	57995.86	99	125217	58000
555900	6361940	59460.65	57997.92	99	125229	58002.06
555900	6361935	59461.21	57998.61	99	125238	58002.75
555900	6361930	59457.23	57994.86	99	125250	57999
555900	6361925	59461.07	57998.78	99	125259	58002.92
555900	6361920	59461.71	57999.55	99	125311	58003.69
555900	6361915	59462.76	58000.83	99	125320	58004.97
555900	6361910	59463.17	58001.49	99	125329	58005.63
555900	6361905	59460.03	57998.65	99	125341	58002.79

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551800	6363650	59306.39	57999.41	93	110935	57999.41
551800	6363655	59307.42	58000.34	99	111005	58000.34
551800	6363660	59305.75	57998.88	99	111014	57998.88
551800	6363665	59306.01	57999.06	99	111026	57999.06
551800	6363670	59305.89	57998.71	99	111038	57998.71
551800	6363675	59306.63	57999.64	99	111047	57999.64
551800	6363680	59304.61	57997.71	99	111105	57997.71
551800	6363685	59306.45	57999.45	99	111114	57999.45
551800	6363690	59305.12	57998.17	99	111123	57998.17
551800	6363695	59304.7	57997.77	99	111132	57997.77
551800	6363700	59305.15	57998.17	99	111141	57998.17
551800	6363705	59305.26	57998.2	99	111153	57998.2
551800	6363710	59304.28	57997.26	99	111202	57997.26
551800	6363715	59304.43	57997.49	99	111211	57997.49
551800	6363720	59304.77	57997.86	99	111223	57997.86
551800	6363725	59304.32	57997.34	99	111232	57997.34
551800	6363730	59304.43	57997.45	99	111244	57997.45
551800	6363735	59304.68	57997.79	99	111259	57997.79
551800	6363740	59303.72	57996.81	99	111311	57996.81
551800	6363745	59304.13	57997.27	99	111323	57997.27
551800	6363750	59303.74	57996.78	99	111332	57996.78
551800	6363755	59304.17	57997.19	99	111344	57997.19
551800	6363760	59303.81	57996.68	99	111402	57996.68
551800	6363765	59303.24	57996.16	99	111417	57996.16
551800	6363770	59305.29	57997.99	99	111429	57997.99
551800	6363775	59302.71	57995.58	99	111456	57995.58
551800	6363780	59303.99	57996.85	99	111511	57996.85
551800	6363785	59302.9	57995.95	99	111523	57995.95
551800	6363790	59304.69	57997.52	99	111538	57997.52
551800	6363795	59304.89	57997.61	99	111550	57997.61
551800	6363800	59304.76	57997.74	99	111602	57997.74
551800	6363805	59303.84	57996.71	99	111617	57996.71
551800	6363810	59304.02	57996.84	99	111632	57996.84
551800	6363815	59304.26	57997.28	99	111647	57997.28
551800	6363820	59301.87	57994.72	99	111708	57994.72
551800	6363825	59299.52	57992.39	99	111723	57992.39
551800	6363830	59301.1	57994.07	99	111735	57994.07
551800	6363835	59300.1	57993	99	111747	57993
551800	6363840	59301.8	57994.6	99	111802	57994.6
551800	6363845	59301.1	57994.21	99	111817	57994.21
551800	6363850	59300.9	57993.54	99	111832	57993.54
551800	6363855	59299.51	57992.39	99	111847	57992.39
551800	6363860	59302.51	57995.55	99	111859	57995.55
551800	6363865	59302.34	57995.1	99	111917	57995.1
551800	6363870	59300.42	57993.41	99	111938	57993.41
551800	6363875	59300.93	57993.85	99	111947	57993.85
551800	6363880	59300.46	57993.43	99	111959	57993.43
551800	6363885	59300.81	57993.75	99	112008	57993.75
551800	6363890	59301.16	57994.15	99	112017	57994.15
551800	6363895	59301.45	57994.34	99	112026	57994.34
551800	6363900	59300.46	57993.25	99	112035	57993.25

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551800	6363905	59301.51	57994.41	99	112044	57994.41
551800	6363910	59301	57993.79	99	112056	57993.79
551800	6363915	59299.88	57992.6	99	112108	57992.6
551800	6363920	59300.25	57993.14	99	112117	57993.14
551800	6363925	59299.72	57992.67	99	112126	57992.67
551800	6363930	59300.86	57993.54	99	112138	57993.54
551800	6363935	59299.86	57992.94	99	112150	57992.94
551800	6363940	59299.01	57992.05	99	112159	57992.05
551800	6363945	59300.62	57993.24	99	112211	57993.24
551800	6363950	59300.79	57993.54	99	112220	57993.54
551800	6363955	59300.49	57993.3	99	112235	57993.3
551800	6363960	59301.58	57994.2	99	112244	57994.2
551800	6363965	59301.12	57993.77	99	112253	57993.77
551800	6363970	59300.39	57993.2	99	112305	57993.2
551800	6363975	59301.26	57994.02	99	112314	57994.02
551800	6363980	59300.61	57993.09	99	112326	57993.09
551800	6363985	59299.88	57992.59	99	112338	57992.59
551800	6363990	59300.04	57992.7	99	112350	57992.7
551800	6363995	59298.92	57991.35	99	112402	57991.35
551800	6364000	59299.2	57991.83	99	112411	57991.83
551800	6364005	59300.56	57993.29	99	112420	57993.29
551800	6364010	59298.65	57991.14	99	112432	57991.14
551800	6364015	59299.14	57991.61	99	112441	57991.61
551800	6364020	59299.84	57992.46	99	112450	57992.46
551800	6364025	59299.37	57992.06	99	112502	57992.06
551800	6364030	59300.56	57993.09	99	112511	57993.09
551800	6364035	59299.67	57992.18	99	112523	57992.18
551800	6364040	59300.15	57992.78	99	112532	57992.78
551800	6364045	59299.79	57992.52	99	112544	57992.52
551800	6364050	59300.63	57993.26	99	112553	57993.26
551750	6364050	59301.53	57994.3	99	112723	57994.3
551750	6364045	59299.63	57992.47	99	112735	57992.47
551750	6364040	59299.27	57992.1	99	112747	57992.1
551750	6364035	59300.58	57993.16	99	112759	57993.16
551750	6364030	59299.83	57992.5	99	112811	57992.5
551750	6364025	59298.93	57991.98	99	112820	57991.98
551750	6364020	59297.79	57990.58	99	112835	57990.58
551750	6364015	59297.35	57990.43	99	112847	57990.43
551750	6364010	59296.97	57990.4	99	112859	57990.4
551750	6364005	59298.88	57992.04	99	112911	57992.04
551750	6364000	59298.14	57991.39	99	112929	57991.39
551750	6363995	59296.67	57990.04	99	112941	57990.04
551750	6363990	59296.82	57990.15	99	112953	57990.15
551750	6363985	59296.08	57989.55	99	113005	57989.55
551750	6363980	59295.52	57989.08	99	113014	57989.08
551750	6363975	59296.21	57989.78	99	113023	57989.78
551750	6363970	59295.73	57989.65	99	113035	57989.65
551750	6363965	59294.55	57988.4	99	113047	57988.4
551750	6363960	59295.39	57989.28	99	113059	57989.28
551750	6363955	59294.68	57988.82	99	113108	57988.82
551750	6363950	59295.77	57989.74	99	113123	57989.74

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551750	6363945	59295.26	57989.14	99	113135	57989.14
551750	6363940	59295.68	57989.64	99	113147	57989.64
551750	6363935	59294.8	57988.81	99	113159	57988.81
551750	6363930	59295.83	57989.73	99	113208	57989.73
551750	6363925	59293.82	57987.85	99	113217	57987.85
551750	6363920	59294.97	57989.15	99	113226	57989.15
551750	6363915	59294.05	57988.15	99	113250	57988.15
551750	6363910	59295.16	57989.31	99	113302	57989.31
551750	6363905	59294.89	57989.09	99	113314	57989.09
551750	6363900	59295.48	57989.55	99	113326	57989.55
551750	6363895	59294.72	57989.03	99	113338	57989.03
551750	6363890	59295.5	57989.9	99	113350	57989.9
551750	6363885	59295.11	57989.32	99	113359	57989.32
551750	6363880	59294.27	57988.4	99	113408	57988.4
551750	6363875	59295.45	57989.54	99	113417	57989.54
551750	6363870	59296.09	57990.17	99	113429	57990.17
551750	6363865	59295.52	57989.53	99	113438	57989.53
551750	6363860	59291.49	57985.26	99	113447	57985.26
551750	6363855	59297.93	57991.68	99	113459	57991.68
551750	6363850	59297.67	57991.52	99	113511	57991.52
551750	6363845	59297.67	57991.29	99	113520	57991.29
551750	6363840	59299.08	57992.88	99	113532	57992.88
551750	6363835	59297.47	57991.4	99	113547	57991.4
551750	6363830	59298.27	57991.91	99	113602	57991.91
551750	6363825	59298.86	57992.68	99	113623	57992.68
551750	6363820	59299.66	57993.45	99	113635	57993.45
551750	6363815	59300.59	57994.32	99	113644	57994.32
551750	6363810	59300.06	57993.64	99	113656	57993.64
551750	6363805	59301.59	57995.01	99	113705	57995.01
551750	6363800	59301.55	57994.99	99	113717	57994.99
551750	6363795	59301.64	57995.09	99	113726	57995.09
551750	6363790	59302.84	57996.27	99	113741	57996.27
551750	6363785	59300.32	57994.05	99	113802	57994.05
551750	6363780	59300.19	57994.06	99	113814	57994.06
551750	6363775	59300.54	57994.35	99	113823	57994.35
551750	6363770	59301.3	57995.01	99	113835	57995.01
551750	6363765	59299.66	57993.54	99	113847	57993.54
551750	6363760	59300.89	57994.65	99	113856	57994.65
551750	6363755	59299.33	57992.97	99	113911	57992.97
551750	6363750	59300.48	57994.35	99	113920	57994.35
551750	6363745	59300.18	57994.33	99	113932	57994.33
551750	6363740	59299.82	57993.93	99	113944	57993.93
551750	6363735	59301.1	57995.25	99	113956	57995.25
551750	6363730	59300.59	57994.89	99	114008	57994.89
551750	6363725	59300.55	57994.71	99	114017	57994.71
551750	6363720	59300.97	57995.02	99	114026	57995.02
551750	6363715	59301.31	57995.25	99	114038	57995.25
551750	6363710	59301.43	57995.57	99	114053	57995.57
551750	6363705	59300.99	57995.01	99	114102	57995.01
551750	6363700	59303.1	57996.86	99	114111	57996.86
551750	6363695	59302.54	57996.27	99	114123	57996.27

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551750	6363690	59302.43	57996.27	99	114135	57996.27
551750	6363685	59303.02	57996.83	99	114147	57996.83
551750	6363680	59300.36	57994.14	99	114156	57994.14
551750	6363675	59303.63	57997.26	99	114205	57997.26
551750	6363670	59302.69	57996.17	99	114220	57996.17
551750	6363665	59303.48	57996.94	99	114232	57996.94
551750	6363660	59303.21	57996.76	99	114244	57996.76
551750	6363655	59301.4	57994.97	99	114256	57994.97
551750	6363650	59303.78	57997.17	99	114305	57997.17
551700	6363650	59302.87	57996.34	99	114459	57996.34
551700	6363655	59301.2	57994.48	99	114526	57994.48
551700	6363660	59302.59	57995.82	99	114538	57995.82
551700	6363665	59300.92	57994.33	99	114550	57994.33
551700	6363670	59300.64	57994.22	99	114559	57994.22
551700	6363675	59299.87	57993.4	99	114611	57993.4
551700	6363680	59300.21	57993.58	99	114626	57993.58
551700	6363685	59301.74	57995.24	99	114641	57995.24
551700	6363690	59300.97	57994.45	99	114656	57994.45
551700	6363695	59298.78	57992.28	99	114708	57992.28
551700	6363700	59299.86	57993.44	99	114720	57993.44
551700	6363705	59300.03	57993.6	99	114735	57993.6
551700	6363710	59298.7	57992.03	99	114747	57992.03
551700	6363715	59299.16	57992.4	99	114759	57992.4
551700	6363720	59298.91	57992.35	99	114808	57992.35
551700	6363725	59298.04	57991.38	99	114820	57991.38
551700	6363730	59298.61	57992.13	99	114832	57992.13
551700	6363735	59299.5	57993.27	99	114850	57993.27
551700	6363740	59298.89	57992.65	99	114902	57992.65
551700	6363745	59298.43	57992.03	99	114917	57992.03
551700	6363750	59298.38	57991.91	99	114926	57991.91
551700	6363755	59298.02	57991.48	99	114935	57991.48
551700	6363760	59297.48	57990.87	99	114944	57990.87
551700	6363765	59298.95	57992.25	99	114956	57992.25
551700	6363770	59298.74	57992.02	99	115005	57992.02
551700	6363775	59298.09	57991.48	99	115017	57991.48
551700	6363780	59299.3	57992.83	99	115026	57992.83
551700	6363785	59297.67	57991.49	99	115038	57991.49
551700	6363790	59296.54	57990.49	99	115050	57990.49
551700	6363795	59294.62	57988.67	99	115102	57988.67
551700	6363800	59294.5	57988.61	99	115111	57988.61
551700	6363805	59294.81	57988.64	99	115123	57988.64
551700	6363810	59294.59	57988.35	99	115135	57988.35
551700	6363815	59295.05	57988.92	99	115147	57988.92
551700	6363820	59295.06	57988.9	99	115159	57988.9
551700	6363825	59293.68	57987.33	99	115208	57987.33
551700	6363830	59295.56	57989	99	115220	57989
551700	6363835	59296.01	57989.66	99	115232	57989.66
551700	6363840	59294.47	57988.33	99	115247	57988.33
551700	6363845	59295.43	57989.24	99	115259	57989.24
551700	6363850	59294.14	57988.18	99	115314	57988.18
551700	6363855	59293.63	57987.58	99	115338	57987.58

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551700	6363860	59291.38	57985.28	99	115359	57985.28
551700	6363865	59290.15	57983.89	99	115417	57983.89
551700	6363870	59294.63	57988.32	99	115426	57988.32
551700	6363875	59291.07	57984.78	99	115438	57984.78
551700	6363880	59290.91	57984.75	99	115453	57984.75
551700	6363885	59291.89	57985.85	99	115505	57985.85
551700	6363890	59290.84	57984.68	99	115517	57984.68
551700	6363895	59291.03	57984.98	99	115526	57984.98
551700	6363900	59291.11	57985.21	99	115535	57985.21
551700	6363905	59291.01	57985.14	99	115544	57985.14
551700	6363910	59290.82	57984.54	99	115556	57984.54
551700	6363915	59290.93	57984.29	99	115605	57984.29
551700	6363920	59291.22	57984.77	99	115617	57984.77
551700	6363925	59291.09	57984.99	99	115629	57984.99
551700	6363930	59291.46	57985.36	99	115641	57985.36
551700	6363935	59290.15	57984.21	99	115653	57984.21
551700	6363940	59289.79	57983.9	99	115702	57983.9
551700	6363945	59290.92	57985.07	99	115714	57985.07
551700	6363950	59292.15	57985.92	99	115726	57985.92
551700	6363955	59292.53	57985.79	99	115738	57985.79
551700	6363960	59293	57986.36	99	115750	57986.36
551700	6363965	59292.59	57986.16	99	115759	57986.16
551700	6363970	59292.13	57985.75	99	115811	57985.75
551700	6363975	59292.24	57986.01	99	115823	57986.01
551700	6363980	59292.23	57986.21	99	115835	57986.21
551700	6363985	59292.6	57986.7	99	115844	57986.7
551700	6363990	59292.41	57986.37	99	115856	57986.37
551700	6363995	59292.96	57986.8	99	115902	57986.8
551700	6364000	59292.25	57985.99	99	115908	57985.99
551700	6364005	59292.74	57986.31	99	115920	57986.31
551700	6364010	59293.34	57986.95	99	115932	57986.95
551700	6364015	59292.75	57986.38	99	115941	57986.38
551700	6364020	59293.44	57987.07	99	115950	57987.07
551700	6364025	59293.96	57987.55	99	115959	57987.55
551700	6364030	59295.98	57989.41	99	120014	57989.41
551700	6364035	59296.88	57990.28	99	120023	57990.28
551700	6364040	59295.72	57989.27	99	120035	57989.27
551700	6364045	59296.6	57990.24	99	120047	57990.24
551700	6364050	59297.45	57991.02	99	120056	57991.02
551650	6364050	59290.54	57984	99	120414	57984
551650	6364045	59291.05	57984.88	99	120429	57984.88
551650	6364040	59291.02	57984.79	99	120441	57984.79
551650	6364035	59291.9	57985.47	99	120453	57985.47
551650	6364030	59290.36	57983.89	99	120508	57983.89
551650	6364025	59291.37	57984.55	99	120523	57984.55
551650	6364020	59291	57984.1	99	120535	57984.1
551650	6364015	59290.2	57983.54	99	120547	57983.54
551650	6364010	59289.99	57983.11	99	120605	57983.11
551650	6364005	59289.76	57982.79	99	120614	57982.79
551650	6364000	59289.36	57982.8	99	120623	57982.8
551650	6363995	59289.04	57982.87	99	120635	57982.87

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551650	6363990	59288.95	57982.62	99	120650	57982.62
551650	6363985	59289.01	57982.51	99	120659	57982.51
551650	6363980	59288.06	57981.48	99	120708	57981.48
551650	6363975	59288.53	57982.03	99	120717	57982.03
551650	6363970	59288.16	57981.73	99	120732	57981.73
551650	6363965	59286.83	57980.32	99	120741	57980.32
551650	6363960	59286.74	57980.32	99	120753	57980.32
551650	6363955	59286.25	57979.8	99	120802	57979.8
551650	6363950	59285.31	57978.79	99	120811	57978.79
551650	6363945	59284.92	57978.2	99	120820	57978.2
551650	6363940	59284.64	57977.71	99	120832	57977.71
551650	6363935	59284.04	57977.38	99	120844	57977.38
551650	6363930	59283.9	57977.51	99	120856	57977.51
551650	6363925	59282.03	57976.01	99	120911	57976.01
551650	6363920	59283.03	57977.08	99	120923	57977.08
551650	6363915	59282.55	57976.54	99	120932	57976.54
551650	6363910	59280.95	57974.79	99	120941	57974.79
551650	6363905	59283.29	57977.04	99	120950	57977.04
551650	6363900	59283.92	57977.56	99	120959	57977.56
551650	6363895	59283.47	57976.9	99	121011	57976.9
551650	6363890	59284.39	57977.7	99	121023	57977.7
551650	6363885	59287.4	57980.77	99	121035	57980.77
551650	6363880	59288.47	57982.02	99	121044	57982.02
551650	6363875	59289.49	57983.16	99	121056	57983.16
551650	6363870	59292.57	57985.98	99	121108	57985.98
551650	6363865	59294.63	57987.92	99	121117	57987.92
551650	6363860	59297.28	57990.57	99	121129	57990.57
551650	6363855	59295.45	57988.81	99	121138	57988.81
551650	6363850	59296.55	57990.15	99	121156	57990.15
551650	6363845	59297.16	57990.61	99	121214	57990.61
551650	6363840	59296.64	57989.85	99	121226	57989.85
551650	6363835	59295.71	57988.98	99	121238	57988.98
551650	6363830	59293.72	57987.25	99	121250	57987.25
551650	6363825	59293.99	57987.68	99	121302	57987.68
551650	6363820	59293.13	57987.21	99	121320	57987.21
551650	6363815	59293.59	57987.95	99	121338	57987.95
551650	6363810	59294.67	57988.46	99	121350	57988.46
551650	6363805	59293.8	57987.54	99	121359	57987.54
551650	6363800	59294.53	57988.3	99	121408	57988.3
551650	6363795	59293.19	57986.82	99	121420	57986.82
551650	6363790	59294.32	57988	99	121432	57988
551650	6363785	59294.76	57988.36	99	121444	57988.36
551650	6363780	59293.08	57986.57	99	121456	57986.57
551650	6363775	59294.35	57987.9	99	121505	57987.9
551650	6363770	59295.34	57989	99	121514	57989
551650	6363765	59295.14	57988.68	99	121523	57988.68
551650	6363760	59293.5	57986.85	99	121541	57986.85
551650	6363755	59290.45	57983.94	99	121550	57983.94
551650	6363750	59293.23	57986.78	99	121559	57986.78
551650	6363745	59295.99	57989.61	99	121617	57989.61
551650	6363740	59295.28	57988.97	99	121629	57988.97

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551650	6363735	59295.98	57989.68	99	121641	57989.68
551650	6363730	59295.52	57988.77	99	121656	57988.77
551650	6363725	59296.99	57990	99	121705	57990
551650	6363720	59297.86	57990.84	99	121714	57990.84
551650	6363715	59295.74	57988.75	99	121726	57988.75
551650	6363710	59295.37	57988.65	99	121741	57988.65
551650	6363705	59297.6	57991.36	99	121750	57991.36
551650	6363700	59299.25	57993.33	99	121802	57993.33
551650	6363695	59295.77	57989.86	99	121814	57989.86
551650	6363690	59295.34	57989.33	99	121826	57989.33
551650	6363685	59298.79	57992.52	99	121841	57992.52
551650	6363680	59297.37	57990.86	99	121850	57990.86
551650	6363675	59297.72	57991.01	99	121859	57991.01
551650	6363670	59298.56	57991.75	99	121908	57991.75
551650	6363665	59298.04	57991.03	99	121920	57991.03
551650	6363660	59297.55	57990.56	99	121929	57990.56
551650	6363655	59299.11	57992.37	99	121938	57992.37
551650	6363650	59298.63	57992.24	99	121950	57992.24
551600	6363650	59300.06	57993.61	99	122241	57993.61
551600	6363655	59300.48	57994	99	122253	57994
551600	6363660	59296.46	57990.09	99	122305	57990.09
551600	6363665	59295.29	57988.88	99	122317	57988.88
551600	6363670	59296.79	57990.4	99	122329	57990.4
551600	6363675	59299.05	57992.85	99	122341	57992.85
551600	6363680	59295.65	57989.72	99	122353	57989.72
551600	6363685	59291.53	57985.37	99	122405	57985.37
551600	6363690	59293.68	57987.41	99	122417	57987.41
551600	6363695	59294.44	57988.27	99	122426	57988.27
551600	6363700	59292.52	57986.43	99	122435	57986.43
551600	6363705	59289.99	57983.95	99	122450	57983.95
551600	6363710	59291.82	57985.78	29	122502	57985.78
551600	6363715	59290.01	57984.15	99	122511	57984.15
551600	6363720	59292.29	57986.46	99	122520	57986.46
551600	6363725	59292	57985.91	99	122529	57985.91
551600	6363730	59292.25	57985.94	99	122544	57985.94
551600	6363735	59292.61	57986.09	99	122556	57986.09
551600	6363740	59291.27	57984.82	99	122611	57984.82
551600	6363745	59292.51	57986.22	99	122626	57986.22
551600	6363750	59293.77	57987.37	99	122635	57987.37
551600	6363755	59292.27	57985.46	99	122650	57985.46
551600	6363760	59292.34	57985.59	99	122705	57985.59
551600	6363765	59294.17	57987.7	99	122720	57987.7
551600	6363770	59292.48	57985.89	99	122732	57985.89
551600	6363775	59293.34	57986.76	99	122747	57986.76
551600	6363780	59293.61	57987.15	99	122759	57987.15
551600	6363785	59293.56	57986.98	99	122811	57986.98
551600	6363790	59293.08	57986.59	99	122823	57986.59
551600	6363795	59290.4	57984.09	99	122829	57984.09
551600	6363800	59293.48	57987.34	99	122838	57987.34
551600	6363805	59295.47	57989.38	99	122850	57989.38
551600	6363810	59295.25	57989.11	99	122902	57989.11

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551600	6363815	59295.53	57989.37	99	122911	57989.37
551600	6363820	59297.32	57991.21	99	122920	57991.21
551600	6363825	59299.92	57993.83	99	122929	57993.83
551600	6363830	59308.11	58001.87	99	122944	58001.87
551600	6363835	59315.68	58009.57	99	122956	58009.57
551600	6363840	59327.68	58021.32	99	123008	58021.32
551600	6363845	59338.98	58032.47	99	123017	58032.47
551600	6363850	59354.6	58048.25	99	123032	58048.25
551600	6363855	59360.84	58054.43	99	123044	58054.43
551600	6363860	59363.91	58057.39	99	123053	58057.39
551600	6363865	59361.37	58054.73	99	123108	58054.73
551600	6363870	59356.33	58049.66	99	123120	58049.66
551600	6363875	59353.14	58046.48	99	123129	58046.48
551600	6363880	59347.14	58040.47	99	123138	58040.47
551600	6363885	59341.49	58034.66	99	123150	58034.66
551600	6363890	59335.06	58028.45	99	123205	58028.45
551600	6363895	59331.07	58024.8	99	123220	58024.8
551600	6363900	59328.29	58021.95	99	123232	58021.95
551600	6363905	59318.88	58012.78	99	123244	58012.78
551600	6363910	59311.99	58006.14	99	123256	58006.14
551600	6363915	59306.95	58000.92	99	123308	58000.92
551600	6363920	59302.12	57995.85	99	123317	57995.85
551600	6363925	59298.58	57992.14	99	123326	57992.14
551600	6363930	59294.89	57988.43	99	123338	57988.43
551600	6363935	59290.34	57983.89	99	123356	57983.89
551600	6363940	59288.54	57981.93	99	123411	57981.93
551600	6363945	59286.71	57980.01	99	123423	57980.01
551600	6363950	59286.53	57980.06	99	123432	57980.06
551600	6363955	59285.68	57979.46	99	123441	57979.46
551600	6363960	59284.7	57978.61	99	123450	57978.61
551600	6363965	59284.94	57978.77	99	123502	57978.77
551600	6363970	59284.93	57978.71	99	123508	57978.71
551600	6363975	59285.97	57979.72	99	123517	57979.72
551600	6363980	59285.14	57979.07	99	123526	57979.07
551600	6363985	59286.21	57980.31	99	123535	57980.31
551600	6363990	59285.1	57978.97	99	123547	57978.97
551600	6363995	59285.86	57979.58	99	123559	57979.58
551600	6364000	59285.74	57979.37	99	123611	57979.37
551600	6364005	59285.84	57979.63	99	123623	57979.63
551600	6364010	59287.48	57981.1	99	123635	57981.1
551600	6364015	59286.79	57980.49	99	123653	57980.49
551600	6364020	59287.4	57980.89	99	123708	57980.89
551600	6364025	59285.62	57979.36	99	123720	57979.36
551600	6364030	59288.76	57982.38	99	123735	57982.38
551600	6364035	59287.87	57981.08	99	123750	57981.08
551600	6364040	59288.92	57981.8	99	123802	57981.8
551600	6364045	59288.3	57981.01	99	123814	57981.01
551600	6364050	59289.31	57981.9	99	123823	57981.9
551550	6364050	59286.51	57979.88	99	123950	57979.88
551550	6364045	59288.28	57981.73	99	123959	57981.73
551550	6364040	59285.33	57978.67	99	124011	57978.67

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551550	6364035	59285.99	57979.22	99	124023	57979.22
551550	6364030	59286.89	57980.09	99	124032	57980.09
551550	6364025	59284.05	57977.27	99	124047	57977.27
551550	6364020	59286.07	57979.29	99	124059	57979.29
551550	6364015	59287.38	57980.56	99	124111	57980.56
551550	6364010	59283.99	57977.04	99	124123	57977.04
551550	6364005	59284.69	57977.65	99	124132	57977.65
551550	6364000	59284.47	57977.55	99	124144	57977.55
551550	6363995	59283.6	57976.44	99	124159	57976.44
551550	6363990	59282.73	57975.22	99	124211	57975.22
551550	6363985	59283.19	57975.87	99	124223	57975.87
551550	6363980	59282.43	57975.53	99	124235	57975.53
551550	6363975	59283.32	57976.29	99	124244	57976.29
551550	6363970	59283.94	57976.68	99	124259	57976.68
551550	6363965	59284.38	57977.6	99	124317	57977.6
551550	6363960	59283.9	57977.15	99	124326	57977.15
551550	6363955	59283.65	57976.85	99	124332	57976.85
551550	6363950	59283.46	57976.67	99	124341	57976.67
551550	6363945	59283.4	57976.75	99	124350	57976.75
551550	6363940	59282.26	57976.12	99	124408	57976.12
551550	6363935	59284.89	57978.61	99	124420	57978.61
551550	6363930	59286.83	57980.42	99	124432	57980.42
551550	6363925	59288.07	57981.63	99	124444	57981.63
551550	6363920	59293.14	57986.37	99	124456	57986.37
551550	6363915	59298	57990.99	99	124508	57990.99
551550	6363910	59302.08	57995.04	99	124520	57995.04
551550	6363905	59303.64	57996.66	99	124529	57996.66
551550	6363900	59305.65	57998.67	99	124544	57998.67
551550	6363895	59307.5	58000.55	99	124559	58000.55
551550	6363890	59309.21	58002.12	99	124611	58002.12
551550	6363885	59311.98	58004.93	99	124623	58004.93
551550	6363880	59317.59	58010.75	99	124635	58010.75
551550	6363875	59318.71	58011.99	99	124650	58011.99
551550	6363870	59318.48	58011.84	99	124702	58011.84
551550	6363865	59321.83	58015.48	99	124714	58015.48
551550	6363860	59320.34	58014.08	99	124723	58014.08
551550	6363855	59317.07	58010.65	99	124732	58010.65
551550	6363850	59314.81	58008.19	99	124741	58008.19
551550	6363845	59308.37	58001.49	99	124750	58001.49
551550	6363840	59301.73	57994.76	99	124759	57994.76
551550	6363835	59299.84	57992.93	99	124808	57992.93
551550	6363830	59296.03	57989.03	99	124817	57989.03
551550	6363825	59295.19	57988.07	99	124826	57988.07
551550	6363820	59291.59	57984.61	99	124838	57984.61
551550	6363815	59291.32	57984.47	99	124847	57984.47
551550	6363810	59291.45	57984.73	99	124856	57984.73
551550	6363805	59291.4	57984.72	99	124908	57984.72
551550	6363800	59290.03	57983.43	99	124917	57983.43
551550	6363795	59290.87	57984.41	99	124926	57984.41
551550	6363790	59288.67	57982.04	99	124938	57982.04
551550	6363785	59289.66	57982.92	99	124947	57982.92

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551550	6363780	59289.23	57982.49	99	124959	57982.49
551550	6363775	59287.9	57980.94	99	125011	57980.94
551550	6363770	59289.29	57982.19	99	125023	57982.19
551550	6363765	59289.66	57982.51	99	125035	57982.51
551550	6363760	59289.5	57982.56	99	125053	57982.56
551550	6363755	59288.99	57982.03	99	125105	57982.03
551550	6363750	59288.99	57981.77	99	125120	57981.77
551550	6363745	59289.91	57982.93	99	125135	57982.93
551550	6363740	59288.78	57982.19	99	125147	57982.19
551550	6363735	59289.11	57982.72	99	125202	57982.72
551550	6363730	59288.8	57982.09	99	125223	57982.09
551550	6363725	59289.67	57982.66	99	125235	57982.66
551550	6363720	59289.64	57982.39	99	125247	57982.39
551550	6363715	59291.39	57983.99	99	125259	57983.99
551550	6363710	59290.58	57983.22	99	125311	57983.22
551550	6363705	59291.13	57984.03	99	125323	57984.03
551550	6363700	59292.09	57985.18	99	125332	57985.18
551550	6363695	59292.24	57985.55	99	125341	57985.55
551550	6363690	59291.46	57984.77	99	125353	57984.77
551550	6363685	59290.38	57983.41	99	125405	57983.41
551550	6363680	59292.11	57985.41	99	125423	57985.41
551550	6363675	59293.42	57986.74	99	125435	57986.74
551550	6363670	59293.12	57986.16	99	125447	57986.16
551550	6363665	59291.98	57984.98	99	125459	57984.98
551550	6363660	59292.7	57985.86	99	125511	57985.86
551550	6363655	59292.5	57985.68	99	125523	57985.68
551550	6363650	59292.16	57985.14	99	125532	57985.14
551500	6363650	59291.14	57984.13	99	130117	57984.13
551500	6363655	59290.15	57983	99	130141	57983
551500	6363660	59288.46	57981.43	99	130159	57981.43
551500	6363665	59288.2	57981.31	99	130211	57981.31
551500	6363670	59288.62	57981.99	99	130223	57981.99
551500	6363675	59289.5	57983.15	99	130235	57983.15
551500	6363680	59289.38	57982.74	99	130250	57982.74
551500	6363685	59288.51	57981.97	99	130302	57981.97
551500	6363690	59289.79	57983.19	99	130314	57983.19
551500	6363695	59288.85	57981.99	99	130323	57981.99
551500	6363700	59287.37	57980.43	99	130332	57980.43
551500	6363705	59289.64	57982.94	99	130350	57982.94
551500	6363710	59288.79	57982.06	99	130402	57982.06
551500	6363715	59282.23	57975.42	99	130411	57975.42
551500	6363720	59288.68	57981.71	99	130432	57981.71
551500	6363725	59288.48	57981.53	99	130441	57981.53
551500	6363730	59288.04	57981.13	99	130453	57981.13
551500	6363735	59288.16	57981.22	99	130505	57981.22
551500	6363740	59289.61	57982.78	99	130514	57982.78
551500	6363745	59285.79	57979.04	99	130526	57979.04
551500	6363750	59286.75	57980.07	99	130535	57980.07
551500	6363755	59286.06	57979.58	99	130544	57979.58
551500	6363760	59286.16	57979.81	99	130553	57979.81
551500	6363765	59285.9	57979.73	99	130602	57979.73

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551500	6363770	59286.54	57980.51	99	130611	57980.51
551500	6363775	59286.24	57980.24	99	130617	57980.24
551500	6363780	59285.91	57979.65	99	130629	57979.65
551500	6363785	59285.36	57979.11	99	130638	57979.11
551500	6363790	59284.36	57978.24	99	130650	57978.24
551500	6363795	59286.11	57980.06	99	130702	57980.06
551500	6363800	59284.72	57978.66	99	130711	57978.66
551500	6363805	59285.58	57979.56	99	130720	57979.56
551500	6363810	59285.48	57979.61	99	130729	57979.61
551500	6363815	59282.91	57977.1	99	130738	57977.1
551500	6363820	59284.28	57978.6	99	130750	57978.6
551500	6363825	59283.71	57978.15	99	130759	57978.15
551500	6363830	59281.03	57975.81	99	130814	57975.81
551500	6363835	59281.72	57976.51	99	130826	57976.51
551500	6363840	59282.33	57977.06	99	130838	57977.06
551500	6363845	59281.73	57976.61	99	130847	57976.61
551500	6363850	59281.83	57976.7	99	130859	57976.7
551500	6363855	59281.86	57976.68	99	130911	57976.68
551500	6363860	59281.7	57976.35	99	130923	57976.35
551500	6363865	59280.97	57975.43	99	130935	57975.43
551500	6363870	59281.22	57975.54	99	130947	57975.54
551500	6363875	59282.13	57976.41	99	130956	57976.41
551500	6363880	59281.94	57975.95	99	131017	57975.95
551500	6363885	59280.8	57975.4	99	131032	57975.4
551500	6363890	59280.8	57975.53	99	131117	57975.53
551500	6363895	59281.47	57975.68	99	131211	57975.68
551500	6363900	59280.43	57974.89	99	131235	57974.89
551500	6363905	59281.46	57975.75	99	131308	57975.75
551500	6363910	59281.93	57976.16	99	131320	57976.16
551500	6363915	59282.01	57976.17	99	131338	57976.17
551500	6363920	59281.64	57975.78	99	131347	57975.78
551500	6363925	59281.36	57975.84	99	131405	57975.84
551500	6363930	59279.29	57974.01	99	131426	57974.01
551500	6363935	59280.44	57975.05	99	131441	57975.05
551500	6363940	59282.82	57977.09	99	131453	57977.09
551500	6363945	59283.69	57977.58	99	131502	57977.58
551500	6363950	59283.86	57977.45	99	131511	57977.45
551500	6363955	59282.16	57975.85	99	131529	57975.85
551500	6363960	59281.26	57975.93	99	131544	57975.93
551500	6363965	59280.86	57975.92	99	131553	57975.92
551500	6363970	59280.86	57976.01	99	131602	57976.01
551500	6363975	59281.24	57976.48	99	131608	57976.48
551500	6363980	59280.55	57975.83	99	131620	57975.83
551500	6363985	59281.8	57976.68	99	131635	57976.68
551500	6363990	59281.79	57976.23	99	131647	57976.23
551500	6363995	59283.05	57977.36	99	131656	57977.36
551500	6364000	59282.5	57976.47	99	131711	57976.47
551500	6364005	59283.54	57976.96	99	131726	57976.96
551500	6364010	59284.37	57977.73	99	131738	57977.73
551500	6364015	59284.17	57977.6	99	131753	57977.6
551500	6364020	59284.44	57977.77	99	131802	57977.77

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551500	6364025	59284.18	57977.44	99	131811	57977.44
551500	6364030	59284.59	57977.98	99	131820	57977.98
551500	6364035	59284.13	57977.79	99	131832	57977.79
551500	6364040	59282.53	57976.41	99	131850	57976.41
551500	6364045	59282.88	57976.8	99	131859	57976.8
551500	6364050	59282.36	57976.4	99	131908	57976.4
551450	6364050	59285.13	57980.1	99	132129	57980.1
551450	6364045	59283.47	57978.17	99	132144	57978.17
551450	6364040	59279.65	57974.1	99	132159	57974.1
551450	6364035	59278.72	57972.85	99	132211	57972.85
551450	6364030	59279.33	57973.48	99	132223	57973.48
551450	6364025	59279.26	57973.34	99	132235	57973.34
551450	6364020	59279.25	57973.1	99	132250	57973.1
551450	6364015	59282.8	57976.57	99	132302	57976.57
551450	6364010	59280.6	57974.41	99	132314	57974.41
551450	6364005	59282.6	57976.38	99	132323	57976.38
551450	6364000	59282.53	57976.42	99	132338	57976.42
551450	6363995	59282.33	57976.33	99	132350	57976.33
551450	6363990	59281.4	57975.5	99	132402	57975.5
551450	6363985	59281.11	57975.26	99	132417	57975.26
551450	6363980	59279.73	57973.86	99	132429	57973.86
551450	6363975	59279.58	57973.58	99	132453	57973.58
551450	6363970	59279.74	57973.56	99	132520	57973.56
551450	6363965	59280.58	57974.27	99	132535	57974.27
551450	6363960	59279.36	57973.27	99	132608	57973.27
551450	6363955	59279.39	57973.53	99	132623	57973.53
551450	6363950	59280.09	57974.35	99	132644	57974.35
551450	6363945	59280.23	57974.47	99	132702	57974.47
551450	6363940	59280.41	57974.53	99	132720	57974.53
551450	6363935	59279.63	57974.18	99	132741	57974.18
551450	6363930	59279.39	57973.97	99	132756	57973.97
551450	6363925	59279.2	57973.81	99	132820	57973.81
551450	6363920	59278.24	57973.04	99	132835	57973.04
551450	6363915	59279.52	57974.52	99	132847	57974.52
551450	6363910	59279.27	57974.44	99	132902	57974.44
551450	6363905	59279.04	57974.13	99	132929	57974.13
551450	6363900	59279.47	57974.41	99	132944	57974.41
551450	6363895	59279.74	57974.17	99	133008	57974.17
551450	6363890	59280.15	57974.52	99	133020	57974.52
551450	6363885	59280.55	57974.79	99	133047	57974.79
551450	6363880	59281.16	57976.2	99	133108	57976.2
551450	6363875	59279.96	57975.01	99	133123	57975.01
551450	6363870	59280.9	57975.61	99	133156	57975.61
551450	6363865	59278.8	57973.3	99	133211	57973.3
551450	6363860	59280.34	57974.79	99	133220	57974.79
551450	6363855	59280.79	57975.15	99	133232	57975.15
551450	6363850	59278.4	57972.95	99	133241	57972.95
551450	6363850	59282.28	57976.67	99	133338	57976.67
551455	6363850	59281.31	57975.88	99	133353	57975.88
551460	6363850	59281.66	57976.12	99	133408	57976.12
551465	6363850	59277.05	57971.38	99	133429	57971.38

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551470	6363850	59281.74	57976.27	99	133444	57976.27
551475	6363850	59280.66	57975.23	99	133456	57975.23
551480	6363850	59281.65	57976.16	99	133511	57976.16
551485	6363850	59282.22	57976.73	99	133523	57976.73
551490	6363850	59282.45	57977.43	99	133541	57977.43
551495	6363850	59280.96	57975.56	99	133605	57975.56
551500	6363850	59282.28	57976.32	99	133635	57976.32
551505	6363850	59281.17	57974.98	99	133644	57974.98
551510	6363850	59285.61	57979.24	99	133653	57979.24
551515	6363850	59287.55	57981.14	99	133702	57981.14
551520	6363850	59286.71	57980.47	99	133714	57980.47
551525	6363850	59289.03	57982.8	99	133723	57982.8
551530	6363850	59290.91	57984.73	99	133732	57984.73
551535	6363850	59294.03	57988.06	99	133741	57988.06
551540	6363850	59300.24	57994.39	99	133750	57994.39
551545	6363850	59309.1	58003.26	99	133802	58003.26
551550	6363850	59315.17	58009.2	99	133811	58009.2
551555	6363850	59321.37	58015.56	99	133823	58015.56
551560	6363850	59328.41	58022.97	99	133832	58022.97
551565	6363850	59333.24	58028.05	99	133844	58028.05
551570	6363850	59338.18	58033.11	99	133853	58033.11
551575	6363850	59339.37	58034.31	99	133902	58034.31
551580	6363850	59343.63	58038.32	99	133914	58038.32
551585	6363850	59344.47	58038.91	99	133923	58038.91
551590	6363850	59348.01	58042.25	99	133932	58042.25
551595	6363850	59347.93	58042.08	99	133941	58042.08
551600	6363850	59354.28	58048.35	99	133953	58048.35
551605	6363850	59354.54	58048.44	99	134005	58048.44
551610	6363850	59354.77	58048.68	99	134017	58048.68
551615	6363850	59348.57	58042.53	99	134029	58042.53
551620	6363850	59343.54	58037.72	99	134038	58037.72
551625	6363850	59338.01	58032.48	99	134047	58032.48
551630	6363850	59325.11	58019.69	99	134059	58019.69
551635	6363850	59311.87	58006.35	99	134114	58006.35
551640	6363850	59301.13	57995.28	99	134129	57995.28
551645	6363850	59299.46	57993.45	99	134138	57993.45
551650	6363850	59296.1	57989.86	99	134153	57989.86
551655	6363850	59293.87	57987.63	99	134205	57987.63
551660	6363850	59291.56	57985.78	99	134217	57985.78
551665	6363850	59290.04	57984.49	99	134235	57984.49
551670	6363850	59290.8	57985.37	99	134244	57985.37
551675	6363850	59292.05	57986.61	99	134256	57986.61
551680	6363850	59291.64	57986.17	99	134305	57986.17
551685	6363850	59292.7	57986.82	99	134320	57986.82
551690	6363850	59291.38	57985.62	99	134332	57985.62
551695	6363850	59292.43	57986.97	99	134344	57986.97
551700	6363850	59293.75	57988.16	99	134353	57988.16
551705	6363850	59294.69	57988.97	99	134402	57988.97
551710	6363850	59295.96	57990.06	99	134417	57990.06
551715	6363850	59295.04	57989.06	99	134432	57989.06
551720	6363850	59294.73	57988.33	99	134444	57988.33

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT	
551725	6363850	59297.37	57990.36	99	134459	57990.36	
551730	6363850	59297.04	57990.04	99	134517	57990.04	
551735	6363850	59296.11	57989.27	99	134529	57989.27	
551740	6363850	59296.46	57989.71	99	134541	57989.71	
551745	6363850	59298.16	57991.26	99	134553	57991.26	
551750	6363850	59298.78	57991.67	99	134605	57991.67	
551755	6363850	59298.92	57991.99	99	134620	57991.99	
551760	6363850	59300.71	57993.94	99	134632	57993.94	
551765	6363850	59300.41	57993.8	99	134644	57993.8	
551770	6363850	59298.57	57992.07	99	134656	57992.07	
551775	6363850	59299.82	57993.34	99	134705	57993.34	
551780	6363850	59298.86	57992.55	99	134720	57992.55	
551785	6363850	59298.99	57992.78	99	134744	57992.78	
551790	6363850	59299.35	57993.25	99	134756	57993.25	
551795	6363850	59299	57992.76	99	134805	57992.76	
551800	6363850	59297.33	57991.04	99	134817	57991.04	
551950	6364150	59305.46	57997.41	95	111753	57995.92	GCA065b
551950	6364155	59304.4	57996.45	99	111805	57994.96	
551950	6364160	59304.74	57996.76	99	111820	57995.27	
551950	6364165	59304.09	57995.94	99	111835	57994.45	
551950	6364170	59304.66	57996.42	99	111844	57994.93	
551950	6364175	59306.84	57998.53	99	111856	57997.04	
551950	6364180	59307.04	57998.65	99	111908	57997.16	
551950	6364185	59310.51	58002.04	99	111920	58000.55	
551950	6364190	59306.56	57998.05	99	111932	57996.56	
551950	6364195	59307.05	57998.48	99	111944	57996.99	
551950	6364200	59308.07	57999.33	99	111956	57997.84	
551950	6364205	59307.77	57998.87	99	112008	57997.38	
551950	6364210	59307.5	57998.53	99	112020	57997.04	
551950	6364215	59302.28	57993.3	99	112032	57991.81	
551950	6364220	59302.06	57993.07	99	112041	57991.58	
551950	6364225	59303.77	57994.81	99	112050	57993.32	
551950	6364230	59302.89	57994.05	99	112059	57992.56	
551950	6364235	59301.95	57993.29	99	112111	57991.8	
551950	6364240	59310.72	58002.19	99	112123	58000.7	
551950	6364245	59316.73	58008.28	99	112132	58006.79	
551950	6364250	59325.17	58016.78	99	112141	58015.29	
551950	6364255	59329.45	58021.12	99	112153	58019.63	
551950	6364260	59327.9	58019.53	99	112202	58018.04	
551950	6364265	59322.5	58014.08	99	112211	58012.59	
551950	6364270	59324.41	58015.89	99	112223	58014.4	
551950	6364275	59317.4	58008.76	99	112235	58007.27	
551950	6364280	59297.07	57988.39	99	112247	57986.9	
551950	6364285	59299.58	57990.8	99	112259	57989.31	
551950	6364290	59305.67	57996.73	99	112311	57995.24	
551950	6364295	59302.68	57993.67	99	112320	57992.18	
551950	6364300	59309.51	58000.32	99	112332	57998.83	
551950	6364305	59310.8	58001.4	99	112344	57999.91	
551950	6364310	59317.27	58007.69	99	112356	58006.2	
551950	6364315	59315.54	58005.86	99	112411	58004.37	
551950	6364320	59307.23	57997.49	99	112423	57996	

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551950	6364325	59309.23	57999.42	99	112435	57997.93
551950	6364330	59310.92	58000.91	99	112459	57999.42
551950	6364335	59310.76	58000.78	99	112508	57999.29
551950	6364340	59313.74	58003.9	99	112520	58002.41
551950	6364345	59310.72	58001	99	112532	57999.51
551950	6364350	59311.15	58001.49	99	112541	58000
551900	6364350	59301.74	57992.27	99	112738	57990.78
551900	6364345	59307.09	57997.41	99	112753	57995.92
551900	6364340	59311.1	58001.28	99	112805	57999.79
551900	6364335	59304.48	57994.63	99	112814	57993.14
551900	6364330	59307.76	57997.93	99	112826	57996.44
551900	6364325	59306.23	57996.44	99	112844	57994.95
551900	6364320	59308.84	57999.16	99	112856	57997.67
551900	6364315	59305.5	57995.97	99	112908	57994.48
551900	6364310	59307.25	57997.81	99	112920	57996.32
551900	6364305	59305.99	57996.54	99	112929	57995.05
551900	6364300	59307.85	57998.47	99	112938	57996.98
551900	6364295	59313.88	58004.48	99	112947	58002.99
551900	6364290	59310.5	58001.15	99	112959	57999.66
551900	6364285	59304.77	57995.49	99	113011	57994
551900	6364280	59307.46	57998.25	99	113023	57996.76
551900	6364275	59305.08	57995.9	99	113035	57994.41
551900	6364270	59303.02	57993.82	99	113047	57992.33
551900	6364265	59301.38	57992.09	99	113102	57990.6
551900	6364260	59301.29	57991.9	99	113114	57990.41
551900	6364255	59301.44	57992.09	99	113126	57990.6
551900	6364250	59301.5	57992.13	99	113138	57990.64
551900	6364245	59304.92	57995.49	99	113150	57994
551900	6364240	59305.83	57996.33	99	113159	57994.84
551900	6364235	59304.65	57995.08	99	113208	57993.59
551900	6364230	59305.35	57995.77	99	113220	57994.28
551900	6364225	59304.81	57995.26	99	113232	57993.77
551900	6364220	59305.5	57995.95	99	113241	57994.46
551900	6364215	59305.88	57996.38	99	113250	57994.89
551900	6364210	59309.88	58000.26	99	113302	57998.77
551900	6364205	59310.33	58000.64	99	113314	57999.15
551900	6364200	59313.15	58003.52	99	113326	58002.03
551900	6364195	59307.54	57997.98	99	113338	57996.49
551900	6364190	59307.7	57998.21	99	113350	57996.72
551900	6364185	59303.27	57993.9	99	113402	57992.41
551900	6364180	59302.1	57992.66	99	113417	57991.17
551900	6364175	59303.76	57994.37	99	113426	57992.88
551900	6364170	59301.9	57992.66	99	113450	57991.17
551900	6364165	59304.42	57995.21	99	113505	57993.72
551900	6364160	59301.78	57992.65	99	113520	57991.16
551900	6364155	59304.41	57995.24	99	113541	57993.75
551900	6364150	59305.08	57995.79	99	113553	57994.3
551900	6364145	59306.15	57996.72	99	113629	57995.23
551900	6364140	59304.67	57995.16	99	113641	57993.67
551900	6364135	59305.2	57995.61	99	113653	57994.12
551900	6364130	59305.51	57995.84	99	113711	57994.35

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551900	6364125	59304.3	57994.67	99	113732	57993.18
551900	6364120	59305.25	57995.61	99	113744	57994.12
551900	6364115	59305.15	57995.51	99	113802	57994.02
551900	6364110	59304.53	57994.92	99	113814	57993.43
551900	6364105	59304.73	57995.21	99	113826	57993.72
551900	6364100	59304.62	57995.22	99	113835	57993.73
551900	6364095	59305.68	57996.44	99	113850	57994.95
551900	6364090	59304.28	57995.17	99	113902	57993.68
551900	6364085	59304.47	57995.45	99	113914	57993.96
551900	6364080	59304.62	57995.67	99	113926	57994.18
551900	6364075	59304.58	57995.79	99	113938	57994.3
551900	6364070	59305.4	57996.67	99	113956	57995.18
551900	6364065	59305.98	57997.23	99	114008	57995.74
551900	6364060	59304.77	57995.98	99	114020	57994.49
551900	6364055	59305.26	57996.43	99	114032	57994.94
551900	6364050	59305.52	57996.7	99	114041	57995.21
551900	6364045	59305.75	57996.83	99	114059	57995.34
551900	6364040	59305.81	57996.82	99	114111	57995.33
551900	6364035	59306.5	57997.37	99	114123	57995.88
551900	6364030	59305.86	57996.63	99	114138	57995.14
551900	6364025	59306.67	57997.33	99	114150	57995.84
551900	6364020	59307.14	57997.62	99	114205	57996.13
551900	6364015	59305.91	57996.38	99	114217	57994.89
551900	6364010	59307.04	57997.49	99	114226	57996
551900	6364005	59307.86	57998.31	99	114235	57996.82
551900	6364000	59306.26	57996.86	99	114247	57995.37
551900	6363995	59306.74	57997.47	99	114305	57995.98
551900	6363990	59306.65	57997.59	99	114317	57996.1
551900	6363985	59306.8	57997.85	99	114329	57996.36
551900	6363980	59305.17	57996.34	99	114341	57994.85
551900	6363975	59305.72	57996.98	99	114350	57995.49
551900	6363970	59306.28	57997.62	99	114405	57996.13
551900	6363965	59309.57	58000.95	99	114414	57999.46
551900	6363960	59306.12	57997.65	99	114432	57996.16
551900	6363955	59306.05	57997.6	99	114444	57996.11
551900	6363950	59308.37	57999.84	99	114456	57998.35
551850	6363950	59307.25	57998.12	99	114641	57996.63
551850	6363955	59307.93	57998.78	99	114653	57997.29
551850	6363960	59307.75	57998.65	99	114714	57997.16
551850	6363965	59308.14	57998.97	99	114726	57997.48
551850	6363970	59305.56	57996.43	99	114741	57994.94
551850	6363975	59306.22	57997.08	99	114753	57995.59
551850	6363980	59306.47	57997.44	99	114805	57995.95
551850	6363985	59305.56	57996.61	99	114820	57995.12
551850	6363990	59305.23	57996.29	99	114841	57994.8
551850	6363995	59304.77	57995.79	99	114853	57994.3
551850	6364000	59305.24	57996.27	99	114902	57994.78
551850	6364005	59304.55	57995.61	99	114920	57994.12
551850	6364010	59305.59	57996.66	99	114947	57995.17
551850	6364015	59304.16	57995.13	99	115008	57993.64
551850	6364020	59302.57	57993.63	99	115035	57992.14

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551850	6364025	59303.63	57994.69	99	115050	57993.2
551850	6364030	59303.29	57994.31	99	115105	57992.82
551850	6364035	59303.57	57994.65	99	115117	57993.16
551850	6364040	59302.3	57993.33	99	115135	57991.84
551850	6364045	59303.06	57994.15	99	115150	57992.66
551850	6364050	59303.31	57994.42	99	115202	57992.93
551850	6364055	59302.63	57993.79	99	115217	57992.3
551850	6364060	59303.11	57994.38	99	115235	57992.89
551850	6364065	59302.62	57994.01	99	115247	57992.52
551850	6364070	59304.33	57995.83	99	115259	57994.34
551850	6364075	59303.27	57994.85	99	115320	57993.36
551850	6364080	59303.28	57994.91	99	115332	57993.42
551850	6364085	59305.55	57997.13	99	115359	57995.64
551850	6364090	59304.36	57995.86	99	115411	57994.37
551850	6364095	59304.98	57996.39	99	115420	57994.9
551850	6364100	59305.7	57997.19	99	115435	57995.7
551850	6364105	59304.38	57995.95	99	115456	57994.46
551850	6364110	59304.36	57995.96	99	115511	57994.47
551850	6364115	59305.24	57996.72	99	115535	57995.23
551850	6364120	59305.34	57996.66	99	115553	57995.17
551850	6364125	59304.47	57995.45	99	115632	57993.96
551850	6364130	59306.85	57997.8	99	115647	57996.31
551850	6364135	59307.16	57998.2	99	115702	57996.71
551850	6364140	59305.77	57996.8	99	115717	57995.31
551850	6364145	59303.9	57994.87	99	115750	57993.38
551850	6364150	59304.15	57995.15	99	115802	57993.66
551850	6364155	59303.77	57994.88	99	115814	57993.39
551850	6364160	59303.91	57995.09	99	115826	57993.6
551850	6364165	59304.54	57995.57	99	115841	57994.08
551850	6364170	59302.21	57993.25	99	115853	57991.76
551850	6364175	59302.2	57993.3	99	115902	57991.81
551850	6364180	59303.2	57994.5	99	115920	57993.01
551850	6364185	59302.38	57993.63	99	115935	57992.14
551850	6364190	59305.7	57996.95	99	115956	57995.46
551850	6364195	59305.26	57996.69	99	120014	57995.2
551850	6364200	59303.67	57995.24	99	120026	57993.75
551850	6364205	59301.34	57993.08	99	120041	57991.59
551850	6364210	59299.58	57991.48	99	120056	57989.99
551850	6364215	59298.74	57990.53	99	120111	57989.04
551850	6364220	59297.58	57989.34	99	120120	57987.85
551850	6364225	59297.16	57988.88	99	120129	57987.39
551850	6364230	59297.95	57989.44	99	120150	57987.95
551850	6364235	59298	57989.47	99	120202	57987.98
551850	6364240	59298.52	57989.84	99	120214	57988.35
551850	6364245	59298.77	57989.77	99	120229	57988.28
551850	6364250	59300.09	57990.93	99	120238	57989.44
551850	6364255	59299.76	57990.64	99	120259	57989.15
551850	6364260	59300.57	57991.66	99	120308	57990.17
551850	6364265	59299.84	57991.22	99	120320	57989.73
551850	6364270	59299.83	57991.42	99	120329	57989.93
551850	6364275	59300.85	57992.49	99	120338	57991

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551850	6364280	59301.5	57993.18	99	120350	57991.69
551850	6364285	59302.21	57994.12	99	120359	57992.63
551850	6364290	59300.82	57993.17	99	120414	57991.68
551850	6364295	59302.49	57995.14	99	120426	57993.65
551850	6364300	59299.87	57992.6	99	120438	57991.11
551850	6364305	59301.64	57994.39	99	120453	57992.9
551850	6364310	59302.25	57994.88	99	120505	57993.39
551850	6364315	59299.6	57992.33	99	120514	57990.84
551850	6364320	59301.41	57993.9	99	120529	57992.41
551850	6364325	59300.58	57992.85	99	120538	57991.36
551850	6364330	59302.96	57994.85	99	120550	57993.36
551850	6364335	59302.07	57993.64	99	120602	57992.15
551850	6364340	59306.31	57997.71	99	120614	57996.22
551850	6364345	59304.73	57995.97	99	120626	57994.48
551850	6364350	59305.07	57996.18	99	120638	57994.69
551800	6364350	59300.06	57991.74	99	120856	57990.25
551800	6364345	59300.51	57992.04	99	120914	57990.55
551800	6364340	59299.64	57991.09	99	120926	57989.6
551800	6364335	59299.24	57990.58	99	120941	57989.09
551800	6364330	59301.71	57993.05	99	120956	57991.56
551800	6364325	59302.88	57993.93	99	121011	57992.44
551800	6364320	59296.11	57987.31	99	121038	57985.82
551800	6364315	59299.75	57991.14	99	121056	57989.65
551800	6364310	59297.55	57989	99	121108	57987.51
551800	6364305	59299.34	57990.77	99	121117	57989.28
551800	6364300	59300.78	57992.37	99	121126	57990.88
551800	6364295	59298.55	57990.3	99	121153	57988.81
551800	6364290	59298.24	57990.05	99	121202	57988.56
551800	6364285	59295.38	57987.18	99	121220	57985.69
551800	6364280	59304.51	57996.45	99	121229	57994.96
551800	6364275	59299.94	57991.9	99	121241	57990.41
551800	6364270	59298.81	57990.78	99	121256	57989.29
551800	6364265	59295.79	57987.81	99	121305	57986.32
551800	6364260	59296.52	57988.3	99	121320	57986.81
551800	6364255	59298.44	57990.1	99	121341	57988.61
551800	6364250	59298.07	57989.64	99	121353	57988.15
551800	6364245	59298.54	57990.05	99	121405	57988.56
551800	6364240	59300.81	57992.33	99	121420	57990.84
551800	6364235	59301.44	57992.88	99	121441	57991.39
551800	6364230	59304.81	57996.34	99	121450	57994.85
551800	6364225	59305.19	57996.83	99	121502	57995.34
551800	6364220	59310.75	58002.59	99	121520	58001.1
551800	6364215	59311.04	58002.89	99	121544	58001.4
551800	6364210	59315.25	58007.12	99	121559	58005.63
551800	6364205	59318.31	58010.17	99	121611	58008.68
551800	6364200	59320.81	58012.82	99	121623	58011.33
551800	6364195	59319.26	58011.39	99	121650	58009.9
551800	6364190	59320.02	58012.17	99	121705	58010.68
551800	6364185	59319.63	58011.6	99	121723	58010.11
551800	6364180	59319.99	58012.01	99	121738	58010.52
551800	6364175	59320.31	58012.24	99	121747	58010.75

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551800	6364170	59321.39	58013.06	99	121820	58011.57
551800	6364165	59323.01	58014.57	99	121844	58013.08
551800	6364160	59321.42	58013.04	99	121859	58011.55
551800	6364155	59320.85	58012.52	99	121911	58011.03
551800	6364150	59321.55	58013.16	99	121920	58011.67
551800	6364145	59321.01	58012.37	99	121938	58010.88
551800	6364140	59320.98	58012.25	99	121953	58010.76
551800	6364135	59319.09	58010.44	99	122005	58008.95
551800	6364130	59318.76	58010.29	99	122020	58008.8
551800	6364125	59318.48	58009.9	99	122032	58008.41
551800	6364120	59317.06	58008.43	99	122056	58006.94
551800	6364115	59315.07	58006.53	99	122108	58005.04
551800	6364110	59314.13	58005.66	99	122117	58004.17
551800	6364105	59313.27	58004.94	99	122129	58003.45
551800	6364100	59311.63	58003.45	99	122144	58001.96
551800	6364095	59312.57	58004.56	99	122156	58003.07
551800	6364090	59312.18	58004.33	99	122208	58002.84
551800	6364085	59309.48	58001.41	99	122229	57999.92
551800	6364080	59305.27	57997.27	99	122250	57995.78
551800	6364075	59305.43	57997.35	99	122302	57995.86
551800	6364070	59306.27	57997.53	99	122344	57996.04
551800	6364065	59303.75	57994.98	99	122353	57993.49
551800	6364060	59305.39	57996.45	99	122402	57994.96
551800	6364055	59303.99	57994.82	99	122423	57993.33
551750	6364055	59306.85	57997.58	99	123338	57996.09
551750	6364060	59307.05	57998.07	99	123353	57996.58
551750	6364065	59307.98	57999.28	99	123405	57997.79
551750	6364070	59309.06	58000.58	99	123417	57999.09
551750	6364075	59311.18	58002.74	99	123429	58001.25
551750	6364080	59312.87	58004.69	99	123502	58003.2
551750	6364085	59313.93	58005.84	99	123517	58004.35
551750	6364090	59315	58007.14	99	123538	58005.65
551750	6364095	59317.41	58009.57	99	123556	58008.08
551750	6364100	59318.97	58010.94	99	123608	58009.45
551750	6364105	59320.55	58012.39	99	123629	58010.9
551750	6364110	59321.62	58013.29	99	123641	58011.8
551750	6364115	59323.81	58015.35	99	123653	58013.86
551750	6364120	59323.49	58014.95	99	123705	58013.46
551750	6364125	59325.39	58016.77	99	123720	58015.28
551750	6364130	59324.99	58016.18	99	123741	58014.69
551750	6364135	59325.35	58016.59	99	123753	58015.1
551750	6364140	59324.86	58016.14	99	123808	58014.65
551750	6364145	59325.32	58016.56	99	123820	58015.07
551750	6364150	59326.11	58017.25	99	123835	58015.76
551750	6364155	59325.57	58016.67	99	123847	58015.18
551750	6364160	59325.99	58017.13	99	123859	58015.64
551750	6364165	59324.94	58016.01	99	123911	58014.52
551750	6364170	59323.92	58014.95	99	123926	58013.46
551750	6364175	59325.49	58016.39	99	123935	58014.9
551750	6364180	59324.48	58015.44	99	123947	58013.95
551750	6364185	59323.13	58014.28	99	123959	58012.79

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551750	6364190	59319.76	58010.96	99	124011	58009.47
551750	6364195	59319.3	58010.53	99	124020	58009.04
551750	6364200	59319.44	58010.69	99	124032	58009.2
551750	6364205	59316.75	58008.2	99	124059	58006.71
551750	6364210	59314.26	58005.71	99	124117	58004.22
551750	6364215	59312.11	58003.54	99	124126	58002.05
551750	6364220	59311	58002.39	99	124135	58000.9
551750	6364225	59310.21	58001.56	99	124144	58000.07
551750	6364230	59306.41	57997.86	99	124156	57996.37
551750	6364235	59304.3	57995.84	99	124208	57994.35
551750	6364240	59302.08	57993.64	99	124220	57992.15
551750	6364245	59301.62	57993.2	99	124229	57991.71
551750	6364250	59299.36	57991	99	124238	57989.51
551750	6364255	59296.98	57988.67	99	124250	57987.18
551750	6364260	59296.31	57987.93	99	124302	57986.44
551750	6364265	59295.79	57987.3	99	124320	57985.81
551750	6364270	59298.41	57989.8	99	124335	57988.31
551750	6364275	59299.36	57990.7	99	124347	57989.21
551750	6364280	59300.25	57991.25	99	124414	57989.76
551750	6364285	59295.38	57986.36	99	124426	57984.87
551750	6364290	59296.08	57987.16	99	124441	57985.67
551750	6364295	59297.35	57988.49	99	124453	57987
551750	6364300	59297.15	57988.34	99	124511	57986.85
551750	6364305	59297.15	57988.25	99	124526	57986.76
551750	6364310	59297.88	57989.19	99	124541	57987.7
551750	6364315	59297.84	57989.33	99	124553	57987.84
551750	6364320	59297.62	57989.17	99	124605	57987.68
551750	6364325	59299.16	57990.93	99	124617	57989.44
551750	6364330	59299.57	57991.57	99	124629	57990.08
551750	6364335	59299.89	57992.11	99	124638	57990.62
551750	6364340	59297.88	57990.36	99	124650	57988.87
551750	6364345	59301.32	57993.76	99	124708	57992.27
551750	6364350	59299.78	57992.21	99	124723	57990.72
551700	6364350	59301.12	57992.92	99	124838	57991.43
551700	6364345	59296.95	57988.78	99	124856	57987.29
551700	6364340	59297.2	57988.75	99	124908	57987.26
551700	6364335	59296.66	57988.24	99	124920	57986.75
551700	6364330	59298.46	57989.94	99	124932	57988.45
551700	6364325	59298.31	57989.84	99	124944	57988.35
551700	6364320	59297.53	57989.05	99	124959	57987.56
551700	6364315	59296.92	57988.56	99	125008	57987.07
551700	6364310	59296.06	57987.76	99	125017	57986.27
551700	6364305	59294.83	57986.65	99	125026	57985.16
551700	6364300	59294.38	57986.48	99	125035	57984.99
551700	6364295	59293.93	57986.27	99	125050	57984.78
551700	6364290	59294.72	57987.2	99	125059	57985.71
551700	6364285	59290.56	57983.14	99	125108	57981.65
551700	6364280	59299.28	57991.9	99	125120	57990.41
551700	6364275	59296.96	57989.82	99	125135	57988.33
551700	6364270	59294.43	57987.3	99	125150	57985.81
551700	6364265	59294.52	57987.38	99	125159	57985.89

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551700	6364260	59294.94	57987.77	99	125211	57986.28
551700	6364255	59297.22	57989.95	99	125223	57988.46
551700	6364250	59295.31	57987.94	99	125235	57986.45
551700	6364245	59295.5	57988.1	99	125247	57986.61
551700	6364240	59296.47	57989	99	125256	57987.51
551700	6364235	59296.65	57989.08	99	125308	57987.59
551700	6364230	59298.61	57990.97	99	125320	57989.48
551700	6364225	59300.39	57992.69	99	125329	57991.2
551700	6364220	59298.94	57991.17	99	125344	57989.68
551700	6364215	59302.52	57994.78	99	125353	57993.29
551700	6364210	59303.43	57995.6	99	125405	57994.11
551700	6364205	59303.66	57995.87	99	125417	57994.38
551700	6364200	59304	57996.26	99	125432	57994.77
551700	6364195	59305.48	57997.83	99	125444	57996.34
551700	6364190	59306.2	57998.56	99	125456	57997.07
551700	6364185	59307.58	58000.05	99	125508	57998.56
551700	6364180	59307.61	58000.03	99	125523	57998.54
551700	6364175	59307.36	57999.82	99	125541	57998.33
551700	6364170	59308.34	58001.01	99	125602	57999.52
551700	6364165	59309.41	58002.14	99	125617	58000.65
551700	6364160	59311.1	58003.64	99	125641	58002.15
551700	6364155	59309.48	58001.95	99	125656	58000.46
551700	6364150	59312.2	58004.67	99	125708	58003.18
551700	6364145	59309.41	58002	99	125738	58000.51
551700	6364140	59309.93	58002.37	99	125747	58000.88
551700	6364135	59309.08	58001.51	99	125759	58000.02
551700	6364130	59307.69	58000.2	99	125811	57998.71
551700	6364125	59307.49	58000.13	99	125823	57998.64
551700	6364120	59306.27	57999.05	99	125835	57997.56
551700	6364115	59303.6	57996.49	99	125856	57995
551700	6364110	59305.17	57998.33	99	125908	57996.84
551700	6364105	59306.36	57999.71	99	125923	57998.22
551700	6364100	59304.97	57998.6	99	125941	57997.11
551700	6364095	59301.73	57995.38	99	125953	57993.89
551700	6364090	59302.88	57996.61	99	130005	57995.12
551700	6364085	59302.57	57996.25	99	130020	57994.76
551700	6364080	59302.96	57996.68	99	130032	57995.19
551700	6364075	59301.16	57994.79	99	130050	57993.3
551700	6364070	59302.04	57995.39	99	130111	57993.9
551700	6364065	59300.21	57993.45	99	130126	57991.96
551700	6364060	59300.5	57993.61	99	130135	57992.12
551700	6364055	59299.52	57992.39	99	130153	57990.9
551650	6364055	59295.18	57987.39	99	130605	57985.9
551650	6364060	59294.56	57986.72	99	130617	57985.23
551650	6364065	59295.41	57987.57	99	130632	57986.08
551650	6364070	59300.2	57992.31	99	130644	57990.82
551650	6364075	59294.96	57987.1	99	130656	57985.61
551650	6364080	59295.39	57987.52	99	130708	57986.03
551650	6364085	59295.15	57987.31	99	130723	57985.82
551650	6364090	59295.85	57987.97	99	130735	57986.48
551650	6364095	59296	57988.04	99	130744	57986.55

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551650	6364100	59295.76	57987.82	99	130753	57986.33
551650	6364105	59296.65	57988.8	99	130802	57987.31
551650	6364110	59296.33	57988.49	99	130814	57987
551650	6364115	59296.84	57989.03	99	130826	57987.54
551650	6364120	59294.68	57987.01	99	130835	57985.52
551650	6364125	59294.86	57987.19	99	130847	57985.7
551650	6364130	59295.8	57988.19	99	130902	57986.7
551650	6364135	59294.05	57986.53	99	130911	57985.04
551650	6364140	59295.38	57987.88	99	130923	57986.39
551650	6364145	59294.03	57986.64	99	130938	57985.15
551650	6364150	59293.42	57986.07	99	130947	57984.58
551650	6364155	59293.87	57986.5	99	130959	57985.01
551650	6364160	59296.16	57988.84	99	131008	57987.35
551650	6364165	59296.08	57988.73	99	131017	57987.24
551650	6364170	59295.34	57988.04	99	131026	57986.55
551650	6364175	59293.76	57986.45	99	131035	57984.96
551650	6364180	59294.29	57986.95	99	131044	57985.46
551650	6364185	59294.25	57986.88	99	131053	57985.39
551650	6364190	59296.59	57989.18	99	131105	57987.69
551650	6364195	59295.82	57988.43	99	131120	57986.94
551650	6364200	59293.67	57986.26	99	131132	57984.77
551650	6364205	59295.13	57987.65	99	131147	57986.16
551650	6364210	59295.92	57988.47	99	131159	57986.98
551650	6364215	59296.31	57988.74	99	131211	57987.25
551650	6364220	59293.82	57986.23	99	131220	57984.74
551650	6364225	59291.1	57983.49	99	131229	57982
551650	6364230	59293.24	57985.63	99	131241	57984.14
551650	6364235	59293.23	57985.58	99	131253	57984.09
551650	6364240	59295.44	57987.76	99	131305	57986.27
551650	6364245	59293.37	57985.62	99	131317	57984.13
551650	6364250	59294.93	57987.15	99	131326	57985.66
551650	6364255	59294.3	57986.47	99	131338	57984.98
551650	6364260	59291.12	57983.4	99	131356	57981.91
551650	6364265	59290.9	57983.19	99	131414	57981.7
551650	6364270	59293.29	57985.67	99	131429	57984.18
551650	6364275	59294.24	57986.53	99	131444	57985.04
551650	6364280	59300.44	57992.71	99	131502	57991.22
551650	6364285	59295.14	57987.38	99	131514	57985.89
551650	6364290	59298.32	57990.5	99	131526	57989.01
551650	6364295	59295.21	57987.33	99	131547	57985.84
551650	6364300	59295.46	57987.49	99	131559	57986
551650	6364305	59293.79	57985.76	99	131611	57984.27
551650	6364310	59297.4	57989.37	99	131623	57987.88
551650	6364315	59294.83	57986.8	99	131641	57985.31
551650	6364320	59295.45	57987.46	99	131659	57985.97
551650	6364325	59296.56	57988.57	99	131726	57987.08
551650	6364330	59297.9	57990.12	99	131744	57988.63
551650	6364335	59299.02	57991.44	99	131805	57989.95
551650	6364340	59299.63	57992.13	99	131820	57990.64
551650	6364345	59296.88	57989.52	99	131838	57988.03
551650	6364350	59297.11	57989.86	99	131850	57988.37

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551600	6364350	59293.86	57985.69	99	132102	57984.2
551600	6364345	59293.93	57985.52	99	132117	57984.03
551600	6364340	59296.94	57988.34	99	132138	57986.85
551600	6364335	59297.09	57988.42	99	132153	57986.93
551600	6364330	59296.25	57987.59	99	132202	57986.1
551600	6364325	59295.77	57987.17	99	132214	57985.68
551600	6364320	59296.08	57987.61	99	132229	57986.12
551600	6364315	59294.4	57986.11	99	132244	57984.62
551600	6364310	59294.66	57986.39	99	132256	57984.9
551600	6364305	59294.29	57986.25	99	132308	57984.76
551600	6364300	59295.03	57986.98	99	132320	57985.49
551600	6364295	59297.29	57989.25	99	132338	57987.76
551600	6364290	59293.98	57985.98	99	132347	57984.49
551600	6364285	59293.51	57985.74	99	132402	57984.25
551600	6364280	59292.11	57984.4	99	132414	57982.91
551600	6364275	59293.67	57985.93	99	132426	57984.44
551600	6364270	59294.11	57986.32	99	132441	57984.83
551600	6364265	59293.13	57985.16	99	132453	57983.67
551600	6364260	59293.48	57985.44	99	132508	57983.95
551600	6364255	59292.47	57984.28	99	132517	57982.79
551600	6364250	59292.3	57983.96	99	132526	57982.47
551600	6364245	59293.06	57984.72	99	132535	57983.23
551600	6364240	59292.88	57984.44	99	132547	57982.95
551600	6364235	59291.96	57983.28	99	132559	57981.79
551600	6364230	59292.64	57983.77	99	132614	57982.28
551600	6364225	59291.84	57983.13	99	132650	57981.64
551600	6364220	59292	57983.28	99	132702	57981.79
551600	6364215	59292.96	57984.18	99	132714	57982.69
551600	6364210	59291.37	57982.58	99	132726	57981.09
551600	6364205	59290.14	57981.56	99	132738	57980.07
551600	6364200	59294.86	57986.41	99	132747	57984.92
551600	6364195	59294.25	57986.01	99	132756	57984.52
551600	6364190	59290.99	57982.73	99	132808	57981.24
551600	6364185	59293.01	57984.7	99	132817	57983.21
551600	6364180	59292.46	57984.25	99	132826	57982.76
551600	6364175	59291.47	57983.38	99	132838	57981.89
551600	6364170	59292.94	57984.92	99	132847	57983.43
551600	6364165	59292.98	57984.85	99	132859	57983.36
551600	6364160	59291.98	57983.9	99	132911	57982.41
551600	6364155	59292.11	57983.9	99	132923	57982.41
551600	6364150	59292.36	57984.16	99	132932	57982.67
551600	6364145	59290.61	57982.36	99	132944	57980.87
551600	6364140	59291.99	57983.64	99	132956	57982.15
551600	6364135	59290.08	57981.76	99	133008	57980.27
551600	6364130	59290.77	57982.4	99	133020	57980.91
551600	6364125	59292.35	57983.85	99	133032	57982.36
551600	6364120	59294.49	57985.79	99	133044	57984.3
551600	6364115	59293.29	57984.88	99	133056	57983.39
551600	6364110	59292.86	57984.62	99	133108	57983.13
551600	6364105	59291.8	57983.56	99	133117	57982.07
551600	6364100	59292.32	57983.9	99	133129	57982.41

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551600	6364095	59292.93	57984.58	99	133141	57983.09
551600	6364090	59292.19	57983.86	99	133156	57982.37
551600	6364085	59292.33	57984.02	99	133205	57982.53
551600	6364080	59292.28	57984.04	99	133214	57982.55
551600	6364075	59292.67	57984.3	99	133308	57982.81
551600	6364070	59293.33	57984.99	99	133320	57983.5
551600	6364065	59292.29	57984.14	99	133332	57982.65
551600	6364060	59292.46	57984.3	99	133344	57982.81
551600	6364055	59290.62	57982.22	99	133356	57980.73
551600	6364150	59290.42	57982.67	99	133726	57981.18
551605	6364150	59289.64	57981.66	99	133741	57980.17
551610	6364150	59291.07	57983.22	99	133759	57981.73
551615	6364150	59290.66	57982.69	99	133823	57981.2
551620	6364150	59290.35	57982.09	99	133844	57980.6
551625	6364150	59291.99	57983.46	99	133859	57981.97
551630	6364150	59293.54	57985.12	99	133914	57983.63
551635	6364150	59293.02	57984.86	99	133926	57983.37
551640	6364150	59296.54	57988.54	99	133938	57987.05
551645	6364150	59295.38	57987.32	99	133944	57985.83
551650	6364150	59295.26	57987.01	99	133953	57985.52
551655	6364150	59295.18	57986.67	99	134014	57985.18
551660	6364150	59296.45	57988.01	99	134023	57986.52
551665	6364150	59298.25	57990.07	99	134035	57988.58
551670	6364150	59299.63	57991.46	99	134044	57989.97
551675	6364150	59300.43	57992.2	99	134053	57990.71
551680	6364150	59302.26	57994.02	99	134105	57992.53
551685	6364150	59304.28	57995.95	99	134120	57994.46
551690	6364150	59306.11	57997.84	99	134132	57996.35
551695	6364150	59308.08	57999.73	99	134150	57998.24
551700	6364150	59312.47	58003.87	99	134202	58002.38
551705	6364150	59313.75	58005.12	99	134217	58003.63
551710	6364150	59316.58	58007.7	99	134235	58006.21
551715	6364150	59320.23	58011.1	99	134250	58009.61
551720	6364150	59319.55	58010.02	99	134259	58008.53
551725	6364150	59319.83	58010.25	99	134308	58008.76
551730	6364150	59321.72	58012.13	99	134317	58010.64
551735	6364150	59320.09	58010.46	99	134329	58008.97
551740	6364150	59325.23	58015.41	99	134341	58013.92
551745	6364150	59325.47	58015.6	99	134353	58014.11
551750	6364150	59327.65	58017.54	99	134405	58016.05
551755	6364150	59327.37	58017.06	99	134417	58015.57
551760	6364150	59328	58017.75	99	134429	58016.26
551765	6364150	59327.7	58017.17	99	134441	58015.68
551770	6364150	59326.89	58016.27	99	134453	58014.78
551775	6364150	59327.23	58016.71	99	134502	58015.22
551780	6364150	59327.91	58017.43	99	134514	58015.94
551785	6364150	59326.05	58015.29	99	134526	58013.8
551790	6364150	59324.55	58013.82	99	134538	58012.33
551795	6364150	59324.85	58014.17	99	134547	58012.68
551800	6364150	59325.3	58014.42	99	134556	58012.93
551805	6364150	59323.85	58013.17	99	134614	58011.68

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA065a_b_combined

line_X	station_Y	field_nT	corr_nT	signal	time	magaver_nT
551810	6364150	59321.5	58010.65	99	134629	58009.16
551815	6364150	59318.85	58008.08	99	134641	58006.59
551820	6364150	59314.92	58004.15	99	134653	58002.66
551825	6364150	59314.26	58003.24	99	134705	58001.75
551830	6364150	59312.4	58001.43	99	134717	57999.94
551835	6364150	59310.41	57999.07	99	134738	57997.58
551840	6364150	59307.58	57996.32	99	134753	57994.83
551845	6364150	59308.1	57996.85	99	134805	57995.36
551850	6364150	59306.55	57995.37	99	134826	57993.88
551855	6364150	59308.27	57997.1	99	134841	57995.61
551860	6364150	59307.36	57996.41	99	134853	57994.92
551865	6364150	59304.88	57993.98	99	134902	57992.49
551870	6364150	59303.98	57993.03	99	134917	57991.54
551875	6364150	59303.7	57992.74	99	134926	57991.25
551880	6364150	59303.03	57992.49	99	134947	57991
551885	6364150	59304.81	57994.21	99	134959	57992.72
551890	6364150	59304.29	57993.94	99	135011	57992.45
551895	6364150	59305.93	57995.83	99	135023	57994.34
551900	6364150	59306.5	57996.26	99	135035	57994.77
551905	6364150	59306	57996.05	99	135053	57994.56
551910	6364150	59305.21	57995.17	99	135108	57993.68
551915	6364150	59304.56	57994.5	99	135123	57993.01
551920	6364150	59305.84	57995.95	99	135132	57994.46
551925	6364150	59305.47	57995.77	99	135156	57994.28
551930	6364150	59307.78	57998.09	99	135214	57996.6
551935	6364150	59306.59	57996.77	99	135229	57995.28
551940	6364150	59306.47	57996.82	99	135244	57995.33
551945	6364150	59306.11	57996.42	99	135253	57994.93
551950	6364150	59305.16	57995.77	99	135308	57994.28

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA082a

line_X	station_Y	field_nT	corr_nT	signal	time
560550	6356250	59106.78	57991.14	99	114307.9
560550	6356255	59110.97	57995.52	99	114324.1
560550	6356260	59110.77	57995.37	99	114333.7
560550	6356265	59108.88	57993.32	99	114345.4
560550	6356270	59108.04	57992.51	99	114355
560550	6356275	59108.41	57993.16	99	114405.1
560550	6356280	59108.32	57992.83	99	114415.5
560550	6356285	59107.1	57991.61	99	114428.9
560550	6356290	59104.36	57989.12	99	114438
560550	6356295	59105.57	57989.88	99	114450.8
560550	6356300	59103.69	57987.72	99	114517.4
560550	6356305	59106.21	57990.22	99	114530.9
560550	6356310	59101.28	57985.67	99	114542.1
560550	6356315	59102.82	57987.02	99	114551.5
560550	6356320	59106.67	57991	99	114602.9
560550	6356325	59107.34	57991.67	99	114619.9
560550	6356330	59116.41	58000.64	99	114633.1
560550	6356335	59092.37	57976.86	99	114646
560550	6356340	59104.25	57988.42	99	114702.3
560550	6356345	59132.09	58016.22	99	114713.5
560550	6356350	59145.94	58030.05	99	114726.9
560550	6356355	59155.23	58039.25	99	114738.3
560550	6356360	59145.78	58029.72	99	114747
560550	6356365	59142.11	58025.77	99	114803.2
560550	6356370	59126.26	58009.75	99	114812.7
560550	6356375	59121.54	58005.16	99	114822.4
560550	6356380	59102.93	57986.37	99	114835.1
560550	6356385	59099.03	57982.48	99	114847.6
560550	6356390	59098.75	57982.55	99	114859.8
560550	6356395	59093.95	57977.44	99	114910.9
560550	6356400	59091.8	57975.26	99	114920.3
560550	6356405	59095.12	57978.77	99	114931.9
560550	6356410	59100.53	57983.91	99	114948.4
560550	6356415	59100.81	57984.17	99	114958.5
560550	6356420	59102.08	57985.73	99	115006.5
560550	6356425	59103.32	57986.68	99	115014.3
560550	6356430	59103.94	57987.27	99	115024.5
560550	6356435	59106.04	57989.64	99	115038.9
560550	6356440	59106.07	57989.4	99	115056.5
560550	6356445	59108.6	57992.29	99	115112
560550	6356450	59104.61	57988.11	99	115126.8
560550	6356455	59100.65	57984.63	99	115337.4
560550	6356460	59103.11	57986.96	99	115346.7
560550	6356465	59104.24	57988	99	115358.4
560550	6356470	59109.55	57993.14	99	115408.4
560550	6356475	59116.08	57999.52	99	115420
560550	6356480	59119.46	58003.04	99	115429.1
560550	6356485	59124.06	58007.25	99	115439.4
560550	6356490	59129.91	58013.08	99	115450.3
560550	6356495	59133.2	58016.49	99	115504.7
560550	6356500	59134.1	58017.55	99	115524.6

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA082a

line_X	station_Y	field_nT	corr_nT	signal	time
560550	6356505	59135.28	58018.82	99	115539.5
560550	6356510	59128.75	58012.38	99	115552.9
560550	6356515	59117.74	58001.74	99	115602.9
560550	6356520	59109.78	57993.56	99	115612.7
560550	6356525	59100.38	57984.14	99	115623.9
560550	6356530	59096.9	57981	99	115635.7
560550	6356535	59105.46	57989.36	99	115647.7
560550	6356540	59112.21	57996.14	99	115657.4
560550	6356545	59108.8	57992.99	99	115707.4
560550	6356550	59099.34	57983.48	99	115715.7
560500	6356550	59121.41	58005.24	99	115914.1
560500	6356545	59104.23	57988.37	99	115925.6
560500	6356540	59092.97	57976.87	99	115938.9
560500	6356535	59106.55	57990.63	99	115949.8
560500	6356530	59116.13	58000.24	99	120000.1
560500	6356525	59117.44	58001.28	99	120008.4
560500	6356520	59118.16	58002.03	99	120019.8
560500	6356515	59111.56	57995.81	99	120030.5
560500	6356510	59105.17	57989.2	99	120040.9
560500	6356505	59105.92	57990.07	99	120053.8
560500	6356500	59107.02	57991.35	99	120102.3
560500	6356495	59108.67	57992.68	99	120110.5
560500	6356490	59109.48	57993.37	99	120119.7
560500	6356485	59108.53	57992.7	99	120128.9
560500	6356480	59106.57	57990.39	99	120140.1
560500	6356475	59107.01	57990.69	99	120149.3
560500	6356470	59106.21	57989.88	99	120159.6
560500	6356465	59104.59	57988.23	99	120210.5
560500	6356460	59102.59	57986.14	99	120220.4
560500	6356455	59102.48	57986.02	99	120228.5
560500	6356450	59103.84	57987.6	99	120241.7
560500	6356445	59105.65	57989.09	99	120254.4
560500	6356440	59104.65	57988.05	99	120305.7
560500	6356435	59101.13	57984.68	99	120313.4
560500	6356430	59099.64	57982.71	99	120336.2
560500	6356425	59098.23	57981.53	99	120346.6
560500	6356420	59098.35	57981.27	99	120401.5
560500	6356415	59099.51	57982.59	99	120415.7
560500	6356410	59099.07	57981.69	99	120437.7
560500	6356405	59100.83	57983.55	99	120452.1
560500	6356400	59106.98	57989.31	99	120504.9
560500	6356395	59114.15	57996.45	99	120518.3
560500	6356390	59111.93	57994.09	99	120530.6
560500	6356385	59116	57998.17	99	120544
560500	6356380	59113.28	57995.68	99	120553.2
560500	6356375	59109.88	57992.02	99	120603.2
560500	6356370	59100.26	57982.39	99	120615.7
560500	6356365	59096.83	57979.09	99	120624.6
560500	6356360	59101.04	57983.15	99	120636.5
560500	6356355	59108.61	57990.76	99	120644.1
560500	6356350	59124.35	58006.48	99	120651.6

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA082a

line_X	station_Y	field_nT	corr_nT	signal	time
560500	6356345	59131.62	58014.04	99	120701
560500	6356340	59119.6	58001.73	99	120710.1
560500	6356335	59110.74	57992.82	99	120719
560500	6356330	59111.98	57994.19	99	120728.9
560500	6356325	59107.26	57989.7	99	120737.7
560500	6356320	59107.19	57989.28	99	120748.7
560500	6356315	59110.52	57992.9	99	120804.2
560500	6356310	59114.19	57996.22	99	120815.3
560500	6356305	59113.2	57995.11	99	120823.9
560500	6356300	59105.11	57986.98	99	120832.9
560500	6356290	59104.17	57985.66	99	120859.7
560500	6356285	59097.15	57978.81	99	120908.9
560500	6356280	59099.57	57980.88	99	120921.3
560500	6356275	59099.49	57980.81	99	120930.3
560500	6356270	59102.85	57984.48	99	120942.7
560500	6356265	59104.7	57986.09	99	120956.7
560500	6356260	59109.25	57991.14	99	121016.3
560500	6356255	59119.67	58001.37	99	121028.6
560500	6356250	59119.09	58001.26	99	121046.7
560500	6356245	59107.92	57990.02	99	121059.2
560500	6356240	59104.23	57986.49	99	121112.3
560500	6356235	59106.25	57988.9	99	121123.4
560500	6356230	59107.92	57990.37	99	121132.9
560500	6356225	59107.89	57990.44	99	121141.3
560500	6356220	59110.17	57993.01	99	121152.6
560500	6356215	59116.47	57999.15	99	121202.2
560500	6356210	59108.83	57991.53	99	121214.3
560500	6356205	59111.29	57994.33	99	121230.6
560500	6356200	59113.79	57996.58	99	121242.7
560450	6356200	59103.13	57985.83	99	121458.9
560450	6356205	59103.5	57986.59	99	121514.5
560450	6356210	59109.52	57992.37	99	121525.4
560450	6356215	59108.91	57991.86	99	121537.7
560450	6356220	59106.02	57989.26	99	121549.7
560450	6356225	59106.02	57989.03	99	121600.3
560450	6356230	59104.29	57987.31	99	121613.5
560450	6356235	59107.92	57990.97	99	121630.3
560450	6356240	59117.71	58000.84	99	121639.3
560450	6356245	59127.08	58010.32	99	121647.8
560450	6356250	59133.85	58017.32	99	121656.2
560450	6356255	59140.38	58023.6	99	121708.4
560450	6356260	59127.8	58011.1	99	121721.4
560450	6356265	59127.66	58010.76	99	121744.9
560450	6356270	59126.48	58009.82	99	121759.1
560450	6356275	59128.97	58012.08	99	121831
560450	6356280	59130.38	58013.13	99	121845.2
560450	6356285	59125.14	58007.85	99	121855.1
560450	6356290	59112.99	57994.4	99	121909.3
560450	6356295	59119.94	58002.6	99	121920.8
560450	6356300	59122.5	57993.2	99	121929.2
560450	6356305	59118.71	58004.88	99	121939.9

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA082a

line_X	station_Y	field_nT	corr_nT	signal	time
560450	6356310	59112.03	57994.57	99	121951.8
560450	6356315	59110.95	57993.65	99	122004.4
560450	6356320	59112.43	57995.03	99	122013.7
560450	6356325	59116.61	57999.08	99	122022.6
560450	6356330	59118.86	58001.67	99	122042.9
560450	6356335	59112.37	57995.01	99	122052.9
560450	6356340	59123.31	58005.92	99	122109.1
560450	6356345	59125.36	58008.09	99	122125.9
560450	6356350	59124.22	58006.95	99	122137.9
560450	6356355	59124.62	58007.69	99	122154.3
560450	6356360	59100.81	57983.5	99	122208.3
560450	6356365	59098.21	57980.97	99	122218.8
560450	6356370	59099.7	57982.32	99	122235.3
560450	6356375	59103.19	57985.82	99	122248.2
560450	6356380	59105.64	57988.5	99	122258.9
560450	6356385	59103.9	57986.53	99	122311.2
560450	6356390	59103.07	57985.68	99	122320.5
560450	6356395	59101.11	57983.93	99	122330.8
560450	6356400	59104.17	57986.73	99	122341.2
560450	6356405	59108.26	57990.87	99	122351
560450	6356410	59114.28	57997.17	99	122403.7
560450	6356415	59114.14	57996.75	99	122416.3
560450	6356420	59112.38	57994.91	99	122428.9
560450	6356425	59108.9	57991.4	99	122441.9
560450	6356430	59111.6	57994.09	99	122454.9
560450	6356435	59113.59	57996.36	99	122506.1
560450	6356440	59119.26	58001.73	99	122515.8
560450	6356445	59123.13	58005.56	99	122528.4
560450	6356450	59125.11	58007.87	99	122542.8
560450	6356455	59122.68	58005.23	99	122553
560450	6356460	59113.1	57995.93	99	122610
560450	6356465	59108.65	57991.34	99	122621.3
560450	6356470	59106.29	57988.98	99	122629
560450	6356475	59104.53	57987.22	99	122638.6
560450	6356480	59101.87	57984.64	99	122652.2
560450	6356485	59108.55	57991.31	99	122709.1
560450	6356490	59115.91	57998.8	99	122727.9
560450	6356495	59109.55	57992.3	99	122742
560450	6356500	59105.7	57988.41	99	122801.5
560450	6356505	59103.36	57985.87	99	122821.1
560450	6356510	59106.97	57989.37	99	122837.7
560450	6356515	59112.27	57994.61	99	122854.7
560450	6356520	59117.2	57999.6	99	122908.2
560450	6356525	59123.43	58005.79	99	122923.1
560450	6356530	59127.26	58009.95	99	122936.4
560450	6356535	59128.72	58011.2	99	122950.7
560450	6356540	59127.89	58010.58	99	123003.9
560450	6356545	59130.82	58013.33	99	123018.5
560450	6356550	59132.51	58014.98	99	123026.9
560400	6356550	59098.86	57981.11	99	123158
560400	6356545	59099.16	57981.38	99	123211.8

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA082a

line_X	station_Y	field_nT	corr_nT	signal	time
560400	6356540	59103.93	57986.37	99	123221.1
560400	6356535	59109.9	57991.99	99	123231.4
560400	6356530	59109.04	57991.09	99	123240.9
560400	6356525	59108.59	57990.88	99	123253.9
560400	6356520	59105.92	57987.94	99	123304.3
560400	6356515	59105.14	57987.1	99	123315.4
560400	6356510	59101.85	57984.04	99	123331.8
560400	6356505	59102.2	57984.06	99	123449.7
560400	6356500	59100.84	57982.62	99	123459.1
560400	6356495	59104.04	57985.97	99	123511.9
560400	6356490	59104.15	57985.81	99	123521.5
560400	6356485	59109.12	57990.72	99	123531.8
560400	6356480	59108.98	57990.78	99	123540.4
560400	6356475	59108.01	57989.42	99	123551.1
560400	6356470	59108.04	57989.54	99	123702.9
560400	6356465	59116.14	57997.65	99	123711.8
560400	6356460	59118.85	58000.65	99	123724.3
560400	6356455	59100.67	57982.22	99	123734.3
560400	6356450	59084.9	57966.51	99	123745.1
560400	6356445	59078.66	57960.64	99	123758.3
560400	6356440	59077.38	57959.13	99	123809.4
560400	6356435	59079.75	57961.47	99	123821.7
560400	6356430	59093.64	57975.62	99	123830.7
560400	6356425	59104.49	57986.16	99	123840.2
560400	6356420	59133.44	58015	99	123855
560400	6356415	59123.81	58005.33	99	123917
560400	6356410	59104.6	57986.05	99	123927.1
560400	6356405	59104.08	57985.76	99	123936.6
560400	6356400	59101.99	57983.36	99	123946
560400	6356395	59095.09	57976.41	99	123956
560400	6356390	59097.14	57978.64	99	124005.9
560400	6356385	59096.54	57977.7	99	124015.3
560400	6356380	59098.24	57979.4	99	124024.3
560400	6356375	59093.31	57974.59	99	124035.9
560400	6356370	59100.19	57981.67	99	124044.4
560400	6356365	59101.14	57982.4	99	124053.3
560400	6356360	59098.79	57980.06	99	124102.2
560400	6356355	59090.03	57971.56	99	124110.5
560400	6356350	59094	57975.3	99	124120
560400	6356345	59097.6	57978.82	99	124128.9
560400	6356340	59098.12	57979.34	99	124138.2
560400	6356335	59098.2	57979.65	99	124149.6
560400	6356330	59096.57	57977.79	99	124201.1
560400	6356325	59095.32	57976.63	99	124215.2
560400	6356320	59097.18	57978.39	99	124228.8
560400	6356315	59098.91	57980.07	99	124244.9
560400	6356310	59105.86	57987.04	99	124258.7
560400	6356305	59107.26	57988.43	99	124307.3
560400	6356300	59105.34	57986.5	99	124314.4
560400	6356295	59103.02	57984.42	99	124328.1
560400	6356290	59103.47	57984.57	99	124342

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA082a

line_X	station_Y	field_nT	corr_nT	signal	time
560400	6356285	59104.2	57984.49	99	124353.7
560400	6356280	59104.06	57985.44	99	124402.4
560400	6356275	59105.08	57986.23	99	124410.5
560400	6356270	59103.72	57984.88	99	124420.3
560400	6356265	59103.42	57984.85	99	124429.1
560400	6356260	59105.13	57986.29	99	124441.6
560400	6356255	59107.62	57988.23	99	124559.9
560400	6356250	59107.33	57987.27	99	124657
560400	6356245	59108.15	57988.3	99	124718.3
560400	6356240	59110.89	57990.87	99	124733.4
560400	6356235	59111.69	57991.85	99	124745.1
560400	6356230	59110.65	57991.13	99	124813.6
560400	6356225	59109.16	57989.91	99	124841
560400	6356220	59108.19	57988.77	99	124920.9
560400	6356215	59104.51	57984.94	99	125001.5
560400	6356210	59120.06	58000.16	99	125013.8
560400	6356205	59111.69	57991.68	99	125047.3
560400	6356200	59106.55	57986.74	99	125113.2
560350	6356200	59106.03	57986.36	99	125538.5
560350	6356205	59105.39	57985.65	99	125550.9
560350	6356210	59106.41	57986.8	99	125602.1
560350	6356215	59106.27	57986.73	99	125615.8
560350	6356220	59107.61	57988.27	99	125633
560350	6356225	59108.38	57989.41	99	125642.5
560350	6356230	59105.68	57986.52	99	125651.9
560350	6356235	59106.29	57987.14	99	125705.9
560350	6356240	59104.31	57985.06	99	125723.5
560350	6356245	59111.84	57992.4	99	125734.8
560350	6356250	59116.56	57997.17	99	125747.4
560350	6356255	59113.74	57993.83	99	125800
560350	6356260	59112.54	57992.53	99	125809.2
560350	6356265	59112.98	57993.13	99	125818.3
560350	6356270	59111.16	57990.92	99	125826.3
560350	6356275	59111.1	57990.82	99	125833.6
560350	6356280	59115.14	57994.85	99	125842.6
560350	6356285	59111.9	57991.87	99	125853.2
560350	6356290	59112.21	57991.93	99	125902.3
560350	6356295	59117.07	57996.84	99	125912
560350	6356300	59122.86	58002.85	99	125921.5
560350	6356305	59121.65	58001.66	99	125931.2
560350	6356310	59116.99	57997	99	125941.9
560350	6356315	59118.94	57999.09	99	125951.2
560350	6356320	59116.04	57996.52	99	130001.2
560350	6356325	59114.86	57995.14	99	130011.8
560350	6356330	59116.66	57996.97	99	130026.4
560350	6356335	59132.82	58013.02	99	130040.7
560350	6356340	59160.97	58040.96	99	130055.4
560350	6356345	59171.81	58051.85	99	130108.3
560350	6356350	59168.48	58047.89	99	130207.7
560350	6356355	59170.79	58050.24	99	130224.9
560350	6356360	59190.39	58070	99	130237.9

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA082a

line_X	station_Y	field_nT	corr_nT	signal	time
560350	6356365	59184.67	58054.16	99	130251.4
560350	6356370	59152.17	58031.99	99	130310.4
560350	6356375	59127.43	58007.34	99	130321.2
560350	6356380	59138.93	58018.59	99	130333.5
560350	6356385	59124.19	58003.88	99	130345.8
560350	6356390	59110.21	57454.56	99	130356.7
560350	6356395	59115.96	57995.17	99	130410
560350	6356400	59126.36	58005.83	99	130421
560350	6356405	59131.56	58010.74	99	130432.5
560350	6356410	59136.73	58015.82	99	130444.1
560350	6356415	59127.72	58007	99	130455.8
560350	6356420	59125.93	58004.81	99	130506.2
560350	6356425	59146.68	58025.43	99	130515.6
560350	6356430	59158.03	58036.95	99	130525.2
560350	6356435	59127.62	58006.44	99	130551.5
560350	6356440	59139.66	58018.76	99	130605
560350	6356445	59135.71	58014.53	99	130615.9
560350	6356450	59107.14	57985.94	99	130626.6
560350	6356455	59098.74	57977.64	99	130640.9
560350	6356460	59108.24	57987.13	99	130657.5
560350	6356465	59109.69	57988.87	99	130709.9
560350	6356470	59112.04	57991	99	130722.9
560350	6356475	59109.73	57988.62	99	130731.7
560350	6356480	59109.68	57988.44	99	130753.6
560350	6356485	59101.96	57980.92	99	130810.4
560350	6356490	59102.25	57981.11	99	130818.4
560350	6356495	59093.17	57971.83	99	130838.9
560350	6356500	59085.6	57964.4	99	130848.7
560350	6356505	59098.12	57976.6	99	130859.4
560350	6356510	59106.78	57985.15	99	130912.7
560350	6356515	59136.61	58015.26	99	130923.4
560350	6356520	59132.87	58011.25	99	130934.1
560350	6356525	59113.75	57992.08	99	130945.3
560350	6356530	59116.71	57995.05	99	131007.1
560350	6356535	59130	58008.74	99	131024.6
560350	6356540	59130	58008.59	99	131038.7
560350	6356545	59143.66	58022.51	99	131055.2
560350	6356550	59154.57	58033.29	99	131107.4
560300	6356550	59102.62	57981.49	99	131610.5
560300	6356545	59097.11	57976	99	131621.3
560300	6356540	59088.17	57966.93	99	131636
560300	6356535	59119.02	57997.54	99	131648.6
560300	6356530	59147.9	58026.29	99	131706.7
560300	6356525	59144.6	58022.86	99	131718.8
560300	6356520	59134.03	58012.58	99	131732.2
560300	6356515	59158.85	58037.22	99	131756.8
560300	6356510	59139.11	58017.68	99	131828.4
560300	6356505	59139.25	58018.21	99	131837.9
560300	6356500	59120.26	57999.11	99	131846.3
560300	6356495	59194.7	58073.29	99	131957
560300	6356490	59143.63	58022.04	99	132012.1

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA082a

line_X	station_Y	field_nT	corr_nT	signal	time
560300	6356485	59144.98	58023.49	99	132021.4
560300	6356480	59144.56	58022.71	99	132031.9
560300	6356475	59153.11	58031.18	99	132039.9
560300	6356470	59155.88	58034.14	99	132050.2
560300	6356465	59149.38	58027.32	99	132101.9
560300	6356460	59136.65	58014.49	99	132113.8
560300	6356455	59129.71	58007.6	99	132121.4
560300	6356450	59121.51	57999.46	99	132130.4
560300	6356445	59114.55	57992.35	99	132139.9
560300	6356440	59116.74	57994.6	99	132148.8
560300	6356435	59126.34	58004.54	99	132158.1
560300	6356430	59139	58016.96	99	132209.5
560300	6356425	59172.95	58050.86	99	132218.6
560300	6356420	59165.65	58043.79	99	132230.1
560300	6356415	59155.75	58033.63	99	132240.9
560300	6356410	59153.44	58031.4	99	132254.5
560300	6356405	59160.85	58039.13	99	132303.5
560300	6356400	59158.87	58036.92	99	132311.2
560300	6356395	59150.2	58028.32	99	132323.5
560300	6356390	59149.29	58027.74	99	132335.6
560300	6356385	59137.17	58015.4	99	132349.3
560300	6356380	59138.37	58016.7	99	132359.1
560300	6356375	59143.97	58022.66	99	132410.6
560300	6356370	59155.52	58034.07	99	132423.4
560300	6356365	59171.45	58050.2	99	132435.1
560300	6356360	59174.78	58053.77	99	132448.5
560300	6356355	59154.58	58033.47	99	132458.4
560300	6356350	59132.51	58011.57	99	132511.9
560300	6356345	59086.23	57965.26	99	132540.9
560300	6356340	59096.68	57975.9	99	132551.3
560300	6356335	59105.99	57984.87	99	132600.3
560300	6356330	59107.82	57986.67	99	132609.3
560300	6356325	59109.08	57988.01	99	132617.9
560300	6356320	59102.61	57981.75	99	132626.1
560300	6356315	59098.76	57977.65	99	132636.7
560300	6356310	59094.83	57973.7	99	132649
560300	6356305	59081.72	57962.02	99	132659.9
560300	6356300	59092.4	57971.25	99	132713.5
560300	6356295	59099.61	57978.54	99	132733.4
560300	6356290	59099.76	57978.74	99	132748
560300	6356285	59099.2	57978.63	99	132807.8
560300	6356280	59109.53	57988.56	99	132820.5
560300	6356275	59118.76	57997.84	99	132831.8
560300	6356270	59120.42	57999.86	99	132841
560300	6356265	59133.15	58012.38	99	132850
560300	6356260	59126.39	58005.71	99	132900.2
560300	6356255	59124.97	58004.58	99	132912.3
560300	6356250	59110.96	57990.32	99	132920.2
560300	6356245	59098.63	57978	99	132931.6
560300	6356240	59095.19	57974.87	99	132941.9
560300	6356235	59096.97	57976.39	99	132951.9

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA082a

line_X	station_Y	field_nT	corr_nT	signal	time
560300	6356230	59101.02	57980.46	99	132959.3
560300	6356225	59102.69	57982.15	99	133006.5
560300	6356220	59102.48	57982.23	99	133015.4
560300	6356215	59104.6	57984.08	99	133027
560300	6356210	59106.32	57985.81	99	133035.4
560300	6356205	59102.46	57982.04	99	133045.3
560300	6356200	59105.25	57984.72	99	133101.5
560250	6356200	59102.49	57980.85	99	133313.8
560250	6356205	59097.44	57975.59	99	133328.8
560250	6356210	59099.53	57977.96	99	133438.2
560250	6356215	59093.41	57971.45	99	133505.1
560250	6356220	59094.57	57973	99	133513.4
560250	6356225	59096.51	57974.71	99	133522.4
560250	6356230	59088.64	57966.87	99	133533.8
560250	6356235	59099.93	57978.3	99	133553.6
560250	6356240	59118.28	57996.74	99	133607.6
560250	6356245	59114.38	57993.04	99	133618.5
560250	6356250	59107.26	57985.72	99	133628.1
560250	6356255	59108.92	57987.36	99	133652
560250	6356260	59084.44	57962.7	99	133705.7
560250	6356265	59087.04	57965.33	99	133718.9
560250	6356270	59089.78	57968.3	99	133728.9
560250	6356275	59109.25	57987.36	99	133741.3
560250	6356280	59116.28	57994.33	99	133754.3
560250	6356285	59108.37	57986.34	99	133807.2
560250	6356290	59097.04	57974.61	99	133822.6
560250	6356295	59097.13	57974.89	99	133839.1
560250	6356300	59106.35	57983.82	99	133852.3
560250	6356305	59110.95	57988.37	99	133901.4
560250	6356310	59121.9	57999.55	99	133910.7
560250	6356315	59130.69	58008.16	99	133921
560250	6356320	59136.45	58014.04	99	133930.7
560250	6356325	59144.94	58022.9	99	133944.8
560250	6356330	59151.85	58029.75	99	133956.6
560250	6356335	59140.03	58018.62	99	134013.3
560250	6356340	59123.06	58001.64	99	134023.4
560250	6356345	59121.64	58000.42	99	134033.2
560250	6356350	59126.07	58004.95	99	134043.4
560250	6356355	59121.17	58000.16	99	134105.1
560250	6356360	59119.25	57998.26	99	134115.9
560250	6356365	59116.74	57995.79	99	134126.6
560250	6356370	59112.56	57991.17	99	134136.5
560250	6356375	59115.61	57994.09	99	134145.9
560250	6356380	59109.01	57987.71	99	134156.6
560250	6356385	59109.6	57987.87	99	134212.5
560250	6356390	59115.66	57993.97	99	134227.9
560250	6356395	59114.85	57992.84	99	134235.4
560250	6356400	59120.93	57998.86	99	134244.5
560250	6356405	59131.55	58009.41	99	134253.4
560250	6356410	59126.06	58004.23	99	134301.8
560250	6356415	59106.97	57984.91	99	134312.7

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA082a

line_X	station_Y	field_nT	corr_nT	signal	time
560250	6356420	59084.1	57962.17	99	134321.8
560250	6356425	59075.37	57953.85	99	134332.1
560250	6356430	59086.51	57964.76	99	134341.2
560250	6356435	59092.64	57970.94	99	134351.3
560250	6356440	59096.61	57975.04	99	134403.9
560250	6356445	59105.74	57984.18	99	134418.2
560250	6356450	59103.19	57981.63	99	134429.2
560250	6356455	59101.05	57979.49	99	134437.9
560250	6356460	59093.38	57972.03	99	134446.4
560250	6356465	59098.83	57977.18	99	134455.9
560250	6356470	59101.31	57979.64	99	134503.2
560250	6356475	59103.24	57981.71	99	134512.8
560250	6356480	59111.68	57989.97	99	134523.6
560250	6356485	59118.97	57997.23	99	134532.2
560250	6356490	59105.24	57983.43	99	134541.9
560250	6356495	59105.63	57983.98	99	134550.1
560250	6356500	59104.62	57982.58	99	134558
560250	6356505	59105.99	57983.77	99	134608.5
560250	6356510	59106.57	57984.19	99	134616.8
560250	6356515	59108.05	57985.8	99	134625.7
560250	6356520	59108.53	57985.87	99	134635.1
560250	6356525	59109.16	57986.41	99	134644.9
560250	6356530	59110.29	57987.56	99	134654.5
560250	6356535	59110.58	57987.72	99	134704.9
560250	6356540	59110.69	57987.75	99	134715.9
560250	6356545	59111	57988.14	99	134728.2
560250	6356550	59111.96	57988.8	99	134739.1
560200	6356550	59111.89	57989.51	99	134947.6
560200	6356545	59113.41	57990.83	99	135004.6
560200	6356540	59111.33	57989.14	99	135020.2
560200	6356535	59110.79	57988.33	99	135041.8
560200	6356530	59110.08	57987.72	99	135051.3
560200	6356525	59110.38	57987.85	99	135059.7
560200	6356520	59110.45	57987.8	99	135116.5
560200	6356515	59109.05	57986.27	99	135144.5
560200	6356510	59109.91	57987.15	99	135252.4
560200	6356505	59108.07	57985.63	99	135309.3
560200	6356500	59109.95	57987.61	99	135341.9
560200	6356495	59110.36	57987.86	99	135356.2
560200	6356490	59111.25	57989.07	99	135416.7
560200	6356485	59108.53	57986.73	99	135453.9
560200	6356480	59108.24	57986.22	99	135515.9
560200	6356475	59111.4	57989.71	99	135529.1
560200	6356470	59109.1	57987.11	99	135540.1
560200	6356465	59107.84	57985.91	99	135551.7
560200	6356460	59108	57986.1	99	135612.8
560200	6356455	59105.63	57983.74	99	135629.6
560200	6356450	59105.38	57983.67	99	135636.2
560200	6356445	59105.52	57983.51	99	135647.9
560200	6356440	59105.59	57983.55	99	135656.3
560200	6356435	59104.25	57982.27	99	135705.9

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA082a

line_X	station_Y	field_nT	corr_nT	signal	time
560200	6356430	59102.47	57980.41	99	135715.1
560200	6356425	59101.92	57979.87	99	135725.4
560200	6356420	59099.77	57977.76	99	135754.6
560200	6356415	59100.75	57978.77	99	135808.7
560200	6356410	59107.6	57985.9	99	135818.8
560200	6356405	59111.39	57989.47	99	135828.5
560200	6356400	59101.57	57979.67	99	135837.6
560200	6356395	59096.51	57974.88	99	135850.4
560200	6356390	59097.06	57975.13	99	135900.3
560200	6356385	59096.77	57974.77	99	135910.9
560200	6356380	59102.27	57980.26	99	135921.8
560200	6356375	59108.23	57986.26	99	135932.9
560200	6356370	59103.35	57981.34	99	135944.9
560200	6356365	59099.99	57977.8	99	140025.2
560200	6356360	59099.24	57976.94	99	140043.4
560200	6356355	59099	57976.59	99	140104.2
560200	6356350	59096.66	57973.99	99	140139.4
560200	6356345	59098.22	57975.45	99	140157.8
560200	6356340	59099.57	57976.7	99	140213
560200	6356335	59104.33	57981.56	99	140224.2
560200	6356330	59102.66	57979.64	99	140234.3
560200	6356325	59103.78	57980.61	99	140317.9
560200	6356320	59102.78	57979.84	99	140329.1
560200	6356315	59102.56	57979.35	99	140339
560200	6356310	59104.04	57980.86	99	140352
560200	6356305	59103.33	57980.45	99	140403.4
560200	6356300	59104.61	57981.57	99	140418.3
560200	6356295	59103.15	57980.24	99	140432.4
560200	6356290	59104.64	57981.83	99	140443.7
560200	6356285	59106.4	57983.6	99	140454.1
560200	6356280	59105.38	57982.61	99	140501.8
560200	6356275	59100.88	57978.49	99	140516
560200	6356270	59105.61	57983.03	99	140534.3
560200	6356265	59108.36	57985.77	99	140605.3
560200	6356260	59108.79	57986.49	99	140623.3
560200	6356255	59104.59	57982.04	99	140631.4
560200	6356250	59104.31	57981.75	99	140640.8
560200	6356245	59104.31	57981.78	99	140653.4
560200	6356240	59108.84	57986.36	99	140704.7
560200	6356235	59108.95	57986.54	99	140721.3
560200	6356230	59105.38	57983.28	99	140734.7
560200	6356225	59104.92	57982.66	99	140756.2
560200	6356220	59101.39	57979.34	99	140807.2
560200	6356215	59100.08	57977.92	99	140815.9
560200	6356210	59103.26	57981.11	99	140827.9
560200	6356205	59103.13	57981.01	99	140837.7
560200	6356200	59108.87	57986.73	99	140855.6
560200	6356350	59097.06	57973.4	99	141639.8
560205	6356350	59097.62	57974.16	99	141655.2
560210	6356350	59111.38	57987.72	99	141710.4
560215	6356350	59121.63	57997.99	99	141718.3

Appendix 6
Raw Ground Geophysical Data
Anomaly GCA082a

line_X	station_Y	field_nT	corr_nT	signal	time
560220	6356350	59136.02	58012.33	99	141726.2
560225	6356350	59132.2	58008.78	99	141734.1
560230	6356350	59120.61	57996.88	99	141743.6
560235	6356350	59113.63	57989.89	99	141751.9
560240	6356350	59123.99	58000.22	99	141802.4
560245	6356350	59126.91	58003.4	99	141810.9
560250	6356350	59128.85	58005.02	99	141823.8
560255	6356350	59124.58	58000.74	99	141832.7
560260	6356350	59115.95	57992.42	99	141843.6
560265	6356350	59125.63	58002.15	99	141915.1
560270	6356350	59138.14	58014.58	99	141936.5
560275	6356350	59144.91	58021.66	99	141955.9
560280	6356350	59127.67	58004.22	99	142008.3
560285	6356350	59107.66	57984.2	99	142019.2
560290	6356350	59103	57979.76	99	142034.8
560295	6356350	59115.13	57991.61	99	142045.2
560300	6356350	59128.57	58005.05	99	142056.8
560305	6356350	59117.11	57993.63	99	142114.1
560310	6356350	59142.05	58018.61	99	142123.1
560315	6356350	59145.23	58021.78	99	142133.2
560320	6356350	59149.36	58026.11	99	142141.4
560325	6356350	59154.77	58031.21	99	142149.1
560330	6356350	59150.24	58026.62	99	142157.6
560335	6356350	59153.33	58029.67	99	142209.2
560340	6356350	59170.65	58047.17	99	142221.2
560345	6356350	59173.13	58049.48	99	142231.3
560350	6356350	59172.79	58049.18	99	142241.2
560355	6356350	59184.32	58060.98	99	142251
560360	6356350	59170.48	58046.88	99	142300.9
560365	6356350	59169.12	58045.49	99	142309.3
560370	6356350	59142.14	58018.49	99	142317.6
560375	6356350	59111.8	57988.46	99	142326.9
560380	6356350	59122.18	57998.61	99	142337.3
560385	6356350	59118.9	57995.35	99	142346
560390	6356350	59108.12	57984.63	99	142355.2
560395	6356350	59101.25	57978.08	99	142403
560400	6356350	59097.69	57974.28	99	142412.7
560405	6356350	59101.53	57978.21	99	142427.4
560410	6356350	59097.71	57974.64	99	142437.1
560415	6356350	59100.75	57977.6	99	142445.9
560420	6356350	59110.3	57987.25	99	142454.7
560425	6356350	59120.45	57997.44	99	142504.7
560430	6356350	59129.4	58006.66	99	142515.1
560435	6356350	59122.03	57999.01	99	142525.5
560440	6356350	59116.11	57993.06	99	142535.5
560445	6356350	59123.24	58000.18	99	142542.8
560450	6356350	59128.52	58005.77	99	142552.1
560455	6356350	59129.4	58006.43	99	142602.4
560460	6356350	59136.01	58013.07	99	142610.7
560465	6356350	59141.57	58018.7	99	142620.6
560470	6356350	59140.45	58017.75	99	142628.9


Appendix 6
Raw Ground Geophysical Data
Anomaly GCA082a

line_X	station_Y	field_nT	corr_nT	signal	time
560475	6356350	59133.42	58010.38	99	142637.4
560480	6356350	59130.13	58007.03	99	142649.4
560485	6356350	59130.34	58007.44	99	142658.8
560490	6356350	59131.46	58008.32	99	142708.8
560495	6356350	59133.53	58010.39	99	142717.4
560500	6356350	59130.31	58007.18	99	142729.2
560505	6356350	59129.01	58006.08	99	142741.3
560510	6356350	59124.49	58001.18	99	142751.2
560515	6356350	59118.84	57995.4	99	142801.3
560520	6356350	59115.53	57992.29	99	142812.1
560525	6356350	59115.76	57992.23	99	142821.5
560530	6356350	59119.36	57995.84	99	142830.7
560535	6356350	59126.2	58002.63	99	142841.4
560540	6356350	59137.95	58014.59	99	142850.7
560545	6356350	59148.69	58025.09	99	142859.3
560550	6356350	59154.4	58030.75	99	142909.2

APPENDIX 5

Summary Grand Cub Aidan Exploration Costs 2006 - 2007

No.	ITEM	AMOUNT	SUBTOTAL	TOTAL
1. APEX Geological Staff Costs 2006 - 2007				
	Principals directly involved - Field and Office Work	$20,379.00		
	Geological Staff - Field and Office Work	$36,857.25		
	GIS and Computing Services	$2,748.75		
	Subtotal APEX Personnel Costs		**$59,985.00**	
2. APEX Field and Data Costs 2006 - 2007				
	Purchase of Data, Maps and Publications	$644.95		
	Travel	$1,649.72		
	Equipment Rentals: includes truck and quad rentals, phones, computers, microscope magnetometers etc	$6,682.22		
	Field Costs: includes fuel, field equipment, field accommodation etc	$2,009.72		
	Miscellaneous: includes land use, communications and fees	$458.59		
	Subtotal APEX Field Costs		**$11,445.20**	
3. Firefly Aviation Airborne Geophyscial Costs				
	February - March 2007 Airborne Costs	$40,000.00		
	Subtotal Airborne Costs		**$40,000.00**	
	TOTAL APEX & FIREFLY 2006 - 2007 GRAND CUB AIDAN COSTS			**$111,430.20**
3. Allowable Grizzly Administration Costs				
	10% Allowable Administration Cost	$11,143.02	**$11,143.02**	
	TOTAL 2006 - 2007 GRAND CUB AIDAN ASSESSMENT EXPENSE			**$122,573.22**



LEGEND

- Grand Cub Aidan APEX Magnetic Pick
- Grand Cub Aidan Intrepid Magnetic Pick, Rank (2 = high, 5 = low)
  - 2
  - 3
  - 4
  - 5
- Monopros Magnetic Target
  - 1st priority
  - 2nd priority
- Ashton Drillholes 1998 - 2000
- Ashton Kimberlite
- Ashton Recently Discovered Kimberlite
- Other Kimberlites
- Ashton Ground Magnetic Survey
- Ashton Aeromagnetic Survey
- Well
- Pipeline
- Airstrip
- Drainage
- Lake
- Road
- Township Range Major Sections
- Cutlines
- 2006 Ground Geophysics Grid
- Grizzly Grand Cub Parker Permits
- Grizzly Grand Cub Aidan Permits
- Grizzly Preston Upon Wolverine Permits
- Ashton Mining Permits
- 3869008 Canada Ltd Permits

PERMIT TO PRACTICE
APEX Geoscience Ltd.
Signature
Date
PERMIT NUMBER: P-5824
The Association of Professional Engineers, Geologists and Geophysicists of Alberta

GRIZZLY DIAMONDS LTD (GZD)

Grand Cub Aidan

Location 2006 Airborne Anomalies & Ground Geophysics Grids

1km 0 1 2km

SCALE 1:50,000
Zone 11 NAD 27
APEX Geoscience Ltd.

Edmonton, Alberta — April, 2006

FIGURE 11

20070015

MAY 16 2007
20070015

GRAND CUB AIDAN SOUTH PROJECT
PEACE RIVER AREA, ALBERTA

HIGH RESOLUTION AEROMAGNETIC SURVEY (HRAM) LOGISTICAL REPORT

For

GRIZZLY DIAMONDS LTD.

April 2007

By

Bruce T. Evans, P.Geol.
Firefly Aviation Ltd.
Calgary, Alberta, Canada

TABLE OF CONTENTS

	Page
1.0 INTRODUCTION	2
2.0 SURVEY AREA	2
3.0 EQUIPMENT SPECIFICATIONS	2
3.1 AIRCRAFT	2
3.2 AIRBORNE GEOPHYSICAL EQUIPMENT	3
3.3 MAGNETOMETER BASE STATION	5
3.4 GPS BASE STATION	6
4.0 SURVEY SPECIFICATIONS	6
4.1 LINES AND DATA	6
4.2 TOLERANCES	6
4.3 NAVIGATION AND RECOVERY	6
4.4 OPERATIONAL LOGISTICS	7
5.0 DATA PROCESSING	7
5.1 DATA PRODUCTS	8
6.0 SUMMARY	8
APPENDIX	
PROJECT AREA LOCATION	
FINAL MAPS	

1.0 INTRODUCTION

This report describes the specifications and operations of an airborne geophysical survey carried out for Grizzly Diamonds Ltd. by Firefly Aviation Ltd., during February to April 2007. The Firefly Aviation Ltd. Offices are located at Unit #4 550 Hurricane Drive, Springbank Airport, Calgary, Alberta T3Z 3S8. Telephone (403) 246-8083, fax (403) 202-1493.

The purpose of a survey of this type was to acquire high resolution, high sensitivity aeromagnetic data over an area located northeast of Peace River, Alberta. The end result of the HRAM data processing was to provide detailed data to assess the area for anomalies and magnetic features pertaining to their relevance in the local geology.

To achieve this purpose, the survey area was systematically traversed by an aircraft carrying geophysical instruments along parallel flight lines (traverses) spaced 100 meters apart in an east west direction on the main south block (Smoky The Bear Permits), and 150m spaced lines on a north south alignment on the north block (Grand Cub Aidan Permits). Tie lines were flown normal to the traverses spaced at 1000 m. The nominal flying height was a bestfit draped 60 meters above the terrain surface. Between the 16th of February 2007 and 17th April 2007 the total number of line kilometres flown and accepted are 26,059 km.

2.0 SURVEY AREA

The survey area is located in Buffalo Head Hills area, approximately 150 kilometres northeast of the town of Peace River, Alberta. The survey was conducted over an area as defined by Grizzly Diamonds Ltd. The area of the survey is outlined by the co-ordinates included in the appendices of this report.

3.0 EQUIPMENT SPECIFICATIONS

3.1 AIRCRAFT

The survey was carried out using a Piper PA-31 aircraft, registration C-GCMD, configured with a specially designed rigid-mount tail boom for geophysical survey operations. The aircraft is equipped with a high sensitivity magnetometer and a full on-board real time compensation recording computer, and related equipment. It is a single engine aircraft with full avionics, including real time differential 3D GPS navigation.

The aircraft has been modified to conduct airborne geophysical surveys. Considerable effort has been made to remove all ferruginous materials near the sensor and to ensure that the aircraft electrical systems do not create any noise.

The following table lists the relevant aircraft flight parameters for conducting HRAM surveys.

TYPE	Registration	TSOH HOURS	FUEL CAPACITY	CRUISE (kts)	SURVEY ENDURANCE
Piper PA-31	C-GCMD	1405.1 hours L&R	242 gallons, AVGAS 100/130	165 knots Survey: 150 kts	7.5 hours

Normal Climb/Descent Gradient 1,000 FPM **

Survey Fuel Consumption ~ 34.0 gph

* TSOH = Time Since Overhaul
** This is best rate of climb at SL at gross weight as indicated in the PA-31 pilots' operating manual; short duration rate of climb is much higher, dependent on outside temperature.

3.2 AIRBORNE GEOPHYSICAL EQUIPMENT

The airborne geophysical system has one high sensitivity, cesium vapor magnetometer. Ancillary support equipment include tri-axial fluxgate magnetometer, radar altimeter, barometric altimeter, GPS receiver and a navigation system which includes a left/right indicator and a screen showing the survey area with real time flight path. All data are collected and stored by the data acquisition system. The following provides the detailed equipment specifications.

Cesium Vapor Magnetometer:

Manufacturer	Geometrics
Model	G-822
Resolution	0.001 nT counting @ 0.1 per second
Sensitivity	+/-0.005 nT
Dynamic Range	15,000 to 100,000 nT
Fourth Difference	0.02 nT

Tri-Axial Magnetic Field Sensor (for compensation, mounted in the tail boom proximal to the CS-2 pod):

Manufacturer	Billingsley Magnetics
Model	TFM 1000
Internal Noise	at 1 Hz - 1 kHz; 0.6 nT rms
Bandwidth	0 to 1 kHz maximally flat, -12 dB/octave roll off beyond 1 kHz
Frequency Response	1 HZ - 100 Hz: +/- 0.5% 100 Hz - 500 Hz: +/- 1.5% 500 Hz - 1 kHz: +/- 5.0%
Calibration Accuracy:	+/- 0.5%
Orthogonality	+/- 0.5% worst case
Package Alignment	+/- 0.5% over full temperature range
Scaling Error	absolute: +/- 0.5% between axes: +/- 0.5%

Radar Altimeter:

Manufacturer	King
Model	KRA-10A
Accuracy	5% up to 2,500 feet
Calibrate Accuracy	1%
Output	Analog for pilot; Converted to digital for data acquisition

Differential 3D GPS Receiver

Manufacturer	Novatel
Model	ProPack LB Plus
Differential Source	CDGPS
Type	Continuous tracking, L1 frequency, C/A code (SPS), 12 channel (independent)
Position Sensitivity	twice per second

Accuracy	position (differentially corrected) ~1.0 meter position (SA implemented) 100 meters, position (no SA) 30 m, velocity 0.1 knot, time recovery 1 pps, 100 nsec pulse width
Data Recording	all GPS data and positional data logged by onboard DGR33A on compact flash

Navigation Interface (with pilot and operator readouts):

Manufacturer	AG-NAV Inc.
Model	P141
Data Input	Real time processing of GPS output data
Pilot Readout	Left/Right indicator / forward line projection screen
Operator Readout	Screen modes: map, survey and line
Data Recording	All data recorded in real time on Compact Flash disk via DGR33A

Data Acquisition System :

Manufacturer	RMS Instruments
Model	DGR33A with Chart Recorder
Operating System	MS-DOS
Microprocessor	RMS4183A
Memory	On board up to 128 MB, via SCSI Compact Flash Interface
Clock	real time; hardware implementation of MC14618 in the integrated peripherals controller
I/O Slots	5 AT and 3 PC compatible slots
Display	Electro – luminescent 640x400 pixels
Graphic Display	Scrolling analog chart simulation with up to 5 windows operator selectable; freeze display capability to hold image for inspection
Recording Media	128 MB SCSI Compact Flash Drive
Sampling	Programmable. Rate for this program set at 1 Hz.
Inputs	32 differential analog inputs
Serial Ports	2 RS-232/RS422
Parallel Ports	4 channel Serial I/O; 4 channel ARINC

Magnetometer Processor

Manufacturer	Geometrics
Model	
Input Range	20,000 - 100,000 nT
Resolution	0.001 nT
Bandwidth	0.7, 1 or 2 Hz
Input Signal	TTL, CMOS, Open collector compatible or sine wave with decoupler
Input Impedance	TTL>1K Ohm

Magnetic compensation for aircraft and heading effects is done in real time. Raw magnetic values are also stored and thus if desired, compensation with different variables can be run at a later time.

Magnetic Compensation System:

Manufacturer	RMS Instruments
Model	AADCII
Operating System	MS-DOS
Inputs	1 to 4 high sensitivity magnetometers
Input Frequency Range	70khz to 350khz

Magnetic Field Range	20,000 to 100,000 nT
Front End Counter	100 MHz
Resolution	1 pT
Compensation Perf.	Improvement ratio 10 to 20 typical for total field
Accuracy of Compens.	0.035 nT standard deviation for the entire aircraft flight envelope in the bandwidth 0 to 1 hz typical
Data Output Rate	10 hz maximum
Internal System Noise	less than 1 pT
Vector Magnetometer	3-Axis Fluxgate over sampled, 16 bit resolution
Outputs	3 Serial RS232C ports, max rate 19.2 Kbaud Magnetometer data output Direct Interface with GR33A Parallel output port, 16 bit with full handshaking 4 Analog outputs with 12 bit resolution.

Power Supplies:

1) Power Distribution Unit manufactured by Analytic Systems Ltd. interfaces with the aircraft power and provides filtered and continuous power at 27.5 VDC to all components.

3.3 MAGNETOMETER BASE STATION

High sensitivity base station data are provided by a GEM GSM-19 Overhauser magnetometer, data logging onto a dedicated PC module.

Magnetic Sensor:

GEM	GSM-19

Magnetic Processor:

Manufacturer	GEM
Model	GSM-19 Overhauser Mag
Input Range	15,000 - 100,000 nT
Resolution	0.1 nT
Bandwidth	1 or 2 Hz
Input Signal	TTL, CMOS, Open collector compatible or sine wave with decoupler
Input Impedance	TTL>1K Ohm

Logging Software:

Logging software by GEM-Terraplus Ltd. Compatible to PC with RS 232 input; supports real time graphics, automatic startup, compressed data storage, selectable start/stop times, automatic disk swapping, plotting of data to screen or printer at user selected scales, and fourth digital difference and diurnal quality flags set by user.

3.4 GPS BASE STATION

Ground GPS data was collected to perform any required post-flight differential correction to the flight path. The ground GPS base station equipment is described below:

Manufacturer	Novatel
Model	Novatel OEM2 Card
Type	Continuous tracking, L1 frequency, C/A code (SPS), 10 channel
Position Update	once per second
Accuracy	with SA implemented 100 meters, no SA 30 meters, velocity 0.1 knot, time recovery 1 pps, 100 nsec pulse width
Data Recording	all GPS raw and positional data logged by PC based data logger

4.0 SURVEY SPECIFICATIONS

4.1 LINES AND DATA

Survey area coverage	A total of 26,059 survey line kilometers were collected in two blocks.
Traverse Line Direction	270 and 090 degrees true azimuth on south block, and 360 and 180 on the north block.
Line Interval	100 m on south block (Smoky The Bear) and 150m on north block (Grand Cub Aidan)
Tie Line Interval	1000 m flown orthogonal to survey lines.
Terrain Clearance	60 meters drape mode.
Average ground speed	65 meters/second
Data point interval:	Magnetic: 6.5 meters relative ground spacing per sample point.

4.2 TOLERANCES

a) Line spacing: At no point did the traverse or control lines deviate more than one third of the designated flight line spacing over a period of one kilometer of line flown.
b) Terrain clearance: All flight lines were within tolerance of the planned drape surface.
c) Diurnal magnetic variation: As per spec, with data not acquired during magnetic storms or short term disturbances which exceeded survey spec.
d) Missing data: Any lines with channels or portions of channels missing from the database were reflown.

4.3 NAVIGATION AND RECOVERY

The satellite navigation system was used to ferry to the survey site and to survey along each line using UTM coordinates. The survey coordinates of the survey outline for navigation purposes and flight path recovery were calculated from the project area coordinates listed above.

The navigation accuracy is variable depending on the number and condition of the satellites, however with use of the real time differential 3D GPS navigation it is generally less than five meters and typically in the 1 to 3 meter range. Post-flight differential correction of the flight path, which corrects for satellite range errors, improves the accuracy of the flight path recovery to approximately within one to three meters.

4.4 OPERATIONAL LOGISTICS

The main base of operations for the Grand Cub Aidan Project HRAM survey was the community of Peace River (CYPE). The base station magnetometer and GPS equipment were located in a magnetically quiet location at the airport.

Fuel for the aircraft was purchased on site from the local bulk fuel dealer. Accommodations for the field crew were secured in Peace River.

The field crew consisted of: Bruce Evans / John Schonstrom – Survey Pilots
Travis Reed/Amy Simard – Equipment Operators
Jeremy Weber – Field Data Processor

The processing crew was: Bruce Evans – Project Manager
Jeremy Weber – Senior Processor, Quality Control

Field operations were conducted at the Grand Cub Aidan Project between 16 February 2007 and 17 April 2007. The aircraft and crew mobilized to the project on 16 February 2007, and conducted initial calibration and compensation flights the next day. The aircraft and crew demobilized from the project on 18 April 2007 and arrived back at the Calgary base the same day. The final acquisition flight was completed on 17 April 2007. There were a total of 38 accepted survey flights, including ferry and survey flights, compensation, and reflights. Unacceptable mission data flights are not included in this total.

5.0 DATA PROCESSING

After each mission the flight data was fully field processed and quality-checked. Each line of data was viewed on-screen, displaying raw mag, compensated mag, ground mag, noise, radar altitude, Lat./Long, flight path, and in-grid/out-of-grid. These, with the digital review, were the basis for the data QC. Any flight lines that exceeded the survey specifications due to aircraft positioning, diurnal variations or noise were noted for reflight, and forwarded to the flight crew for re-collection.

The processing procedure during the survey consisted of the following:

1) Import all flight and base data into Geosoft.
2) Edit DIURNAL channel to remove any uncharacteristic spikes and linearly interpolate across any gaps.
3) Establish table of mean terrain clearances at intersection locations from tie line data to provide elevation guidance for survey line navigation. Grid differences in elevations at intersections of tie and survey lines to provide quality check on elevation control and tag any for reflight.
4) Edit flight path channels to remove any false spikes and linearly interpolate gaps.
5) Edit RAWMAG channel to remove any false spikes and linearly interpolate gaps.
6) Create new channel as MAGDC = (MAG1 - BASEMAG) + base constant (59656).
7) Perform lag correction and heading correction to MAGDC channel.
8) Perform tie line leveling using all the survey line data to level the tie lines.
9) Perform preliminary survey line leveling using the leveled tie lines; preliminary leveled channel is labeled MAG_PRELEV.
10) All data were viewed on the screen on a line-by-line basis using the interactive Geosoft Oasis Montaj database to inspect for quality, required tolerances and data integrity.
11) Produce preliminary flight path map and gridded magnetic intensity map including shadowing.
12) Plot survey line and tie line flight paths and profiles for quality control inspection.

5.1 DATA PRODUCTS

For the purposes of the Grizzly Diamonds Ltd. Grand Cub Aidan Project Firefly has been contracted to provide a complete data set which includes final micro-leveling, processing and plotting. Plotted products include a) Total Magnetic Intensity b) Calculated 1st Vertical Derivative and c) Flightpath.

Survey data has been provided on CD-ROM in a Geosoft Oasis Montaj XYZ database format.


6.0 SUMMARY

An airborne high sensitivity, high-resolution magnetic survey has been carried out at 60 meter drape mode elevation, 100 and 150 meter line intervals and with data sample stations at 5.5 meters along the lines. Tie lines were spaced at 1000 meters. A high sensitivity base magnetic station recorded the diurnal activity throughout the survey and a base GPS station was used to correct range errors in the GPS flight path recovery. Airborne recorded data included one fully compensated magnetometer located in a tail boom mounted pod, radar altimeter and all attendant GPS data. The magnetic data have been processed, gridded and provided on CD-ROM.

FIREFLY AVIATION LTD.

[redacted]

Bruce T. Evans, P.Geol.
30 April 2007



APPENDIX

Grand Cub Aidan Project Location

NAD 27 Zone 11 Clark 1866

South Block (Smoky The Bear)

Point	UTM East	UTM North
1	555127	6311440
2	574629	6311834
3	574813	6302070
4	575784	6302070
5	575994	6292306
6	585706	6292516
7	585916	6287818
8	624945	6288658
9	624447	6303199
10	623896	6303199
11	623633	6312989
12	633450	6313278
13	633765	6303566
14	634184	6303566
15	634814	6284143
16	636494	6284196
17	636625	6277713
18	638305	6277739
19	638437	6274432
20	546886	6272489
21	546755	6287109
22	556414	6287240
23	556282	6301729
24	555154	6301729
25	555127	6311493

North Block (Grand Cub Aidan)

1	563020	6350692
2	567974	6350781
3	568063	6345937
4	572974	6346049
5	573041	6341160
6	574063	6341205
7	574463	6318430
8	559731	6318185
9	559731	6319918
10	564597	6319985
11	564264	6340938
12	563153	6340938
13	563020	6350692

555000 560000 565000 570000 575000 580000 585000

6355000 6350000 6345000 6340000 6335000 6330000 6325000 6320000 6315000

N W E S

9304020498 9304020497 9306061037

Township 97, Range 10 West of 5

Township 96, Range 13 West of 5

9306061036 9304020492 9304020491 9304020490 9304020489

9305031122 9305031123 9305031121 9305031119 9307010946

Township 92, Range 13 West of 5

Township 92, Range 10 West of 5

K8 K91 BH225 WP K14C K14B K14A K7C K7B

Legend

Buffalo Head Hills Kimberlites

DIAMONDS

- Non-Diamondiferous
- Unknown
- Diamondiferous
- Gritzly Diamonds - Grand Cub Aidan Permit
- Township85_91_wells
- Pipelines
- Transmission Lines
- Major Drainage
- Minor Drainage
- Water Body
- Road
- Township Range Line
- Ashton Mining of Canada Inc.
- Sandswamp Exploration Property
- 3869008 Canada Ltd. Property

Airborne Survey Specifications

Airborne Magnetic Survey Aircraft Piper PA-31

Magnetometer = Geometric Model G-822
Resolution 0.001 nT counting at 0.1 per second
Sensitivity +/-0.005 nT, Dynamic Range 15,000 to 100,000 nT, Fourth Difference 0.02 nT

Differential Source CDGPS = Novatel Model ProPack LB Plus
Type Continuous tracking, L1 frequency, C/A code (SPS), 12 channel (independent)
Position Sensitivity twice per second
Accuracy position (differentially corrected) ~1.0 m
Data Recordial GPS data and positional data logged by onboard DGR33A on compact flash

Flight Cross Lines at 150 m Spacing at 180 degrees
Flight Tie Lines at 1,000 m Spacing at 090 degrees
Aircraft Flown in 60 m Drape Mode
Average Ground Speed 65 m per second
Average Distance Between Data Points of 6.5 m
Location Data Captured in UTM Coordinates Using WGS1984, Zone 11
GPS Data Post Survey Corrected and Transformed into NAD1927, Zone 11 Coordinates

59171 59036 59008 58988 58975 58963 58953 58945 58936 58927 58917 58905 58892 58878 58863 58848 58832 58816 58802 58787 58773 58765 58759 58753 58748 58742 58737 58732 58727 58723 58719 58713 58707 58701 58694 58686 58678 58670 58663 58654 58644 58632 58620 58606 58591 58577 58562 58541 58513 58465

nT
Total Magnetic Intensity (TMI)

PROFESSIONAL GEOLOGIST ALBERTA MICHAEL B. DURFORD

PERMIT TO PRACTICE
APEX Geoscience Ltd.
Signature
Date OCT 1, 2007
PERMIT NUMBER: P-5824
The Association of Professional Engineers, Geologists and Geophysicists of Alberta

GRIZZLY DIAMONDS LTD.

Buffalo Head Hills Area

TOTAL FIELD MAGNETICS - GRAND CUB AIDAN SOUTH PROPERTY

0 500 1,000 2,000 3,000 4,000 Meters

Scale 1:50,000
NTS 84B, ZONE 11, NAD1927
APEX Geoscience Ltd.

Edmonton, Alberta September, 2007

FIGURE 1

555000 560000 565000 570000 575000 580000 585000

6350000 6345000 6340000 6335000 6330000 6325000 6320000 6315000

N W E S

9304020498 9304020497 9306061037

Township 97, Range 10 West of 5

Township 96, Range 13 West of 5

9306061036 9304020492 9304020491 9304020490 9304020489

9305031122 9305031123 9305031121 9305031119 9307010946

Township 92, Range 10 West of 5

Township 92, Range 13 West of 5

K91 BH225 WP K14C K14B K14A K8 K7C K7B

Legend

Buffalo Head Hills Kimberlites

DIAMONDS

- Non-Diamondiferous
- Unknown
- Diamondiferous
- Grizzly Diamonds - Grand Cub Aidan Permit
- Township85_91_wells
- Pipelines
- Transmission Lines
- Major Drainage
- Minor Drainage
- Water Body
- Road
- Township Range Line
- Ashton Mining of Canada Inc.
- Sandswamp Exploration Property
- 3869008 Canada Ltd. Property

Airborne Survey Specifications

Airborne Magnetic Survey Aircraft Piper PA-31

Magnetometer = Geometric Model G-822
Resolution 0.001 nT counting at 0.1 per second
Sensitivity +/-0.005 nT, Dynamic Range 15,000 to 100,000 nT, Fourth Difference 0.02 nT

Differential Source CDGPS = Novatel Model ProPack LB Plus
Type Continuous tracking, L1 frequency, C/A code (SPS), 12 channel (independent)
Position Sensitivity twice per second
Accuracy position (differentially corrected) ~1.0 m
Data Recording all GPS data and positional data logged by onboard DGR33A on compact flash

Flight Cross Lines at 150 m Spacing at 180 degrees
Flight Tie Lines at 1,000 m Spacing at 090 degrees
Aircraft Flown in 60 m Drape Mode
Average Ground Speed 65 m per second
Average Distance Between Data Points of 6.5 m
Location Data Captured in UTM Coordinates Using WGS1984_Zone 11
GPS Data Post Survey Corrected and Transformed into NAD1927, Zone 11 Coordinates

2.6 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -0.0 -0.0 -

556000 560000 565000 570000 575000 580000 585000

6356000 6350000 6346000 6340000 6336000 6330000 6326000 6320000 6316000

N W E S

9304020498 9304020497 9306061037

Township 97, Range 10 West of 5

Township 96, Range 13 West of 5

9306061036 9304020492 9304020491 9304020490 9304020489

9305031122 9305031123 9305031121 9305031119 9307010946

Township 92, Range 10 West of 5

Township 92, Range 13 West of 5

K91 BH225 WP K14C K14A K8 K7C K7B

Legend

Buffalo Head Hills Kimberlites

DIAMONDS

- Non-Diamondiferous
- Unknown
- Diamondiferous
- Grizzly Diamonds - Grand Cub Aidan Permit
- Township85_91_wells
- Pipelines
- Transmission Lines
- Major Drainage
- Minor Drainage
- Water Body
- Road
- Township Range Line
- Ashton Mining of Canada Inc.
- Sandswamp Exploration Property
- 3869008 Canada Ltd. Property
- GCA_South_Flightlines_n27_z11_pt

Airborne Survey Specifications

Airborne Magnetic Survey Aircraft Piper PA-31

Magnetometer = Geometric Model G-822
Resolution 0.001 nT counting at 0.1 per second
Sensitivity +/-0.005 nT, Dynamic Range 15,000 to 100,000 nT, Fourth Difference 0.02 nT

Differential Source CDGPS = Novatel Model ProPack LB Plus
Type Continuous tracking, L1 frequency, C/A code (SPS), 12 channel (independent)
Position Sensitivity twice per second
Accuracy position (differentially corrected) ~1.0 m
Data Recording all GPS data and positional data logged by onboard DGR33A on compact flash

Flight Cross Lines at 150 m Spacing at 180 degrees
Flight Tie Lines at 1,000 m Spacing at 090 degrees
Aircraft Flown in 60 m Drape Mode
Average Ground Speed 65 m per second
Average Distance Between Data Points of 6.5 m
Location Data Captured in UTM Coordinates Using WGS1984, Zone 11
GPS Data Post Survey Corrected and Transformed into NAD1927, Zone 11 Coordinates

59171 59036 59008 58988 58975 58963 58953 58945 58936 58927 58917 58905 58892 58878 58863 58848 58832 58816 58802 58787 58773 58765 58759 58753 58748 58742 58737 58732 58727 58723 58719 58713 58707 58701 58694 58686 58678 58670 58663 58654 58644 58632 58620 58606 58591 58577 58562 58541 58513 58465

nT
Total Magnetic Intensity (TMI)

PROFESSIONAL GEOLOGIST MICHAEL B. DUFFIN ALBERTA

PERMIT TO PRACTICE
APEX Geoscience Ltd.
Signature
Date Oct 1, 2007
PERMIT NUMBER: P-5824
The Association of Professional Engineers, Geologists and Geophysicists of Alberta

GRIZZLY DIAMONDS LTD.

Buffalo Head Hills Area

FLIGHT LINES (ON TMI) - GRAND CUB AIDAN SOUTH PROPERTY

0 500 1,000 2,000 3,000 4,000 Meters

Scale 1:50,000
NTS 84B, ZONE 11, NAD1927
APEX Geoscience Ltd.

Edmonton, Alberta September, 2007

FIGURE 3